

Space Details

Key:	IDEPLUGIN
Name:	Atlassian IDE Plugin
Description:	
Creator (Creation Date):	smaddox (Mar 21, 2008)
Last Modifier (Mod. Date):	smaddox (Mar 21, 2008)

Available Pages

- IDE Plugin Documentation 
 - Overview of the IDE Plugin
 - IDE Plugin for Eclipse
 - License and Copyright for the IDE Plugin for Eclipse
 - Installing the IDE Plugin for Eclipse
 - Upgrading the IDE Plugin for Eclipse
 - IDE Plugin User Guide for Eclipse
 - Configuring the Plugin for Eclipse
 - Using the Atlassian Bamboo View in Eclipse
 - IDE Plugin Release Notes for Eclipse
 - Atlassian IDE Plugin 0.4 for Eclipse - Release Notes
 - Atlassian IDE Plugin 0.3 for Eclipse - Release Notes
 - Atlassian IDE Plugin 0.2 for Eclipse - Release Notes
 - Atlassian IDE Plugin 0.2 for Eclipse - Upgrade Notes
 - Atlassian IDE Plugin 0.1 for Eclipse - Release Notes
 - IDE Plugin for IDEA
 - License and Copyright for the IDE Plugin for IDEA
 - Installing the IDE Plugin for IDEA
 - Upgrading the IDE Plugin for IDEA
 - IDE Plugin User Guide for IDEA
 - Configuring the Plugin
 - Using Bamboo in your Plugin
 - Using Crucible in your Plugin
 - IDE Plugin Keyboard Shortcuts
 - Using JIRA in your Plugin
 - IDE Plugin Release Notes for IDEA
 - Atlassian IDE Plugin 2.0 Beta for IDEA - Release Notes
 - Atlassian IDE Plugin 2.0 Beta for IDEA - Upgrade Notes
 - Atlassian IDE Plugin 1.6.1 for IDEA - Release Notes
 - Atlassian IDE Plugin 1.6 for IDEA - Release Notes
 - Atlassian IDE Plugin 1.5 for IDEA - Release Notes
 - Atlassian IDE Plugin 1.4 Release Notes
 - Atlassian IDE Plugin 1.3.1 Release Notes
 - Atlassian IDE Plugin 1.3 Release Notes

- Atlassian IDE Plugin 1.2.1 Release Notes
- Atlassian IDE Plugin 1.2 Release Notes
- Atlassian IDE Plugin 1.1 Release Notes
- Atlassian IDE Plugin 1.0 Release Notes
- IDE Plugin Release Notes
- IDE Plugin Knowledge Base
 - Displaying a description of the issue status
 - Troubleshooting Server Connection
 - HTTP 404 error when connecting to Crucible even though the URL seems to be correct

This page last changed on Jun 18, 2008 by [smaddox](#).

Introduction to the Atlassian IDE Plugin

The Atlassian IDE Plugin is an add-on for your integrated development environment (IDE). It allows you to work with the Atlassian products within your IDE. Now you don't have to switch between websites, email messages and new feeds to see what's happening to your project and your code. Instead, you can see the relevant [JIRA](#) issues, [Crucible](#) reviews and [Bamboo](#) build information right there in your development environment.

The Atlassian IDE Plugin is available for [IDEA](#) and [Eclipse](#). In the future we would like to support other IDEs too, such as [Visual Studio](#). Take a look at the documentation for each IDE:

- [IDE Plugin for Eclipse](#)
- [IDE Plugin for IDEA](#)



Watch this space for developments

The plugin is under development. We plan to integrate more of the [Atlassian products](#) and we'll keep expanding the features in the currently-integrated products.

Table of Contents

[Overview of the IDE Plugin](#)

[IDE Plugin for Eclipse](#)

- [License and Copyright for the IDE Plugin for Eclipse](#)
- [Installing the IDE Plugin for Eclipse](#)
- [Upgrading the IDE Plugin for Eclipse](#)
- [IDE Plugin User Guide for Eclipse](#)
- [IDE Plugin Release Notes for Eclipse](#)

[IDE Plugin for IDEA](#)

- [License and Copyright for the IDE Plugin for IDEA](#)
- [Installing the IDE Plugin for IDEA](#)
- [Upgrading the IDE Plugin for IDEA](#)
- [IDE Plugin User Guide for IDEA](#)
- [IDE Plugin Release Notes for IDEA](#)

[IDE Plugin Release Notes](#)

[IDE Plugin Knowledge Base](#)

- [Displaying a description of the issue status](#)
- [Troubleshooting Server Connection](#)

Overview of the IDE Plugin

This page last changed on Jun 18, 2008 by [smaddox](#).

The Atlassian IDE Plugin is an add-on for your integrated development environment (IDE). It allows you to work with the Atlassian products within your IDE. Now you don't have to switch between websites, email messages and new feeds to see what's happening to your project and your code. Instead, you can see the relevant [JIRA](#) issues, [Crucible](#) reviews and [Bamboo](#) build information right there in your development environment.

The Atlassian IDE Plugin is available for [IDEA](#) and [Eclipse](#). In the future we would like to support other IDEs too, such as [Visual Studio](#). Take a look at the documentation for each IDE:

- [IDE Plugin for Eclipse](#)
- [IDE Plugin for IDEA](#)



Watch this space for developments

The plugin is under development. We plan to integrate more of the [Atlassian products](#) and we'll keep expanding the features in the currently-integrated products.

IDE Plugin for Eclipse

This page last changed on Aug 17, 2008 by [smaddox](#).

IDE Plugin Documentation for Eclipse	Resources
<ul style="list-style-type: none">• Installation Guide• Upgrade Guide• User Guide• Release Notes	<p>If you encounter a problem using the Atlassian IDE Plugin, please contact our support team.</p> <p>This is an open source project. To access the plugin's source code, point your SVN at: https://studio.atlassian.com/svn/PL. (If you don't already have an account, please go to http://studio.atlassian.com and sign up for an account. You should then be able to access the svn repository with your new account.)</p> <p>Other handy links:</p> <ul style="list-style-type: none">• IDE Plugin Blog Cannot resolve external resource into attachment.• IDE Plugin Knowledge Base• Javadoc• JIRA Issue Tracker• IDE Plugin Forum
About the Atlassian IDE Plugin	
<p>The Atlassian IDE Plugin is an Eclipse plugin. It allows you to work with the Atlassian products within your IDE. Now you don't have to switch between websites, email messages and news feeds to see what's happening to your project and your code. Instead, you can see the relevant information right there in your development environment. The current version of the Atlassian IDE Plugin integrates Bamboo build information into Eclipse.</p> <div style="background-color: #e0ffe0; padding: 5px;"><p> Watch this space for developments</p><p>The plugin is under development. We plan to integrate more of the Atlassian products and we'll keep expanding the features in the currently-integrated products.</p></div> <div style="background-color: #e0e0ff; padding: 5px;"><p> Current released version: The Atlassian IDE Plugin for Eclipse version 0.4 has now been released — see the Atlassian IDE Plugin 0.4 for Eclipse - Release Notes.</p></div>	
	Offline Versions of the Documentation
	<p>You can download the IDE Plugin documentation in PDF, HTML or XML formats.</p>
	Looking for Other Plugins?
	<p>If you're in the wrong place, try these links instead:</p> <ul style="list-style-type: none">• Atlassian IDE Plugin for IDEA — see IDE Plugin for IDEA• Clover IDE plugins — see the Clover documentation• Plugins for Atlassian products — see plugin information for Confluence, JIRA, Crowd, Bamboo• Resources for plugin developers — see Atlassian Developer Network

Table of Contents

- [License and Copyright for the IDE Plugin for Eclipse](#)
- [Installing the IDE Plugin for Eclipse](#)
- [Upgrading the IDE Plugin for Eclipse](#)

- [IDE Plugin User Guide for Eclipse](#)
 - [Configuring the Plugin for Eclipse](#)
 - [Using the Atlassian Bamboo View in Eclipse](#)
- [IDE Plugin Release Notes for Eclipse](#)
 - [Atlassian IDE Plugin 0.4 for Eclipse - Release Notes](#)
 - [Atlassian IDE Plugin 0.3 for Eclipse - Release Notes](#)
 - [Atlassian IDE Plugin 0.2 for Eclipse - Release Notes](#)
 - [Atlassian IDE Plugin 0.2 for Eclipse - Upgrade Notes](#)
 - [Atlassian IDE Plugin 0.1 for Eclipse - Release Notes](#)

License and Copyright for the IDE Plugin for Eclipse

This page last changed on Jun 12, 2008 by [smaddox](#).

Open Source

This is an open source project. You can get the source code from [our SVN repository](#).

Copyright Statement

© Atlassian 2008

License

Licensed under the Eclipse Public License, Version 1.0 (the "License").

You may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.eclipse.org/legal/epl-v10.html>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

Installing the IDE Plugin for Eclipse

This page last changed on Aug 17, 2008 by [smaddox](#).

On this page:

- [System Requirements](#)
- [Installation in Short](#)
- [Installation in Detail](#)

System Requirements


	IDE Plugin for Eclipse 0.1, 0.2	IDE Plugin for Eclipse 0.3 or later
Eclipse	3.3 (Europa) or later	3.4 (Ganymede) or later
Bamboo	1.x 2.x recommended	1.x 2.x recommended

Installation in Short

Add <http://update.atlassian.com/atlassian-eclipse-plugin> to your Eclipse update sites and then install the plugin.


Installation in Detail

1. Open the Eclipse software updates manager via 'Help', 'Software Updates', 'Find and Install'.
2. The 'Feature Updates' screen will appear, as shown in the screenshot below:




Select 'Search for new features to install' and click 'Next'.

3. The 'Update sites to visit' screen will appear, as shown in the screenshot below:



Click the 'New Remote Site' button.


4. The 'New Update Site' screen will appear, as shown in the screenshot below:



Enter the following information:


- Name — Atlassian Eclipse Plugin
 - URL — <http://update.atlassian.com/atlassian-eclipse-plugin/>
- Click 'OK'.

5. The 'Search Results' screen will appear with 'Atlassian Eclipse Plugin' in the list, as shown in the screenshot below:




Put a tick in the checkbox next to 'Atlassian Eclipse Plugin', to select all features for installation. Click the 'Next' button.

6. The 'Feature License' screen will appear as shown in the screenshot below:




Accept the license agreement and click the 'Next' button.

7. The 'Installation' screen will appear, as shown in the screenshot below:




Verify the installation details, including the location where you want the plugin to be installed. Click the 'Finish' button.

8. Now you will see the progress of the update, something like this:



9. A 'Feature Verification' warning may appear, as shown in the screenshot below:



This is because the plugin download is not signed via a digital certificate. Click the 'Install' button to accept the unsigned feature.

10. When the download has finished you will be offered the chance to restart Eclipse, as shown in the screenshot below:



Click 'Yes' to close Eclipse. Start Eclipse again to activate the plugin.

RELATED TOPICS

[Configuring the Plugin for Eclipse](#)
[Overview of the IDE Plugin](#)


Upgrading the IDE Plugin for Eclipse

This page last changed on Jun 12, 2008 by [smaddox](#).

This page tells you how to upgrade the Atlassian IDE Plugin for Eclipse. If you have never installed the plugin, please refer to the [installation guide](#) instead.

To upgrade the Atlassian IDE Plugin in Eclipse:

1. Open the Eclipse software updates manager via 'Help', 'Software Updates', 'Find and Install'.
2. The 'Feature Updates' screen will appear, as shown in the screenshot below:



Select 'Search for updates of the currently installed features' and click 'Finish'.

3. The 'Update Site Mirrors' screen may appear. Select the appropriate mirror site for your geographical location.
4. The 'Search Results' screen will appear with 'Atlassian Eclipse Plugin' in the list. Select all features for installation and click the 'Next' button.
5. The 'Feature License' screen will appear. Accept the license agreement and click the 'Next' button.
6. The 'Installation' screen will appear. Verify the installation details, including the location where you want the plugin to be installed. Click the 'Finish' button.
7. A 'Feature Verification' warning may appear. This is because the plugin download is not signed via a digital certificate. Click the 'Install' button to accept the unsigned feature.
8. When the download has finished you will be offered the chance to restart Eclipse. Click 'Yes' to close Eclipse. Start Eclipse again to activate the new version of the plugin.

RELATED TOPICS

[Installing the IDE Plugin for Eclipse](#)
[Configuring the Plugin for Eclipse](#)
[IDE Plugin User Guide for Eclipse](#)

IDE Plugin User Guide for Eclipse

This page last changed on Jun 12, 2008 by [smaddox](#).

The Atlassian IDE Plugin is an add-on for your integrated development environment (IDE). It allows you to work with the Atlassian products within your IDE. Now you don't have to switch between websites, email messages and new feeds to see what's happening to your project and your code. Instead, you can see the relevant [JIRA](#) issues, [Crucible](#) reviews and [Bamboo](#) build information right there in your development environment.

The IDE Plugin User Guide tells you how to set up and use your Atlassian IDE Plugin in [Eclipse](#).

Table of Contents

- [Configuring the Plugin for Eclipse](#)
- [Using the Atlassian Bamboo View in Eclipse](#)

RELATED TOPICS

[Installing the IDE Plugin for Eclipse](#)

Configuring the Plugin for Eclipse

This page last changed on Aug 18, 2008 by [smaddox](#).

In the Eclipse 'Preferences' window, you can define the Bamboo server that the plugin connects to and enter the names of the builds you are interested in.

On this page:


- [Accessing the Plugin Preferences Window](#)
- [Configuring your Bamboo Server Connections](#)
- [Configuring Bamboo Polling Time and Popup Options](#)

Accessing the Plugin Preferences Window

1. In [Eclipse](#), click the 'Window' menu and select 'Preferences'.
2. Select 'Atlassian Plugin' from the list.
3. The 'Preferences' window will open, as shown in the screenshot below.

Configuring your Bamboo Server Connections

Screenshot: Configuring your Bamboo server



To configure your server:

1. Enter the server name, server URL, your username and your password.

2. Click the 'Test Connection' button to verify the information you have entered. The plugin will attempt to connect to the Bamboo server.
3. Click the 'Refresh' button to retrieve the latest list of build plans from the Bamboo server, based on the server information entered on the screen.
4. Now you can either click 'Use favourites' to select your favourite plans as defined on the Bamboo server, or you can select the plans that you want the plugin to watch. Yellow stars indicate your favourite plans as defined on the Bamboo server.
5. Click 'Apply' or 'OK' to save the changes.


 You can also view a list of Bamboo servers in the 'Bamboo Servers' view, as described in the [User Guide](#).

Configuring Bamboo Polling Time and Popup Options

You can configure the polling interval that the plugin will use to monitor Bamboo build plans.

You can also configure if and when the plugin will show a popup window.

Screenshot: Configuring polling time



To configure the polling time and popup behaviour:

1. Select the 'Bamboo' option under 'Atlassian Plugin'. The Bamboo Preferences window will open, as shown in the screenshot above.
2. 'Show popup' — Select a radio button to determine when Bamboo will show a popup window.
3. 'Polling Time' — Enter a time interval in minutes. For example, if you enter '30', the plugin will connect to your Bamboo server every half hour to refresh its data.

RELATED TOPICS

[Installing the IDE Plugin for Eclipse](#)
[IDE Plugin User Guide for Eclipse](#)
[IDE Plugin Documentation](#)

Using the Atlassian Bamboo View in Eclipse

This page last changed on Aug 20, 2008 by [smaddox](#).

The Atlassian IDE Plugin gives you [Bamboo](#) build information right there in your integrated development environment. This page tells you how to use the Bamboo view provided by the Atlassian IDE Plugin in [Eclipse](#).

On this page:

- [Icon and Popup showing Bamboo Status](#)
- [Accessing the Bamboo Views in Eclipse](#)
- [Contents of the 'Bamboo Watched Plans' View](#)
- [Contents of the 'Bamboo Servers' View](#)
- [Viewing a Build Log in Eclipse](#)

Icon and Popup showing Bamboo Status


After you have defined [the Bamboo servers and plans to monitor](#), an icon in the Eclipse status bar shows the summary status of builds. If at least one build is currently failing, the icon is a red exclamation mark  , otherwise it is a green

tick .

If the Eclipse Bamboo view is hidden, you can double-click the status icon to open the Bamboo view, where detailed information is shown.

In addition, when the summary status changes (e.g. when a build fails), a popup window appears to warn you of the problem. You can configure the behaviour of the popup in the [Preferences window](#).


Screenshot: Bamboo popup window



Accessing the Bamboo Views in Eclipse

There are two Bamboo views available: 'Bamboo Servers' and 'Bamboo Watched Plans'.

Screenshot: [Accessing the Bamboo views](#)



To open the views:

1. In [Eclipse](#), click the 'Window' menu and select 'Show View' then 'Other'.
2. Expand the folder named 'Atlassian Plugin'.
3. Select 'Bamboo Servers' or 'Bamboo Watched Plans'.
Hint: Hold down the Control key to select more than one view at the same time.
4. Click 'OK'.
5. The selected Bamboo view(s) will open, as shown in the screenshots below.

Contents of the 'Bamboo Watched Plans' View

The Bamboo Watched Plans view shows information about all build plans of the server defined in the Preferences window. (See [Configuring the Plugin for Eclipse](#).)

Screenshot: Bamboo Watched Plans

S..	Build Plan	Project	Build Number	Build Date	Tests	Reason	Server
✓	QA-BAMBOOPLUG	Clover + Sonar	1	4 weeks ago	0/0	Initial clean build	Bamboo Extranet
✓	QA-BANDANA	Clover + Sonar	8	1 month ago	0/0	Manual build	Bamboo Extranet
✓	QA-BARCTYPE	Clover + Sonar	1	4 weeks ago	0/0	Initial clean build	Bamboo Extranet
✓	QA-BONNIE	Clover + Sonar	6	2 weeks ago	0/0	Code has changed	Bamboo Extranet
✓	QA-BUCKET	Clover + Sonar	4	4 days ago	0/0	Code has changed	Bamboo Extranet
✓	QA-CACHE	Clover + Sonar	2	1 month ago	0/0	Manual build	Bamboo Extranet
✓	QA-CACHESERVLET	Clover + Sonar	2	1 month ago	0/0	Manual build	Bamboo Extranet
✓	QA-CARGOPLUG	Clover + Sonar	2	5 days ago	0/0	Manual build	Bamboo Extranet
✓	QA-COMMONSCSV	Clover + Sonar	1	4 weeks ago	0/0	Initial clean build	Bamboo Extranet
✓	QA-CONFIG	Clover + Sonar	2	1 month ago	0/0	Manual build	Bamboo Extranet
✓	QA-CONFBJJS	Clover + Sonar	2	1 month ago	0/0	Manual build	Bamboo Extranet
✓	QA-CORE	Clover + Sonar	5	1 day ago	0/0	Code has changed	Bamboo Extranet
✓	QA-CROWDPLUGIN	Clover + Sonar	1	4 weeks ago	0/0	Initial clean build	Bamboo Extranet
✓	QA-EVALPLUG	Clover + Sonar	2	5 days ago	0/0	Manual build	Bamboo Extranet

You can change the order of the columns in the view. Just click a column heading and drag it to the new position. The plugin will remember the column order the next time you start Eclipse.

You can perform the following functions for each line in the list:

- Double-click a line to open the selected plan in a new browser window.
- Select a line to enable the actions in the tool bar.

The tool bar above the list of plans provides more functionality:

-  of the selected plan. — Re-run the last build
-  — Label a build.
-  build. — Add a comment to a
-  — Show the full build
-  log within the Eclipse IDE. (See [below](#).) — Refresh the contents
-  of the list by polling the configured Bamboo server.


Contents of the 'Bamboo Servers' View

 The Bamboo Servers view is not yet fully functional

The Bamboo Servers view is still under development. When complete, this view will replace the server configuration on the Plugin Preferences window, which is described in [Configuring the Plugin for Eclipse](#). On the Bamboo Servers view described below, you can add servers and browse plans but nothing more.

The Bamboo Servers view shows a list of available Bamboo servers, and allows you to add another server to the list.

Screenshot: Bamboo Servers



To add a server:

1. Click the New Server icon




the list of servers.

in the tool bar above

2. The 'New Bamboo Server' screen will appear, as shown below.
3. Supply the information as prompted then click 'Finish'.

Screenshot: Adding a Bamboo Server



Viewing a Build Log in Eclipse


To show the full build log within the Eclipse IDE:

1. Select the build plan from your list of watched plans. (See [above](#).)
2. Click the 'Show Build Log' icon

3. The build log appears, as shown in the screenshot below.

in the toolbar.

Screenshot: Full build log in Eclipse IDE



RELATED TOPICS

- [Installing the IDE Plugin for Eclipse](#)
- [Configuring the Plugin for Eclipse](#)
- [IDE Plugin User Guide for Eclipse](#)

IDE Plugin Release Notes for Eclipse

This page last changed on Jun 16, 2008 by [smaddox](#).



Current released version:

The Atlassian IDE Plugin for Eclipse version 0.4 has now been released — see the [Atlassian IDE Plugin 0.4 for Eclipse - Release Notes](#).

- [Atlassian IDE Plugin 0.4 for Eclipse - Release Notes](#)
- [Atlassian IDE Plugin 0.3 for Eclipse - Release Notes](#)
- [Atlassian IDE Plugin 0.2 for Eclipse - Release Notes](#)
- [Atlassian IDE Plugin 0.1 for Eclipse - Release Notes](#)

Atlassian IDE Plugin 0.4 for Eclipse - Release Notes

This page last changed on Aug 03, 2008 by [smaddox](#).

1 August 2008

With pleasure, Atlassian presents version 0.4 of the Atlassian IDE Plugin for Eclipse.


This release brings further enhancements to the Bamboo support in the plugin. You can now connect to multiple Bamboo servers instead of just one. For each of your build plans, you can now show the full build log within the Eclipse IDE.

Highlights of this Release


1

Bamboo Servers View

- There are now two Bamboo views: 'Bamboo Servers' and 'Bamboo Watched Plans'.




- The 'Bamboo Watched Plans' view shows the information for your selected build plans, as in previous versions of the plugin.
- The new 'Bamboo Servers' view allows you to add Bamboo servers and view the plans defined on each server.
- You can now connect to multiple Bamboo servers instead of just one.



2

Full Build Log

- You can now show the full build log within the Eclipse IDE. Just select the build plan, then click the 'Show Build Log' icon in the toolbar.



Complete List of Fixes in the Atlassian IDE Plugin 0.4 for Eclipse

Atlassian Projects (4 issues)						
Key	Summary	Pr				Status
PLE-51	Add new view to show defined bamboo servers	↑				Resolved
PLE-49	Release notes for Eclipse plugin 0.4	↑				Closed
PLE-45	Show full log for build	↑				Resolved
PLE-40	Several icons in status bar	↑				Resolved

Atlassian IDE Plugin 0.3 for Eclipse - Release Notes

This page last changed on Jul 24, 2008 by [smaddox](#).



Plugin version 0.3 requires Eclipse 3.4

Update on 25/7/2008: From version 0.3 of the Atlassian IDE Plugin, you will need Eclipse version 3.4.0 or later. For more information, see [PLE-46](#).

18 July 2008

With pleasure, Atlassian presents version 0.3 of the Atlassian IDE Plugin for Eclipse. Here are the highlights of this release:

- A new Bamboo icon in the Eclipse status bar shows the summary status of builds: red means at least one build is currently failing; green means all builds are passing.
- The configuration screen allows you to select your favourite build plans as defined on the Bamboo server.
- You can now add labels and comments to your build plans (Bamboo 2 only). Below is a list of all the fixes and improvements in this release.

The Atlassian IDE Plugin is available for IDEA too

Take a look at the [release notes](#) for the IDEA version of the plugin.

Don't have the Atlassian IDE Plugin for Eclipse yet?

Take a look at the features in the [Plugin User Guide](#). Then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

The plugin's blog

From time to time, the plugin development team posts some information on the plugin's [blog](#).

Complete List of Fixes in the Atlassian IDE Plugin 0.3 for Eclipse

Atlassian Projects (8 issues)				
Key	Summary	Pr		Status
PLE-39	Add status bar notification icon	↑		Resolved
PLE-38	Documentation for Eclipse plugin 0.3	↑		Resolved
PLE-23	"favourite plans" handling in the config dialog	↑		Resolved
PLE-22	Please update teh IDE plugin web page (WAC/software/ideplugin) to reflect the availability of an Eclipse version	↑		Closed
PLE-16	Show license text when installing plug-in	↑		Resolved
PLE-9	Enable label and comment features for bamboo2	↑		Resolved
PLE-34	License text incomplete during installation on Eclipse 3.4	↓		Resolved
PLE-32	Bamboo tab does not display project name and server name	↓		Resolved

Atlassian IDE Plugin 0.2 for Eclipse - Release Notes

This page last changed on Jul 06, 2008 by [smaddox](#).

3 July 2008

With pleasure, Atlassian presents version 0.2 of the Atlassian IDE Plugin for Eclipse.

Here are the highlights of this release:

- The configuration screen allows you to select your Bamboo build plans from a list, rather than typing them into a text box.
- The new 'Test Connection' button lets you verify the connection data you have entered, by connecting to the Bamboo server.
- The new 'Refresh' button lets you retrieve the list of build plans, using the most recent data entered into the form.
- A notification in the Eclipse status bar lets you know the status of background plugin activities, such as retrieving the list of plans or the build status.

Below is a list of all the fixes and improvements in this release.

The Atlassian IDE Plugin is available for IDEA too

Take a look at the [release notes](#) for the IDEA version of the plugin.

Don't have the Atlassian IDE Plugin for Eclipse yet?

Take a look at the features in the [Plugin User Guide](#). Then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

The plugin's blog

From time to time, the plugin development team posts some information on the plugin's [blog](#).

Complete List of Fixes in the Atlassian IDE Plugin 0.2 for Eclipse

Atlassian Projects (5 issues)				
Key	Summary	Pr		Status
PLE-30	Documentation for Eclipse plugin 0.2	↑		Resolved
PLE-21	a list of bamboo plans in Eclipse config dialog	↑		Resolved
PLE-19	Documentation for Eclipse plugin 0.1	↑		Closed
PLE-7	Add some notification (animation) that builds' list is reloaded for bamboo tab	↑		Resolved
PLE-3	Add test connectio button to the config window	↑		Resolved

Atlassian IDE Plugin 0.2 for Eclipse - Upgrade Notes

This page last changed on Jul 06, 2008 by [smaddox](#).

Below are some essential notes on upgrading to version 0.2 of the Atlassian IDE Plugin for Eclipse. For details of the new features and improvements in this release, please read the [Release Notes](#).

Upgrade Instructions

1. Please upgrade as usual. Instructions are available in the [Upgrade Guide](#).
2. After upgrading, please change the name of your existing configuration file from
`atlassian_eclipse_plugin.prefs`
to
`atlassian-eclipse-plugin.prefs`
(replacing the underscores with hyphens).

Background Information

For the first time in this release, we built the release automatically using Maven with an Ant script. A side effect is that your plugin configuration data will be empty after upgrade. To retrieve the configuration data, change the file name as described above.

RELATED TOPICS

[Atlassian IDE Plugin 0.2 for Eclipse - Release Notes](#)

Atlassian IDE Plugin 0.1 for Eclipse - Release Notes

This page last changed on Jun 24, 2008 by [jgorycki](#).

23 June 2008

With pleasure, Atlassian presents version 0.1 of the Atlassian IDE Plugin for Eclipse. Highlights of this release include:

- You can configure the polling interval that the plugin will use to monitor the Bamboo build plans.
- Bamboo will now notify you of build failures and successes via a popup. The popup's behaviour is configurable via the plugin's Preferences window.
- You can change the order of the columns in the Bamboo view. The plugin will remember the column order the next time you start Eclipse.

The Atlassian IDE Plugin is available for IDEA too

Take a look at the [release notes](#) for the IDEA version of the plugin.

Don't have the Atlassian IDE Plugin for Eclipse yet?

Take a look at the features in the [Plugin User Guide](#). Then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

The plugin's blog

The plugin's team from time to time posts some info on the plugin's [blog](#)

Complete List of Fixes in the Atlassian IDE Plugin 0.1 for Eclipse

Atlassian Projects (5 issues)				
Key	Summary	Pr		Status
PLE-18	Separate the release notes for the IDEA and Eclipse versions of the plugin	↑		Closed
PLE-17	Add setting bamboo polling time to the configuration	↑		Closed
PLE-5	Add feature to remember bamboo tab columns width and order between Eclipse sessions	↑		Closed
PLE-2	Eclipse: bamboo notification "toaster" popup	↑		Closed
PLE-1	Allow to change columns order for bamboo tab	↑		Closed

IDE Plugin for IDEA

This page last changed on Aug 16, 2008 by [smaddox](#).

IDE Plugin Documentation for IDEA	Resources
<ul style="list-style-type: none">• Installation Guide• Upgrade Guide• User Guide• Release Notes	<p>If you encounter a problem using the Atlassian IDE Plugin, please contact our support team.</p> <p>This is an open source project. To access the plugin's source code, point your SVN at: https://studio.atlassian.com/svn/PL. (If you don't already have an account, please go to http://studio.atlassian.com and sign up for an account. You should then be able to access the svn repository with your new account.)</p> <p>Other handy links:</p> <ul style="list-style-type: none">• IDE Plugin Blog Cannot resolve external resource into attachment.• IDE Plugin Knowledge Base• Javadoc• JIRA Issue Tracker• IDE Plugin Forum
<h3>About the Atlassian IDE Plugin</h3>	
<p>The Atlassian IDE Plugin is an IntelliJ IDEA plugin. It allows you to work with the Atlassian products within your IDE. Now you don't have to switch between websites, email messages and news feeds to see what's happening to your project and your code. Instead, you can see the relevant JIRA issues, Crucible reviews and Bamboo build information right there in your development environment.</p>	
<p> Current released version: Atlassian IDE Plugin for IDEA version 2.0 Beta has now been released — see the Atlassian IDE Plugin 2.0 Beta for IDEA - Release Notes</p>	
	<h3>Offline Versions of the Documentation</h3>
	<p>You can download the IDE Plugin documentation in PDF, HTML or XML formats.</p>
	<h3>Looking for Other Plugins?</h3>
	<p>If you're in the wrong place, try these links instead:</p> <ul style="list-style-type: none">• Atlassian IDE Plugin for Eclipse — see IDE Plugin for Eclipse• Clover IDE plugins — see the Clover documentation• Plugins for Atlassian products — see plugin information for Confluence, JIRA, Crowd, Bamboo• Resources for plugin developers — see Atlassian Developer Network

Table of Contents

- [License and Copyright for the IDE Plugin for IDEA](#)
- [Installing the IDE Plugin for IDEA](#)
- [Upgrading the IDE Plugin for IDEA](#)

- [IDE Plugin User Guide for IDEA](#)
 - [Configuring the Plugin](#)
 - [Using Bamboo in your Plugin](#)
 - [Using Crucible in your Plugin](#)
 - [IDE Plugin Keyboard Shortcuts](#)
 - [Using JIRA in your Plugin](#)
- [IDE Plugin Release Notes for IDEA](#)
 - [Atlassian IDE Plugin 2.0 Beta for IDEA - Release Notes](#)
 - [Atlassian IDE Plugin 2.0 Beta for IDEA - Upgrade Notes](#)
 - [Atlassian IDE Plugin 1.6.1 for IDEA - Release Notes](#)
 - [Atlassian IDE Plugin 1.6 for IDEA - Release Notes](#)
 - [Atlassian IDE Plugin 1.5 for IDEA - Release Notes](#)
 - [Atlassian IDE Plugin 1.4 Release Notes](#)
 - [Atlassian IDE Plugin 1.3.1 Release Notes](#)
 - [Atlassian IDE Plugin 1.3 Release Notes](#)
 - [Atlassian IDE Plugin 1.2.1 Release Notes](#)
 - [Atlassian IDE Plugin 1.2 Release Notes](#)
 - [Atlassian IDE Plugin 1.1 Release Notes](#)
 - [Atlassian IDE Plugin 1.0 Release Notes](#)

License and Copyright for the IDE Plugin for IDEA

This page last changed on Jun 12, 2008 by [smaddox](#).

Open Source

This is an open source project. You can get the source code from [our SVN repository](#).

Copyright Statement

© Atlassian 2008

License

Licensed under the Apache License, Version 2.0 (the "License").

You may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

Installing the IDE Plugin for IDEA

This page last changed on Aug 31, 2008 by [smaddox](#).

On this page:

- [System Requirements](#)
- [Installation the Easy Way](#)
- [Installation the Hard Way](#)

System Requirements

The content below is included into other pages and spaces via 'include' and 'excerpt-include' macros. When adding content, be aware that the whole page will appear in the middle of another page, such as in the ATLAS space.

The Atlassian IDE Plugin for IDEA works with the application versions listed below.

	Atlassian Plugin 1.x	Atlassian Plugin 2.x
Bamboo	1.x 2.x recommended	1.x 2.x recommended
Crucible	1.5	1.6 or later  Earlier versions of Crucible are not supported.
JIRA	3.7 or later 3.12 or later recommended	3.7 or later 3.12 or later recommended
IntelliJ IDEA	7.0.2 or later	7.0.2 or later

JDK

Java 5

Installation the Easy Way

1. Open the IDEA plugin manager.
2. Right-click 'Atlassian' in the 'Available' plugins tab.
3. Select 'Download and Install'.

Installation the Hard Way

1. Go to <http://docs.atlassian.com/atlassian-idea-plugin/>.
2. Select the directory with the latest version.
3. Click the 'Download' link.
4. Grab the `atlassian-idea-plugin-<version>.zip` file.
5. Unzip it into your IDEA plugin directory:
 - Windows: `C:\Documents and Settings\\.IntelliJ IDEA70\config\plugins`
 - OS X: `$HOME/Library/Application Support/IntelliJ IDEA70`
 - Linux/Unix: `$HOME/.IntelliJ IDEA70/config/plugins`

RELATED TOPICS

[Configuring the Plugin](#)
[Upgrading the IDE Plugin for IDEA](#)
[Overview of the IDE Plugin](#)

Upgrading the IDE Plugin for IDEA


This page last changed on Aug 19, 2008 by [smaddox](#).

The Atlassian IDE Plugin provides an auto-upgrade option and a manual upgrade option. Both options are described below.

Allowing the Auto-Upgrade

If the auto-upgrade feature is enabled (refer to the [Configuration Guide](#)), the Atlassian IDE Plugin will inform you when a new version is available, by displaying a flashing icon on your [IDEA](#) status bar.


Screenshot: IDEA showing update available for IDE Plugin



Flashing auto-upgrade icon in IDEA

To allow the auto-upgrade:


1. Click the flashing icon.
2. A dialogue box will appear, allowing you to install the new version. You can also choose to reject the upgrade.



If you choose to reject the upgrade, you will not be notified again about the availability of this particular new version. You will be notified about the next version we release.

If you later change your mind and decide to upgrade after all, you can always trigger the upgrade manually, as described [below](#).

3. Click the 'Yes' button to install the latest version.
4. When the latest version has been successfully installed, you will see a confirmation window:



5. Click the 'Yes' button to restart IDEA.

Triggering the Upgrade Manually


You can check for new versions of the plugin and start the upgrade manually at any time, from the plugin's configuration panel.

To trigger a manual upgrade:


1. Open the IDEA 'Settings' dialogue, go to the 'IDE Settings' section and click the 'Atlassian' icon.
2. The plugin configuration panel will open. Click the 'General' tab.
3. Select one of the following radio buttons:
 - 'Stable only' — checks for released versions of the plugin only.
 - 'Stable + snapshot' — checks development as well as released versions.
4. Click the 'Check now' button. The plugin will check for the latest version.
 - If you already have the latest version, you will see something like this:



- If there is a later version available, a dialogue box will tell you the latest version number and ask you if you want to install it:



5. Click the 'Yes' button to install the latest version.
6. When the latest version has been successfully installed, you will see a confirmation window:



7. Click the 'Yes' button to close IDEA.
8. Restart IDEA.

RELATED TOPICS

[Installing the IDE Plugin for IDEA](#)
[Configuring the Plugin](#)

IDE Plugin User Guide for IDEA

This page last changed on Jun 12, 2008 by [smaddox](#).

The Atlassian IDE Plugin is an add-on for your integrated development environment (IDE). It allows you to work with the Atlassian products within your IDE. Now you don't have to switch between websites, email messages and new feeds to see what's happening to your project and your code. Instead, you can see the relevant [JIRA](#) issues, [Crucible](#) reviews and [Bamboo](#) build information right there in your development environment.

The IDE Plugin User Guide tells you how to set up and use your Atlassian IDE Plugin in [IDEA](#).

Table of Contents

- [Configuring the Plugin](#)
- [Using Bamboo in your Plugin](#)
- [Using Crucible in your Plugin](#)
- [IDE Plugin Keyboard Shortcuts](#)
- [Using JIRA in your Plugin](#)

RELATED TOPICS

[Installing the IDE Plugin for IDEA](#)

Configuring the Plugin

This page last changed on Sep 03, 2008 by [jgorycki](#).

This page tells you how to configure your Atlassian IDE Plugin within [IDEA](#). Before following the steps below, please make sure that you have installed the plugin, as described in the [Installation Guide](#).

Plugin configuration is available at two levels in IDEA:

- Project settings allow you to share the same server connections with other members of your project team.
- IDE settings allow each developer to configure their own workspace-specific settings, such as polling intervals and the behaviour of notification popups.

 The plugin configuration panels display the version number and the SVN repository version of the plugin that you are currently using.

On this page:

- [Configuring the Project Settings](#)
 - [Accessing the Atlassian Plugin Project Settings](#)
 - [Configuring your Server Connections](#)
- [Configuring the IDE Settings](#)
 - [Accessing the Atlassian Plugin IDE Settings](#)
 - [Configuring the Plugin's Bamboo Options](#)
 - [Configuring the Plugin's Crucible Options](#)
 - [Configuring the Plugin's JIRA Options](#)
 - [Configuring General Plugin Options](#)
 - [Automatic Upgrade](#)
 - [Manual Upgrade](#)
 - [HTTP Proxy](#)
 - [Collection of Statistics](#)
- [Reporting Bugs and Requesting New Features](#)
- [Getting Help](#)

Configuring the Project Settings

Project settings allow you to share the same server connections with other members of your project team. Additionally, if you work on more than one project, this allows you to configure different servers for each project.

Project-level settings can be stored in your source control repository, so that plugin will load the settings at the same time as loading the project into IDEA. Settings which are specific to the developer (such as username, password, filters and layout options) as stored as private settings and should not be committed to the repository.

Accessing the Atlassian Plugin Project Settings

There are a number of ways to open the plugin Project Settings panel:

- If you have not yet configured any settings after installing the plugin, the plugin window will be empty except for two links. Click the link titled 'Configure Plugin Project Settings'.
- Or you can open the IDEA 'Settings' dialogue, then go to the 'Project Settings' section and click the 'Atlassian Plugin Project Settings' icon.
- Or you can click the configuration icon




on your plugin window.

The plugin Project Settings panel will open, as shown in the screenshot below.

Configuring your Server Connections

[Screenshot: Configuring the plugin's servers on the Project Settings panel](#)



The 'Servers' tab allows you to define the servers that the plugin connects to.

To add a server:

1. Click the plus icon  the configuration panel. on
2. Select the server type: 'Bamboo', 'Crucible' or 'JIRA'.
3. Enter the server name, server URL and your username and password.
4. Click the 'Test Connection' button to check that the connection to the server works.

Other configuration options:

- **Server Enabled** — You can enable or disable particular servers without deleting them. This is useful if your servers are behind a firewall and you don't have access to them.
- **Remember Password** — You have an option to save your password on disk or to be asked for it every time you start your IDE.
 -  If you choose to remember the password, it is stored in a Base64 encoding, so it is not really secure.
- **Build Plans** — For Bamboo servers, you can select build plans that the plugin will watch. You can either select plans manually from the list of plans defined on the Bamboo server, or simply use your favourite plans defined on the server. Your favourite plans, as defined on the Bamboo server, are marked with a yellow star .

To remove a server from the list:

1. Select the server.

2. Click the minus icon  the configuration panel.

on

Configuring the IDE Settings

IDE settings allow each developer to configure their own workspace-specific settings, such as polling intervals and the behaviour of notification popups.

Accessing the Atlassian Plugin IDE Settings


There are a number of ways to open the Atlassian Plugin IDE Settings panel:

- If you have not yet configured any settings after installing the plugin, the plugin window will be empty except for two links. Click the link titled 'Configure Plugin IDE Settings'.
- Or you can open the IDEA 'Settings' dialogue, then go to the 'IDE Settings' section and click the 'Atlassian Plugin IDE Settings' icon.

The plugin IDE Settings panel for Bamboo will open, as shown in the screenshot below.

Configuring the Plugin's Bamboo Options

Screenshot: Bamboo tab of the plugin IDE Settings panel




The 'Bamboo' tab is used to define:

- The behaviour of the popup window that is shown when the status of the build changes. (See [Using Bamboo in your Plugin.](#))
- The polling interval that the plugin will use to monitor build plans on all defined Bamboo servers. Specify the value in minutes.

Configuring the Plugin's Crucible Options

Screenshot: Crucible tab of the plugin IDE Settings panel




The 'Crucible' tab is used to define:

- The behaviour of the popup window that is shown when a Crucible review is added that affects you. (See [Using Crucible in your Plugin.](#))
- The polling interval that the plugin will use to monitor all defined Crucible servers. Specify the value in minutes.

Configuring the Plugin's JIRA Options

Screenshot: JIRA tab of the plugin IDE Settings panel




The 'JIRA' tab is used to:

- Define the polling interval that the plugin will use to monitor all defined JIRA servers. Specify the value in minutes.
 -  This feature is not currently used.
- Determine whether a textual description of the JIRA issue type, status and priority should be shown next to their icons in the JIRA issue list.

Configuring General Plugin Options

Screenshot: General tab of the plugin IDE Settings panel



The 'General' tab is used to define the upgrade options for your plugin, configure an HTTP proxy and set other options as described below.

Automatic Upgrade

The plugin's auto-upgrade feature, if enabled, will prompt you to install the most recent version of the plugin when available.

To configure the plugin's auto-upgrade feature:

1. Put a tick in the 'Enabled (stable version)' checkbox to enable the plugin auto-upgrade feature. The plugin will check for the latest available stable (released) version of the plugin.
2. Put a tick in the 'Check snapshot versions' checkbox if the auto-upgrade should include unstable (development) versions of the plugin as well as stable versions.

Manual Upgrade

To check immediately for the latest version of the plugin:

1. Select one of the radio buttons as follows:
 - Stable only — the plugin will check for the latest available stable (released) version of the plugin.
 - Stable + snapshot — the plugin will check for the latest version, including unstable (development) versions of the plugin as well as stable versions.
2. Click the 'Check now' button.


For more details, refer to [Upgrading the IDE Plugin for IDEA](#).

HTTP Proxy

You can configure the plugin to use IDEA's proxy settings or to bypass IDEA's proxy settings altogether. If the plugin is using IDEA's proxy settings, you can configure the settings here too.

To use IDEA's proxy settings:

1. Select the 'Use IDEA proxy settings' radio button.
2. Click the 'Edit IDEA proxy settings' button. A dialogue will appear, similar to this screenshot:



3. Enter the required settings and click the 'OK' button. If your proxy requires a domain name in addition to username, enter the information in the format `domain\user`.
4. Restart IDEA for your changes to take effect.

Collection of Statistics

Put a tick in the 'Report anonymous usage statistics' checkbox if you are happy for us to collect information on the plugin usage. If you agree to take part, the plugin will send [Atlassian](#) the unique ID generated by the plugin on its first installation. No other information is collected.

This feature is disabled by default. When you first open the plugin configuration panel, we also ask you to decide whether you agree to participate in the statistics collection.

Reporting Bugs and Requesting New Features

Click the following links on the Project Settings or IDE Settings panel:

- Report Bug — This will open a bug-creation page in the plugin's [JIRA issue tracker](#). It will automatically populate the plugin version number and details of the environment (Java version and vendor, OS details, build number of your IDE).
- Request Feature — This will open an issue-creation page of the 'Story' type in the plugin's [JIRA issue tracker](#). Use this issue type to request new plugin functionality.

Getting Help

Click the 'Help' link on the Project Settings or IDE Settings panel. This will open the online documentation page which tells you how to configure the plugin — namely, this page. From here, you can click the links to view other online documentation pages.

If you're looking for support or other help, please take a look at the links on our [documentation home page](#).

RELATED TOPICS

[Installing the IDE Plugin for IDEA](#)
[IDE Plugin User Guide for IDEA](#)
[IDE Plugin Documentation](#)

Using Bamboo in your Plugin

This page last changed on Sep 03, 2008 by [jgorycki](#).

The Atlassian IDE Plugin gives you [Bamboo](#) build information right there in your integrated development environment.

Before reading the information below, please make sure that you have installed the Atlassian IDE Plugin for IDEA, as described in the [Installation Guide](#), and defined at least one Bamboo server, as described in the [Configuration Guide](#).


On this page:

- [Icon and Popup showing Bamboo Status](#)
- [Accessing the Bamboo Tab in IDEA](#)
- [Contents of the Bamboo Tab in the Plugin Window](#)
- [Viewing Failed Tests and Stack Traces](#)
- [Viewing Changed Files](#)
- [Labelling a Build](#)
- [Commenting on a Build](#)
- [Viewing a Build Log in IDEA](#)

Icon and Popup showing Bamboo Status

After you have defined [the Bamboo servers and plans to monitor](#), the Bamboo icon in the status bar shows the summary status of builds. If at least one build is currently failing, the icon is **red**, otherwise it is **green**.

Screenshot: Bamboo status icon in the IDEA status bar



The screenshot above shows a red Bamboo status icon in the status bar, with tooltip 'Some builds failed. Click to see details.'

If the Bamboo tab is not already open, you can click the status icon to open the Bamboo tab in the plugin window, where detailed information is shown. See [below](#).

In addition, when the summary status changes (e.g. when a build fails), a popup window appears to warn you of the problem. You can configure the behaviour of the popup, as described in [the Configuration Guide](#).

Screenshot: Bamboo build notification




Accessing the Bamboo Tab in IDEA

To open the plugin's Bamboo tab in IDEA, you can do one of the following:

- Click the Bamboo status icon  in the IDEA status bar. The icon may be red or green.
- Or:
 - Click the Atlassian Plugin control button in the IDEA side bar:



- Then select the Bamboo tab in the plugin window toolbar:




Contents of the Bamboo Tab in the Plugin Window

The Bamboo tab of the plugin window shows information about all plans on all servers defined in the [plugin configuration panel](#).

 The set of information is different for Bamboo 1.x and Bamboo 2.x servers. Bamboo 2.x servers can return more detailed information than Bamboo 1.x.

Screenshot: Bamboo tab in the plugin window



You can perform the following functions for each line in the list:

- Double-click a line to open the selected plan in a new browser window.
- Right-click a line to show a popup context menu (also shown in the screenshot above) with actions that can be performed for a Bamboo plan. The available actions depend on the version of Bamboo running on your server.
 - For Bamboo 1.x, the only available action is 'Run build', which re-runs the last build of the selected plan.
 - For Bamboo 2.x, the list of available actions includes:
 - View — Open the selected plan in a new browser window.
 - Show Failed Tests — Display a list of the tests which have failed, in an IDEA tool window. (See [below](#).)
 - Show Changed Files — Display a commit list and the changed files, in an IDEA tool window. (See [below](#).)
 - Add label to build — Label a build. (See [below](#).)
 - Add comment to build — Add a comment to a build. (See [below](#).)
 - Show Build Logs — Show the full build log within IDEA. (See [below](#).)
 - Run build — Re-run the last build of the selected plan.

The tool bar above the list of plans provides more functionality:

- configuration panel. — Open the plugin
- usage of the Bamboo tab (i.e. open this page in your browser). — Get help on the
- of the list by polling the configured Bamboo servers. — Refresh the contents
- tests which have failed, in an IDEA tool window. (See [below](#).) — Display a list of the
- and the changed files, in an IDEA tool window. (See [below](#).) — Display a commit list
- log within IDEA. (See [below](#).) — Show the full build
- of the selected plan. — Re-run the last build
- [below](#).) — Label a build. See

- build. (See [below](#).)


— Add a comment to a

Viewing Failed Tests and Stack Traces

To view the tests which have failed in a build:

1. Right-click on the build plan and select 'Show Failed Tests' from the [popup context menu](#), or select the failed tests icon  from the tool bar.
2. A list of the failed tests appears in the 'Bamboo Failed Tests' window in IDEA, as shown below.
3. Click a test to view the stack trace in the right-hand panel of the 'Bamboo Failed Tests' window.
4. Click a link in the stack trace to open the source file in the IDEA editor, going directly to the code that failed.

Screenshot: Showing the failed tests and stack trace




Viewing Changed Files

You can view the commit list and the files changed in the build:

1. Right-click on the build plan and select 'Show Changed Files' from the [popup context menu](#), or select the changed files icon  from the tool bar.
2. The commit list and list of changed files appears in the 'Bamboo Build Changes' window in IDEA, as shown below.
3. Use the toolbar options to:
 - Jump directly to the source code.
 - Show the diff comparing the version in the build with the repository version.

- Show the diff comparing your local version with the version in the build.
- Open the repository version in the IDEA editor.

Screenshot: Showing the files changed in a build



Labelling a Build

You can add a label to the latest build in the plan:

1. Right-click on the plan and select 'Add label to build' from the [popup context menu](#), or select the label icon  from the tool bar.
2. A dialogue box opens, as shown below. Enter your label text.

Screenshot: Adding a build label




Commenting on a Build

You can add a comment to the latest build in the plan:

1. Right-click on the plan and select 'Add comment to build' from the [popup context menu](#), or select the comment icon  from the tool bar.
2. A dialogue box opens, as shown below. Enter your comment text.

Screenshot: Adding a build comment




Viewing a Build Log in IDEA

To show the full build log within IDEA:

1. Select the Bamboo build plan from your list of watched plans.
2. Right-click on the build plan and select 'Show build logs' from the [popup context menu](#), or select the 'Show Build Log' icon  from the tool bar.
3. The build log appears in the IDEA editor window, as shown in the screenshot below.

Screenshot: Viewing the full build log in IDEA



RELATED TOPICS

- [Configuring the Plugin](#)
- [IDE Plugin User Guide for IDEA](#)

Using Crucible in your Plugin

This page last changed on Sep 03, 2008 by [jgorycki](#).

The Atlassian IDE Plugin allows you to conduct [Crucible](#) reviews right there in your integrated development environment.

Before reading the information below, please make sure that you have installed the Atlassian IDE Plugin for IDEA, as described in the [Installation Guide](#), and defined at least one Crucible server, as described in the [Configuration Guide](#).

i Crucible support automatically disabled for non-SCM projects
If a project is not under a source control management system, the plugin now automatically disables the Crucible options for that SCM.

On this page:

- [Icon and Popup showing Crucible Status](#)
- [Accessing the Crucible Tab in IDEA](#)
- [Contents of the Crucible Tab in the Plugin Window](#)
- [Filtering the Reviews Displayed](#)
- [Performing a Review](#)
- [Creating a Review](#)
- [Adding a Changelist to an Existing Review](#)
- [Moving a Review to Other Workflow States](#)

Icon and Popup showing Crucible Status

After you have defined at least one Crucible server in the [plugin configuration panel](#), the Crucible status icon  is displayed in the status bar. The icon has the following states:

- Grey when there are no reviews awaiting your attention.
- Grey with a green tick  when there is at least one pending review which you have not yet accessed in the Crucible tab.


Screenshot: Crucible status icon in the IDEA status bar



Click the Crucible icon to open the Crucible tab. The icon state will be reset to grey.

In addition to the icon, a popup window notifies you of status changes and comments added to the reviews which affect you.

Screenshot: Crucible review notification



Accessing the Crucible Tab in IDEA

To open the plugin's Crucible tab in IDEA, you can do one of the following:

- Click the Crucible status icon  in the IDEA status bar.
- Or:
 - Click the Atlassian Plugin control button in the IDEA side bar:




- Then select the Crucible tab in the plugin window toolbar:



Contents of the Crucible Tab in the Plugin Window

The Crucible tab in the plugin window shows a number of review groups (such as 'To Review', 'Out For Review', etc) depending upon the filters you have selected.

Screenshot: Crucible tab in the plugin tool window



The above screenshot shows the dashboard-like display of Crucible reviews which the plugin offers within IDEA. The reviews are categorised into groups, as determined by the standard Crucible filters (such as 'To Review', 'Out For Review', etc). You can select one or more standard Crucible filters and also define your own custom filter. (See [below](#) for more information.) Then expand and collapse the views to suit your needs.

Toolbar in the Crucible Tab

The tool bar above the list of issues provides the following functionality:

-  configuration panel. — Open the plugin
-  usage of the Crucible tab (i.e. open this documentation page in your browser). — Get help on the
-  the review list by polling your Crucible servers. — Refresh the status of
-  lists in the Crucible tab, so that you can see the review line items as well as the filter headings. — Open all the review
-  lists in the Crucible tab, so that you can see only the filter headings. — Close all the review
-  Crucible filter. (See [below](#).) — Create a custom
-  from the list of standard Crucible filters. (See [below](#).) — Select your filter(s)
-  Crucible review in your web browser. — Open the selected
-  Crucible review in an IDEA window. (See [below](#).) — Open the selected

Popup Context Menu for Reviews in the Crucible Tab

Right-click a line to show a popup context menu (pictured in the screenshot above) with actions that can be performed for the selected review:

- View Review in Browser — Open the selected Crucible review in your web browser.
- Open Review — Open the selected Crucible review in an IDEA window. (See [below](#).)
- Workflow actions, such as Complete Review, Summarize Review and Abandon Review — Move the review through the Crucible workflow statuses. (See [below](#).)
- Set Reviewers — Ask people to review your work.

Status of Reviews in the Crucible Tab

Different colours and font markings show the status of each review as follows:


- Blue — Reviews which you need to review.
- Grey — Reviews which you have already completed.
- Green — Open reviews created or moderated by you.
- Letters struck through (like ~~this~~) — Reviews which have been closed or abandoned.
- Black — Reviews which are not directly relevant to you.

In addition, the 'Reviewers' column shows the number of reviewers and whether each reviewer has completed the review.

- A red square ■ means that the reviewer has not yet completed the review.
- A green square ■ means that the reviewer has completed the review.

Filtering the Reviews Displayed

Screenshot: Reviews categorised by Filters



The above screenshot shows the dashboard-like display of Crucible reviews in the plugin's Crucible tab. The reviews are categorised into groups, as determined by the standard Crucible filters (such as 'To Review', 'Out For Review', etc). You can select one or more standard Crucible filters, as defined on the Crucible server. In addition, you can define your own custom filter locally in the plugin window. Then expand and collapse the filtered lists to suit your needs.

Using Filters Defined on the Crucible Server


To select one or more of the standard Crucible filters for display in the plugin's Crucible tab:

1. Click the filter icon  in the tool bar of the plugin's Crucible tab. A list of standard Crucible filters will appear.
2. Select one or more of the standard Crucible filters, as prompted. The filter headings will appear in the Crucible tab.
3. Expand and collapse the filtered lists to suit your needs, using the 'Expand All'  and 'Collapse All'  icons or the 'Expand'  and 'Collapse'  icons next to each filtered list.

Defining a Custom Filter

To define your own custom review filter for display in the plugin's Crucible tab:

1. Click the 'Edit Custom Filter' icon  in the tool bar of the plugin's Crucible tab. The filter definition panel will open, as shown below. Screenshot: Defining a filter in the Crucible tab of the plugin window



The filter definition panel provides a number of criteria which you can use to filter the reviews.

2. Select your Crucible server.
3. Enter a title for your custom filter.
4. Select one or more criteria.
5. Click the 'Apply' icon  apply and save your filter.

to

The filter definition view contains the following icons:

-  — Applies the defined filter and saves it, so that it is used next time you restart your IDE.
-  — Cancels the definition of the filter and returns to the review list.

Performing a Review

This section tells you how to perform a review which someone else has assigned to you. Without leaving IDEA, you can:


- Open the review and related source in the IDEA editor.
- View your colleagues' comments in the context of the source.
- Select the relevant lines and add your comment or reply to someone else's comment.
- Track comments via highlights and marks in the right-hand gutter.

- View the source diff to see what has changed.

Opening an Existing Review

To open a review in IDEA:

1. Open the plugin's Crucible tab as described [above](#).
2. Choose your review filter as described [above](#) and expand the review filter groups until you see the review you want to work on.
3. Right-click the review line and select 'Open Review'.
4. The review opens in the IDEA 'Crucible Review' window, as shown in the screenshot below.
5. Click the lines in the left-hand panel of the 'Crucible Review' window, to open the tree and view the files in the review. Existing review comments, if any, will appear in the right-hand panel.



Viewing the Source

To open the source code which is under review:

1. Open the review in IDEA as described [above](#).
2. Click the lines in the left-hand panel of the 'Crucible Review' window, to open the tree and view the files in the review.
3. Double-click a file to fetch the source code from the repository. The source will open in the IDEA editor window.


Viewing the Diff

To view the change which is currently under review:

1. Open the review in IDEA as described [above](#).

- In the left-hand panel of the 'Crucible Review' window, open the branches of the tree to find the files in the review.
- Select the relevant file and click the 'Show Diff'  icon in the toolbar.
- The diff view opens in a new window, as shown in the screenshot below.

Screenshot: Viewing the diff




Adding a Comment or Reply

To add a comment, you can do one of the following:

- In the right-hand tab of the 'Crucible Review' window, right-click the relevant line and select 'Add comment' or 'Reply'.
- Or, in the right-hand tab of the 'Crucible Review' window, click the 'Add comment'  icon.
- Or, in the IDEA editor window, select and right-click on the relevant source line(s), then select 'Add Crucible Comment' as shown in the screenshot below.

Screenshot: Adding a comment to source lines




Moving to the Commented Code in the Source View

To move to the commented code, you can do one of the following:

1. Click the comments in the right-hand panel of the 'Crucible Review' window. The code view will scroll to the affected line.
2. Or click the highlights in the right-hand gutter of the IDEA editor window, as shown in the screenshot below.

Screenshot: Viewing commented code




Completing the Review

Once you have added your review comments, you should mark the review as completed. When all reviewers have completed their reviews, the moderator will summarise the review.

To complete the review:

1. Open the plugin's Crucible tab as described [above](#).
2. Find the review in the 'To Review' list, as described [above](#).
3. Right-click the review line and select 'Complete Review', as shown in the screenshot below:
Screenshot: Selecting a Crucible review for completion



4. The 'Complete Review' dialogue appears, as shown below:
 Screenshot: Completing a Crucible review



5. Click the 'Complete Review' button.
6. When the list of reviews is refreshed, the review will disappear from your 'To Review' group.


Creating a Review

The plugin has full support for creating post-commit reviews from within IDEA. You can also create a patch review. Both are described below.


Creating a Post-Commit Review

To create a review of a committed change:

1. In IDEA, open the 'Repository' tab of the 'Changes' tool window, as shown in the screenshot below:
[Screenshot: IDEA's Repository changes window](#)



2. Select the changelist you want reviewed.
3. Right-click the changelist and select 'Create Review', or click the 'Create Review' icon in the toolbar.
4. The 'Create Review' window will open, as shown below:
Screenshot: Creating a Crucible review



5. Enter the details, noting the following:

- 'Save Review as Draft' — Tick this box if you want to keep the review in draft status. If this box is not ticked, the review will be approved immediately i.e. its status will be 'Under Review'.
6. Click 'Create Review'.


Creating a Patch Review

To initiate a review of the code you have just created:

1. Invoke the `VCS Commit` dialogue on the set of changes you want to have reviewed (file, directory, change set or project). For example, invoke the `Subversion -> Commit` if `SVN` is your version control system (VCS) of choice.
2. This opens the 'Commit Changes' dialogue (shown below), to which the plugin adds a 'Crucible Patch...' button.

i All other functionality of the 'Commit Changes' dialogue remains unchanged.

Screenshot: Committing changes and creating a Crucible patch review



3. Click the 'Crucible Patch...' button.
4. The 'Create Patch Review' screen appears, as shown below.

Screenshot: Creating a Crucible review


The fields on the 'Create Patch Review' dialogue are the same as the fields in the Crucible web interface. Additionally, the dialogue contains a read-only view of the patch under review, in the Universal diff format.

5. Enter the details, noting the following:
 - 'Save Review as Draft' — Tick this box if you want to keep the review in draft status. If this box is not ticked, the review will be approved immediately i.e. its status will be 'Under Review'.
6. Click the 'Create review...' button to create the review on the Crucible server.

Adding a Changelist to an Existing Review

To add a changelist to an existing review:

1. In IDEA, open the 'Repository' tab of the 'Changes' tool window, as shown in the screenshot below: [Screenshot: Adding a changelist to a review](#)




2. Select the changelist you want reviewed.
3. Right-click the changelist and select 'Add Revision to Review', or click the 'Add Revision'  icon in the toolbar.
4. Supply the details of the Crucible server and source repository as prompted, then click 'Add Revision'.

Moving a Review to Other Workflow States

The plugin's Crucible tab allows you to move a review through its workflow states.

- [Above](#) we tell you how to complete a review.
 - In the same way, you can right-click a review and select the appropriate action, depending on the current status of the review.
- Screenshot: Actions on a review



RELATED TOPICS

[Configuring the Plugin](#)
[IDE Plugin User Guide for IDEA](#)

Refer to the [Crucible documentation](#) for more information about Crucible reviews.

IDE Plugin Keyboard Shortcuts

This page last changed on Jun 10, 2008 by [smaddox](#).

This page gives you some handy key combinations that you can press, to perform often-used functions.

Mac OS X

Tab and Main Window Actions

Key Combination	Function
Shift-Command-B	Show/hide Bamboo tab in main plugin window
Shift-Command-Y	Show/hide Crucible tab in main plugin window
Shift-Command-K	Show/hide JIRA tab in main plugin window
Shift-Command-G	Show plugin configuration window
Shift-Command-P	Show/hide main plugin window

JIRA Actions

Key Combination	Function
Shift-Alt-N	Create a JIRA issue
Shift-Alt-M	Comment on JIRA issue
Shift-Alt-S	Search for JIRA issue

Linux and Microsoft Windows

Tab and Main Window Actions

Key Combination	Function
Shift-Control-B	Show/hide Bamboo tab in main plugin window
Shift-Control-Y	Show/hide Crucible tab in main plugin window
Shift-Control-K	Show/hide JIRA tab in main plugin window
Shift-Control-G	Show plugin configuration window
Shift-Control-P	Show/hide main plugin window

JIRA Actions

Key Combination	Function
Shift-Alt-N	Create a JIRA issue

Shift-Alt-M	Comment on JIRA issue
Shift-Alt-S	Search for JIRA issue

RELATED TOPICS

[IDE Plugin User Guide for IDEA](#)

Using JIRA in your Plugin

This page last changed on Aug 27, 2008 by [smaddox](#).

The Atlassian IDE Plugin allows you to monitor, add and update [JIRA](#) issues right there in your integrated development environment.

Before reading the information below, please make sure that you have installed the Atlassian IDE Plugin for IDEA, as described in the [Installation Guide](#), and defined at least one JIRA server, as described in the [Configuration Guide](#).

On this page:

- [Accessing the JIRA Tab in IDEA](#)
- [Contents of the JIRA Tab in the Plugin Window](#)
- [Viewing and Updating Issues](#)
- [Filtering the List of Issues](#)
- [Creating a New JIRA Issue](#)
- [Viewing a JIRA Issue in the IDEA Editor Pane](#)
- [Viewing Stack Traces from a JIRA Issue](#)
- [Commenting on a JIRA Issue](#)
- [Logging Work](#)
- [Creating a Changelist from a JIRA Issue](#)

Accessing the JIRA Tab in IDEA

To open the plugin's JIRA tab in IDEA:

1. Click the Atlassian Plugin control button in the IDEA side bar:




2. Select the JIRA tab in the plugin window toolbar:



Contents of the JIRA Tab in the Plugin Window

The JIRA tab of the plugin window shows a list of issues on the selected JIRA server. To build this list, you will use a filter defined either locally in the plugin window, or as a filter saved on the JIRA server. There are more guidelines on filters [below](#).

Screenshot: JIRA tab of the plugin window, showing an issue context menu



The tool bar above the list of issues provides the following functionality:

- configuration panel. (See [Configuring the Plugin.](#)) — Open the plugin
- usage of the JIRA tab (i.e. open this page in your browser). — Get help on the
- of the list by re-running the currently defined filters. — Refresh the contents
- — Select your JIRA server from the list of configured servers. (See [Configuring the Plugin.](#))
- (See [below.](#)) — Add a JIRA issue.
- issue (launches a web browser). — Quick search for
- **Use server filters** — Tick this box if you want to use a filter from the JIRA server. If not ticked, you will define a local filter in the plugin window. (See [below.](#))
- — Select a filter defined on the JIRA server. (See [below.](#))
- (See [below.](#)) — Define a local filter.



search results.

— Page through the

Viewing and Updating Issues

You can perform the following functions for each issue in the list:

- Hover over a line to see a preview of the issue information.
- Double-click a line to open the selected issue in a new browser window.
- Right-click a line to show a popup context menu (pictured in the screenshot [above](#)) with actions that can be performed for the selected issue:
 - View in IDE — Open the selected issue in the IDEA editor pane. (See [below](#).)
 - View in Browser — Open the selected issue in a new browser window.
 - Edit in Browser — Open the selected issue for editing in a new browser window.
 - Add Comment — Add a comment to the issue. (See [below](#).)
 - Log Work — Record the time worked against the issue. (See [below](#).)
 - Create ChangeList — Add a changelist relating to the issue. (See [below](#).)
 - Assign Issue to Myself — When you select this option, the issue is immediately assigned to your username on the JIRA server. The plugin will send JIRA the username which you used to authenticate to the JIRA server (as described in [Configuring the Plugin](#)).
 - Assign Issue to User — When you select this option, the plugin prompts you for a username. Enter the JIRA username of the person to whom you wish to assign this issue. Note that the username is only validated when the request reaches the JIRA server. If the username is unrecognised, you will receive a remote validation exception message at the bottom of the plugin panel. Please try again.
 - Perform Issue Actions — Hover over this option to see a list of available actions. Simple actions will be completed when you click the menu option. If the action needs more information, it will open in a browser window.



If your update does not appear in the issue preview, click the refresh icon

Filtering the List of Issues

1. First, select your JIRA server from the dropdown list in the plugin tool bar. This list will show all JIRA servers defined in the plugin configuration panel. (See [Configuring the Plugin](#).)
2. Now you will see all relevant JIRA issues on that server.
 -  The plugin will 'remember' your selection of the JIRA server and filter next time you start your IDE.
3. Decide how to filter the issues on the server — there are two ways to do this:
 - Use the filters defined on the JIRA server. These filters cannot be modified by the plugin. You can run the filter and display results in the JIRA tab of the plugin.
 - Or define your filter locally in the plugin window and send the filter values to the JIRA server.

Using Filters Defined on the JIRA Server

1. Put a tick in the 'Use server filters' checkbox in the plugin window.
2. Select the saved filter from the dropdown list. This list will show all saved filters which you have permission to view on the JIRA server.
3. Click the 'Refresh' icon 

If your filter does not appear in the list, click the selected JIRA server in the dropdown list again. This will refresh the list of filters.


For more information on JIRA filters, please refer to the [JIRA documentation](#).

Using Filters Defined in the Plugin

1.

Click the  plugin's JIRA tab. The filter definition panel will open, as shown below.
Screenshot: Defining a filter in the JIRA tab of the plugin window

icon on the



The filter definition panel provides a number of criteria which you can use to filter the issues. You can collapse and expand sections of the panel by clicking the arrow icons  and  on the left of the panel.

2. Select one or more criteria.

For each criterion, you can select multiple values by Control-clicking (Windows/Linux) or Command-clicking (OS X).

3. Click the 'Apply' icon  apply and save your filter.


to

The filter definition view contains the following icons:

-  filter and saves it, so that it is used next time you restart your IDE. — Applies the defined
-  of the filter and opens the issue list view. — Cancels the definition
-  default values. — Resets the filter to

Creating a New JIRA Issue

Screenshot: Creating a New JIRA issue



To add a new JIRA issue:


1. Select your JIRA server from the dropdown list on the plugin tool bar. (See more about the tool bar [above](#).)
2. Click the plus icon  on the tool bar.
3. A dialogue box opens, as shown above. The information requested is the same as required when you add an issue using the JIRA UI:
 - Project — Select the JIRA project on the JIRA server.
 - Type — Select the issue type, as defined within the JIRA project.
 - Priority — Select the priority of the issue.
 - Summary — Enter the title of your JIRA issue.
 - Description — Enter a detailed description of the problem you wish to record or the feature you wish to request.
 - Assignee — Enter the JIRA username of the person to whom you wish to assign this issue. If you leave this field empty, the issue will be added as 'unassigned'.

 Note that the username is only validated when the request reaches the JIRA server. If the username is unrecognised, you will receive a remote validation exception message at the bottom of the plugin panel and the issue will not be added. Please try again.
4. Click the 'Create' button to add the issue to the selected JIRA server.

For more information on JIRA, please refer to the [JIRA documentation](#).

Viewing a JIRA Issue in the IDEA Editor Pane

Screenshot: Viewing a JIRA issue in the editor pane




To view a JIRA issue in the IDEA editor pane:

1. Select your JIRA server from the dropdown list in the plugin tool bar. (See more about the tool bar [above](#).)
2. Use the [filter and search](#) functions to find your issue.
3. Right-click the issue in the list and select 'View in IDE'.
4. The issue opens in the IDEA editor pane, as shown in the screenshot [above](#). Now you can do the following:
 - Click the view icon  in the toolbar at the top of the pane, to view the issue in your browser.
 - Click the edit icon  in the toolbar at the top of the pane, to edit the issue in your browser.
 - View stack traces contained in the issue description or in a comment. (See [below](#).)
 - Collapse and expand sections of the pane by clicking the arrows below each section.
 - Click a link, such as the assignee's name in the 'Details' section, to open the relevant JIRA screen in your browser.
 - View and add comments in the bottom section of the editor pane, as shown in the screenshot [above](#).

-  comments from the JIRA server again.
 -  comments, so that you see the text of every comment.
 -  comments, so that you see only the comment author and date.
 - 
- Fetch the
 - Expand all
 - Collapse all
 - Add a comment.

Viewing Stack Traces from a JIRA Issue

Screenshot: Viewing Stack Traces




To view a stack trace from a JIRA issue, open the issue in the IDEA editor pane as described here:

1. Select your JIRA server from the dropdown list in the plugin tool bar. (See more about the tool bar [above](#).)
2. Use the [filter and search](#) functions to find your issue.
3. Right-click the issue in the list and select 'View in IDE'.
4. The issue opens in the IDEA editor pane, as shown in the screenshot [above](#).
5. Click the stack trace icon  in the toolbar at the top of the pane to view the stack trace contained in the description of the issue.
6. Click the 'Analyse Stack Trace' link next to a comment header to view the stack trace contained in the body of the comment.
7. The stack trace will open in IDEA's output tool window, also shown in the screenshot [above](#).

Commenting on a JIRA Issue

Screenshot: Commenting a JIRA issue




To add a comment to an existing JIRA issue:

1. Select your JIRA server from the dropdown list in the plugin tool bar. (See more about the tool bar [above](#).)
2. Use the [filter and search](#) functions to find your issue.
3. Right-click the issue in the list and select 'Add Comment'.
4. A dialogue box appears, as pictured above. Add your comment text.
5. Click the 'Comment' button to append the comment to the issue on the JIRA server.

i You can also add a comment to an issue when viewing the issue in the IDEA editor pane. See the section on viewing the issue in the editor pane [above](#).

Logging Work

Screenshot: Creating a worklog entry against the JIRA issue




To log work performed against a JIRA issue:

1. Select your JIRA server from the dropdown list in the plugin tool bar. (See more about the tool bar [above](#).)
2. Use the [filter and search](#) functions to find your issue.
3. Right-click the issue in the list and select 'Log work'.
4. The 'Add Worklog' dialogue box appears, as pictured above.

5. 'Time spent' — Enter the amount of time you have worked on the task, in the format `*w*d*h*m`, replacing the asterisks with the number of weeks, days, hours and minutes. For example:
 - `1w2d3h30m` = 1 week, 2 days, 3 hours and 30 minutes
 - `2d` = 2 days
6. 'End time' — Optionally, you can change the end time of your work. 'End time' has been pre-filled with the current time so that if you enter the log details right after you finish your work, you don't have to change anything. See [below](#) for an example of changing the end time.
7. 'Remaining Estimate' — Use the radio buttons to determine how JIRA will calculate the estimated time remaining. You can choose:
 - 'Auto Update': The time remaining will be automatically adjusted according to the time you have logged.
 - 'Leave Unchanged': The time remaining will stay the same as it was before you logged the work.
 - 'Update Manually': When you select this radio button, the 'New Remaining Estimate' text box is enabled. Enter the time remaining in the format `*w*d*h*m`, replacing the asterisks with the number of weeks, days, hours and minutes. For example:
 - `1w2d3h30m` = 1 week, 2 days, 3 hours and 30 minutes
 - `2d` = 2 days
8. 'Stop progress' — Put a tick in the checkbox if you want to move the issue out of 'In Progress' status.
9. 'Comment' — Optionally, you can enter some notes about the work done.
10. Click the 'Add Worklog' button.

Screenshot: Selecting end time for a worklog entry



To change the end time of your worklog:


1. Click the 'Change' button next to 'End time' on the 'Add Worklog' dialogue box.
 2. The 'Set End Time' dialogue box appears, as pictured above. Select the end date ('Day') from the calendar widget.
 3. Select the end time: the 'hour' in 24 hour format and the 'minute'.
- i** This is the time at which you finished the task, not the time taken to complete the task.
4. Click OK.

Creating a Changelist from a JIRA Issue

A changelist, or change set, is a collection of code changes committed at the same time. You may want to create a changelist in your IDE, based on the issue key and description from JIRA. This eases working on several issues simultaneously — you can drag and drop files you have modified from one changelists to

another, and commit the whole changelist in one operation. The commit dialogue's comment box will be pre-populated with the name of the changelist.


Screenshot: Creating a changelist from a JIRA issue key



To create a changelist from an existing JIRA issue:

1. Select your JIRA server from the dropdown list in the plugin tool bar. (See more about the tool bar [above](#).)
2. Use the [filter and search](#) functions to find your issue.
3. Right-click the issue in the list and select 'Create ChangeList'.
4. A dialogue box appears, as pictured above. Enter any additional information required.
5. Click the 'Create' button.

Screenshot: Changelists defined from the JIRA issue keys



RELATED TOPICS

- [Configuring the Plugin](#)
- [IDE Plugin User Guide for IDEA](#)

IDE Plugin Release Notes for IDEA

This page last changed on Jun 16, 2008 by [smaddox](#).



Current released version:

Atlassian IDE Plugin for IDEA version 2.0 Beta has now been released — see the [Atlassian IDE Plugin 2.0 Beta for IDEA - Release Notes](#)

- [Atlassian IDE Plugin 2.0 Beta for IDEA - Release Notes](#)
- [Atlassian IDE Plugin 1.6.1 for IDEA - Release Notes](#)
- [Atlassian IDE Plugin 1.6 for IDEA - Release Notes](#)
- [Atlassian IDE Plugin 1.5 for IDEA - Release Notes](#)
- [Atlassian IDE Plugin 1.4 Release Notes](#)
- [Atlassian IDE Plugin 1.3.1 Release Notes](#)
- [Atlassian IDE Plugin 1.3 Release Notes](#)
- [Atlassian IDE Plugin 1.2.1 Release Notes](#)
- [Atlassian IDE Plugin 1.2 Release Notes](#)
- [Atlassian IDE Plugin 1.1 Release Notes](#)
- [Atlassian IDE Plugin 1.0 Release Notes](#)

Atlassian IDE Plugin 2.0 Beta for IDEA - Release Notes

This page last changed on Sep 03, 2008 by [smaddox](#).

3 September 2008

With pleasure, Atlassian presents version 2.0 Beta of the Atlassian IDE Plugin for IDEA. This is a beta version, because some of the plugin's new features and documentation still need a bit of polish. We are keen for you to install and try this new version, which now offers deep integration with [Crucible](#) and [Bamboo](#), as well as the already awesome [JIRA](#) integration.

With the plugin's Crucible support, you can now perform code reviews directly in the source editor and complete the review lifecycle without leaving your IDE. Use the dashboard-like display to view and filter your reviews. Notifications and colour coding indicate the review status and events.

On the Bamboo side, the plugin offers deeper integration now too. Remaining in your IDE, you can view the tests which failed in a build, see the stack traces and click through directly to the code that failed. Still within IDEA, view the changed files in a build, open a changed file in the IDEA editor and view the diffs. You can also show the full build log within IDEA.

The plugin now offers configuration at project level as well as IDE level. The project settings allow you to share server connections with your team members. In addition, each developer can configure their own workspace-specific settings, such as polling intervals and the behaviour of notification popups.

We have fixed a number of bugs in this release. Two JIRA fixes deserve special mention. You can now connect to a JIRA server with a self-signed SSL certificate, and you can open multiple JIRA projects in separate windows.

Take a look at the highlights and the full list of fixes below.

Highlights of this Release:

- [Crucible Highlights in the Atlassian IDE Plugin 2.0 Beta](#)
 - [Code Reviews Directly in the Source Editor](#)
 - [Full Crucible Review Lifecycle](#)
 - [Review Dashboard and Filters](#)
 - [Review Status Notifications](#)
- [Bamboo Highlights in the Atlassian IDE Plugin 2.0 Beta](#)
 - [Failed Tests in a Bamboo Build](#)
 - [Changed Files in a Bamboo Build](#)
 - [Bamboo Build Logs](#)
- [Other Highlights in the Atlassian IDE Plugin 2.0 Beta](#)
 - [Shared Project Configuration](#)
 - [Bug Fixes](#)
- [Complete List of Fixes in this Release](#)

Don't have the Atlassian IDE Plugin for IDEA yet?

Take a look at the features in the [Plugin User Guide](#). Then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

The Plugin's Blog

From time to time, the plugin development team posts some information on the plugin's [blog](#).

Comments, Requests and Feedback

We would love your feedback. Please log your requests, bug reports and comments in our [issue tracker](#).

Upgrading from a Previous Version of the Atlassian Plugin


- If you are using the Crucible integration in Atlassian IDE Plugin for IDEA, please note that version 2.0 of the plugin requires Crucible 1.6 or later.
- Please refer to the plugin's [Upgrade Notes](#) for further essential information about factors affecting your upgrade.

Crucible Highlights in the Atlassian IDE Plugin 2.0 Beta

1

Code Reviews Directly in the Source Editor



- Open the review and related source in the IDEA editor.
- View your colleagues' comments in the context of the source.
- Select the relevant lines and add your comment or reply to someone else's comment.
- Track comments via highlights and marks in the right-hand gutter.
- View the source diff to see what has changed.



2

Full Crucible Review Lifecycle


- Create a post-commit review from a changelist in the IDEA's 'Repository Changes' window.
- Assign reviewers and notify them of the review.
- Approve, summarise and close your reviews and perform all other Crucible workflow actions.
- Complete the reviews assigned to you.
- Add a changelist to an existing review.



3

Review Dashboard and Filters


- The plugin now offers a dashboard-like display of reviews within IDEA.
- Select one or more standard Crucible filters.
- Define your own custom filter.
- Expand and collapse the views to suit your needs.



4

Review Status Notifications

- You can now change the status of your Crucible reviews from within IDEA.
- The review notifications tell you not only that a review has been updated, but now also exactly what has happened to the review.
- Different colours and font markings show the review status. For example, blue indicates reviews which you need to review and green shows open reviews which you have created or moderated.
- Coloured squares indicate the number of reviewers and whether they have completed (green) or not completed (red) the review.




Bamboo Highlights in the Atlassian IDE Plugin 2.0 Beta

5

Failed Tests in a Bamboo Build



- View the tests which failed, in the 'Bamboo Failed Tests' window in IDEA.
- See the stack trace for each failed test.
- Click through from the stack trace directly to the code that failed, viewed in the IDEA editor.



6

Changed Files in a Bamboo Build


- Display a commit list in the 'Bamboo Build Changes' window in IDEA.
- View the changed files for each commit list.
- Open the changed files in the IDEA editor and view the diffs.



7

Bamboo Build Logs

- Show the full build log in IDEA's editor window.




Other Highlights in the Atlassian IDE Plugin 2.0 Beta

8

Shared Project Configuration

- The plugin now offers configuration at project level as well as IDE level. The screenshot below shows the project settings.
- Use the project settings to set up your team's Bamboo, JIRA and Crucible servers just once for each project.
- If you work on more than one project, this allows you to configure different servers for each project.
- In the IDE settings, each developer can configure their own workspace-specific settings, such as polling intervals and the behaviour of notification popups.
- Project settings can be stored in your source control repository, so that the plugin will load the settings at the same time as loading the project into IDEA.
- Settings which are specific to the developer (such as username, password, filters and layout options) are stored as private

settings and should not be committed to the repository.



9

Bug Fixes

- We have fixed the problem which occurred when attempting to connect to a JIRA server with a [self-signed SSL certificate](#).
- When multiple projects were open in separate windows, all pointing to the same JIRA server, only the last project opened would load the JIRA details. The others displayed as [empty panels](#) in the Atlassian plugin view. This is now fixed.
- And more...

Complete List of Fixes in this Release

Atlassian Projects (37 issues)					
Key	Summary		Pr		Status
PL-525	Error when clicking on update notification icon				Closed
PL-505	Unable to edit URL in project settings dialog				Closed
PL-489	Sometimes I cannot select a saved filter				Closed
PL-326	Doesnt accept ssl untrusted certificate				Closed
PL-13	Build information inside the IDE. Show build details: Show failed / passing tests - open in IDE (view test) or web browser (view test history)				Closed
PL-552	NPE in IntelliJ				Closed
PL-518	NPE on bamboo				Closed
PL-512	PE n project reload				Closed

PL-506	Project settings causes SelectJIRAAction to throw NPE			Closed
PL-504	Setting project configuration does not work - configuration is not stored and applied			Closed
PL-474	Extraneous plugin item appearing after Atlassian plugin install			Closed
PL-460	JIRA tool window does not disappear in case all servers all disabled			Closed
PL-321	Make AbstractServerConfigurationBean and ServerBean real bean			Closed
PL-570	bamboo build stack traces should be in red			Closed
PL-550	Plugin dependency on FishEye as well as Crucible?			Closed
PL-545	Please review new Config Guide for IDEA plugin			Closed
PL-533	Please review release notes and upgrade notes for Plugin 2.0 Beta			Closed
PL-515	Tool window config panel not visible in case all servers are disabled and tool window is empty			Closed
PL-514	New version info dialog disappears and block whole IDE			Closed
PL-513	Please review docs for Bamboo part of Plugin 2.0			Closed
PL-508	Config screens require saving even if no changes made			Closed
PL-507	Settings action in tool window should invoke project specific settings, not global one			Closed
PL-497	User is not asked for the password for Crucible server and the checker silently fails			Closed
PL-491	I cannot select "Use favourite builds" when adding new Bamboo server until I click Refresh			Closed
PL-490	DoubleClick misbehavior in Jira Issues View			Closed
PL-488	Connect to Jira server with self-signed cert.			Closed
PL-450	Clicking on 'add patch to review' icon caused an NPE			Closed
PL-445	Jira related functionality uses own connection instead of our generic http connection factory			Closed
PL-437	View changeset in Changes/REpository - NPE			Closed

PL-410	plugin saving developer-specific configuration in the .ipr file	↑		Closed
PL-392	JIRA details do not load when multiple projects are open all pointing to the same JIRA server	↑		Closed
PL-343	IDEA 7.0.3 does not want to load project files for the plugin version 1.2.1	↑		Closed
PL-327	Documentation for IDE Plugin 2.0.0	↑		Closed
PL-323	Add info to missing password dialog with server address	↑		Closed
PL-548	Crucibe review window wrong window name in title bar	↓		Closed
PL-404	Inconsistent shading on Config panel	↓		Closed
PL-208	JIRA tool window combo label is not fully visible	↓		Closed

Atlassian IDE Plugin 2.0 Beta for IDEA - Upgrade Notes

This page last changed on Sep 02, 2008 by [smaddox](#).

Below are some essential notes on upgrading to version 2.0 Beta of the Atlassian IDE Plugin for IDEA. For details of the new features and improvements in this release, please read the [Release Notes](#).

On this page:

- [Upgrade Notes](#)
- - [Crucible 1.6 Required](#)
- [Upgrade Procedure](#)

Upgrade Notes

Crucible 1.6 Required

Version 2.0 of the plugin supports Crucible 1.6 and later.

 The plugin no longer supports Crucible 1.5.

Explanation: The Crucible support in earlier versions of the plugin was very limited. Crucible 1.6 provides a more sophisticated API, allowing us to present the full review cycle within the IDE. As far as we know, very few people were making use of the Crucible 1.5 support in the plugin. For these reasons, it is not worthwhile continuing with Crucible 1.5 support.

When you upgrade to the latest version of the plugin, any Crucible servers not running Crucible 1.6 will not be accessible via the plugin.

Upgrade Procedure

Please take these steps to upgrade to version 2.0 Beta of the plugin:

- If you already have version [1.6.1](#) of the Atlassian IDE Plugin for IDEA, you can allow the automatic upgrade to version 2.0 Beta as usual. See the [Upgrade Guide](#).
- If you do not have version 1.6.1 of the plugin, please use IDEA's plugin manager to upgrade the plugin:
 - In IDEA, Select File -> Settings -> IDE Settings -> Plugins.
 - Click the Available tab.
 - Select the Atlassian plugin and click the Update Plugin icon at top left.

RELATED TOPICS

[Atlassian IDE Plugin 2.0 Beta for IDEA - Release Notes](#)

Atlassian IDE Plugin 1.6.1 for IDEA - Release Notes

This page last changed on Aug 26, 2008 by [pmaruszak](#).

26 August 2008

With pleasure, Atlassian presents version 1.6.1 of the Atlassian IDE Plugin for IDEA. This is a maintenance release, containing just two enhancements to smooth the upgrade to version 2 of the plugin, coming soon.

- The plugin's upgrade prompt now includes a link to the release notes. (The upgrade prompt is the popup window which invites you to install the latest version of the plugin.)
- The upgrade now allows a different version-numbering pattern, to allow for 'alpha' and 'beta' releases.

 Please make sure that you upgrade to version 1.6.1, to ensure a clean upgrade to version 2 in the near future.

Don't have the Atlassian IDE Plugin for IDEA yet?

Take a look at the features in the [Plugin User Guide](#). Then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

The plugin's blog

From time to time, the plugin development team posts some information on the plugin's [blog](#).

Complete List of Fixes in the Atlassian IDE Plugin 1.6.1 for IDEA

Atlassian Projects (2 issues)				
Key	Summary	Pr		Status
PL-526	Release Notes for Plugin version 1.6.1	↑		Resolved
PL-522	Enhance a "new version popup" to include a propaganda blurb about a new version and a link to release notes	↑		Resolved

Atlassian IDE Plugin 1.6 for IDEA - Release Notes

This page last changed on Jul 10, 2008 by [jgorycki](#).

10 July 2008

With pleasure, Atlassian presents version 1.6 of the Atlassian IDE Plugin for IDEA. In this release, we have improved the functionality for JIRA issues displayed in the IDEA editor pane. You'll notice a JIRA icon on the tab next to the issue number. A few new controls allow you to expand and collapse sections of the pane. The items in the 'Details' section are now hyperlinked, so that you can click through to the relevant JIRA screen. A new toolbar provides buttons to open the issue for viewing or editing in your browser, or to analyse a stack trace.

The plugin now warns you when a server's SSL certificate is invalid, and gives you the choice of accepting or refusing the connection to the server.

Below is a list of all the fixes and improvements in this release.

The Atlassian IDE Plugin is available for Eclipse too

Take a look at the [release notes](#) for the Eclipse version of the plugin.

Don't have the Atlassian IDE Plugin for IDEA yet?

Take a look at the features in the [Plugin User Guide](#). Then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

The plugin's blog

From time to time, the plugin development team posts some information on the plugin's [blog](#).

Complete List of Fixes in the Atlassian IDE Plugin 1.6 for IDEA

Atlassian Projects (9 issues)					
Key	Summary	Pr		Status	
PL-399	Create checklist for comprehensive manual tests			Closed	
PL-347	Doesn't seem to work properly when you have multiple frames/instances of IntelliJ open			Closed	
PL-439	Documentation for IDEA plugin 1.6			Resolved	
PL-432	Improve JIRA issue view			Closed	
PL-427	make links in the JIRA editor panel's "description" field clickable (i.e. launch browser)			Closed	
PL-413	Documentation for IDEA plugin 1.5			Closed	
PL-403	A NPE occurs on testing connection			Closed	
PL-385	"Check now" button does not work correctly in presence of a proxy			Closed	
PL-429	add JIRA icon next to the issue name in the tab of the JIRA "editor" panel			Closed	

Atlassian IDE Plugin 1.5 for IDEA - Release Notes

This page last changed on Jun 24, 2008 by [jgorycki](#).

23 June 2008

With pleasure, Atlassian presents version 1.5 of the Atlassian IDE Plugin for IDEA. This release includes a number of bug fixes plus some a nice new features:

- You can now open a JIRA issue in the IDEA editor pane.
- In the editor pane, click a link to open a stack trace.
- The clickable stack traces open in IDEA's output tool window, showing a tab for each JIRA issue.
- The editor pane also displays the issue's comments and allows you to add a new comment.
- When logging work against a JIRA issue, you can choose to adjust the time remaining manually, allow JIRA to adjust the time automatically based on your work logged, or leave the estimate as it was before you logged the work.
- You can now configure the plugin to use IDEA's proxy settings or to bypass IDEA's proxy settings altogether.

The Atlassian IDE Plugin is available for Eclipse too

Take a look at the [release notes](#) for the Eclipse version of the plugin.

Don't have the Atlassian IDE Plugin for IDEA yet?

Take a look at the features in the [Plugin User Guide](#). Then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

The plugin's blog

The plugin's team from time to time posts some info on the plugin's [blog](#)

Complete List of Fixes in the Atlassian IDE Plugin 1.5 for IDEA

Atlassian Projects (18 issues)				
Key	Summary	Pr		Status
PL-415	IDE Fatal Error: Component name collision			Closed
PL-408	"String index out of range: -1" after refresh in JIRA view			Closed
PL-40	An in IDE view of the issue, focussing on stack traces and related code pieces			Closed
PL-34	Review creation dialog in the IDE rather than in the web browser			Closed
PL-20	Create review upon commit with a single click, including issue key (from commit message) and files - bounces to web			Closed
PL-418	AIOOB after dbl-clicking on a Crucible review			Closed
PL-397	Add new JIRA project for Eclipse			Closed
PL-424	implement heuristics to detect if a comment or decription actually contains a stack trace and			Closed

	only show "Analyze stack trace" link if this is the case			
PL-421	add option to not use IDEA proxy settings by the plugin	↑		Closed
PL-417	JIRA - show JIRA view in the editor panel, showing and allowing creation of comments	↑		Closed
PL-412	NPE on startup while setting Axis properties	↑		Closed
PL-391	When logging work, allow manually adjusting remaining estimate instead of auto-adjusting it	↑		Closed
PL-390	When logging work, allow leaving remaining estimate untouched instead of auto-adjusting it	↑		Closed
PL-379	Documentation for IDE Plugin 1.4	↑		Closed
PL-281	Crucible: Expand a list of files (like expanding intellij search results) ideally linked to the file in the editor if it exists	↑		Closed
PL-157	Review creation from the "changes" toolwindow	↑		Closed
PL-423	Textual change to stack trace link on issue in IDEA editor pane	↓		Closed
PL-256	"Blame Atlassian" not blame-y enough	↓		Closed

Atlassian IDE Plugin 1.4 Release Notes

This page last changed on Jun 06, 2008 by [jgorycki](#).

6 June 2008

With pleasure, Atlassian presents the Atlassian IDE Plugin version 1.4.

New! The plugin in Eclipse.

This release brings the first phase of our support for [Eclipse](#), with the following features:

- Install and configure the plugin in Eclipse.
- View your build information via the plugin's Bamboo tab.

More features for the plugin in IDEA

There are some good fixes and improvements for the [IDEA](#) version of the plugin. Here are the highlights:

- The Crucible reviews are grouped according to Crucible Dashboard filters, making it easier for you to see the status of each review.
- The context menu for JIRA issues includes workflow actions. For example, you can now start progress, stop progress, etc. For simple actions, just click the menu option to complete the action. If the action needs more information, it will open in a browser window.
- When logging time against a JIRA issue, you can optionally stop progress.

Don't have the Atlassian IDE Plugin yet?

Take a look at the new features and other highlights in the [Plugin 1.0 Release Notes](#). Then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

Complete List of Fixes in the Atlassian IDE Plugin 1.4

Atlassian Projects (15 issues)					
Key	Summary	Pr		Status	
PL-376	Proxy authentication problems on IDEA startup			Closed	
PL-360	Create Changelist fails to add new changelist item			Closed	
PL-377	when logging work for JIRA issue, allow to optionally stop progress			Closed	
PL-374	remove xml-apis from the dependencies of commons			Closed	
PL-373	A NPE occurs while adding new JIRA Server			Closed	
PL-364	Add help button to log work dialog			Closed	
PL-362	Textual changes on General configuration tab			Closed	
PL-336	Can't create issue / NullPointerException / IntelliJ Bugg?			Closed	
PL-306	Reviews I've completed yet aren't yet summarised are still shown in the Crucible tab			Closed	
PL-279	Crucible Project filters			Closed	
PL-276					

	Show the state of the reviews - e.g. cross them out, (un)bold them, or add a tick mark when they are complete			Closed
PL-389	Change user interface widget used to input effort duration from 4 spinners to validated text field			Closed
PL-368	Typo in error message			Closed
PL-357	Help links to unavailable page in Confluence			Closed
PL-333	Workflow actions in context menu for issues			Closed

Atlassian IDE Plugin 1.3.1 Release Notes

This page last changed on May 27, 2008 by [smaddox](#).

27 May 2008

Atlassian is delighted to present the Atlassian IDE Plugin version 1.3.1. This is mostly a bug-fix release.

The new feature of this release is:

- The Log Work window now allows you to enter an end date. The plugin will calculate start date based on the worklog entries

Below is a complete list of the fixes and enhancements in this release.

Don't have the Atlassian IDE Plugin yet?

Take a look at the new features and other highlights in the [Plugin 1.0 Release Notes](#). Then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

Complete List of Fixes in the Atlassian IDE Plugin 1.3.1

Atlassian Projects (7 issues)				
Key	Summary	Pr		Status
PL-367	in the filter config panel, "fix for" version list box always shows version for the first ever selected project.			Closed
PL-369	Issue type dropdown list has duplicate values when creating JIRA issue			Closed
PL-361	Fix typo 'snaphot' on General configuration tab			Closed
PL-359	Create new Issue doesn't show Types			Closed
PL-356	Plugin home page in IDEA plugin manager should point to CAC documentation space			Closed
PL-355	Documentation for IDE Plugin 1.3.0			Closed
PL-334	Log Work screen to have start date or end date			Closed

Atlassian IDE Plugin 1.3 Release Notes

This page last changed on May 26, 2008 by [smaddox](#).

26 May 2008

Atlassian is delighted to present the Atlassian IDE Plugin version 1.3. Highlights of this release include:

- When creating a JIRA issue, you can now assign it to anyone. When dealing with an existing issue, you can assign it to yourself or someone else.
- If a JIRA or Bamboo server is not available, the plugin will display an indication on the JIRA or Bamboo tab.

Below is a complete list of the fixes and enhancements in this release.

Don't have the Atlassian IDE Plugin yet?

Take a look at the new features and other highlights in the [Plugin 1.0 Release Notes](#). Then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

Complete List of Fixes in the Atlassian IDE Plugin 1.3

Atlassian Projects (7 issues)					
Key	Summary	Pr		Status	
PL-353	Eclipse - display information about a single Bamboo build	↑		Closed	
PL-339	Alllow assigning issue to myself or somebody else	↑		Closed	
PL-338	add method to Crucible's REST API to get reviews based on advanced filter	↑		Closed	
PL-311	IDE freezes momentarily when clicking + button to add a JIRA	↑		Closed	
PL-305	On creating a new JIRA, you should be able to assign it to a user other than the default assignee	↑		Closed	
PL-296	JIRA icon in configuration should be grey if server is disabled	↑		Closed	
PL-225	indicate in the tool window that you cannot connect to a server (bamboo, crucible, etc.)	↑		Closed	

Atlassian IDE Plugin 1.2.1 Release Notes

This page last changed on May 14, 2008 by [edawson](#).

15 May 2008

Atlassian is delighted to present the Atlassian IDE Plugin version 1.2.1. This is a maintenance release containing various fixes.

Below is a complete list of the fixes and enhancements in this release.

Don't have the Atlassian IDE Plugin yet?

Take a look at the new features and other highlights, then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

Complete List of Fixes in the Atlassian IDE Plugin 1.2.1

Atlassian Projects (6 issues)					
Key	Summary	Pr		Status	
PL-345	Leftclick on JIRA issue casues error and no menu item visible			Closed	
PL-335	Typo in check now dialog			Closed	
PL-332	The build failures are not reported on upgrade to 1.2.0			Closed	
PL-329	saved filters no longer work			Closed	
PL-313	The "Bad credentials" message is not very user friendly			Closed	
PL-307	Project and column should be right-justified			Closed	

Atlassian IDE Plugin 1.2 Release Notes

This page last changed on May 09, 2008 by [jgorycki](#).

9 May 2008

Atlassian is delighted to present the Atlassian IDE Plugin version 1.2. Highlights of this release include:

- Support for HTTP proxies when [configuring your server connections](#).
- Ability to log time on a [JIRA](#) issue within [IDEA](#).
- Mouse-over tooltips for JIRA issues, showing detailed content of the JIRA ticket.

Developers will be interested to know that the plugin now communicates with JIRA via SOAP rather than XML-RPC. We needed SOAP to enable the JIRA time-logging feature mentioned above, so we have decided to move away from XML-RPC altogether.

Below is a complete list of the fixes and enhancements in this release.

Don't have the Atlassian IDE Plugin yet?

Take a look at the new features and other highlights in the [Plugin 1.0 Release Notes](#). Then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

Complete List of Fixes in the Atlassian IDE Plugin 1.2

Atlassian Projects (5 issues)				
Key	Summary	Pr		Status
PL-328	Documentation for IDE Plugin 1.2.0	↑		Closed
PL-290	Add mouseover tooltips for 'Key', 'Summary'	↑		Closed
PL-248	Tooltip with extended issue info when mousing over in JIRA tab	↑		Closed
PL-244	Log Time via IDEA Plugin	↑		Closed
PL-224	HTTP proxy suport (w/ and w/o authentication)	↑		Closed

Atlassian IDE Plugin 1.1 Release Notes

This page last changed on Apr 29, 2008 by smaddox.

25 April 2008

Atlassian is delighted to present the Atlassian IDE Plugin version 1.1.1. This is principally a bug-fix release.

Below is a list of the fixes and enhancements in this release.

You may notice that we have skipped version 1.1.0. This is because it had a problem which we fixed immediately, so version 1.1.1 is the one you want.

Don't have the Atlassian IDE Plugin yet?

Take a look at the new features and other highlights in the [Plugin 1.0 Release Notes](#). Then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

Complete List of Fixes in the Atlassian IDE Plugin 1.1.1

Atlassian Projects (21 issues)					
Key	Summary	Pr		Status	
PL-261	Upgrade does not work properly when only SVN number is different			Closed	
PL-242	Odd Crucible URL behaviour			Closed	
PL-234	Empty plugin window when configuration file is missing			Closed	
PL-236	Plugins stops refreshing build status			Closed	
PL-172	IDEA exception: Using deprecated method will cease to exist in IDEA 7.0 final release			Closed	
PL-310	Release notes for Plugin version 1.1			Closed	
PL-294	NullPointerException using the Atlassian Jira IDEA Plugin			Closed	
PL-286	NPE when trying to edit Jira filters			Closed	
PL-270	Missing JIRA password doesn't stop progress animation			Closed	
PL-266	Check Now button for new version should not display unnecessary MessageBox			Closed	
PL-265	the LICENSE file should be deployed in the plugin's zip file (in META-INF?)			Closed	
PL-264	NPE after leaving the IDEA unattended for an hour			Closed	
PL-262	RPC not supported or remote error: java.lang.NoSuchMethodException: com.atlassian.jira.rpc.xmlrpc.JiraXmlRpcService.getComponents()			Closed	

	when I call Test Connection			
PL-250	I want to be able to edit changeset comment when creating changeset from JIRA issue	↑		Closed
PL-246	When I want to "check now" and select "unstable version" it is ignored until I press Apply	↑		Closed
PL-235	Missing informaion about server type in configuration window	↑		Closed
PL-232	more responsiveness when fetching drop down list items	↑		Closed
PL-227	CrucibleSessionImpl exception	↑		Closed
PL-214	JIRA does not support MissingPassword functionality	↑		Closed
PL-199	Plugin makes frequent requests for DTD resources from w3.org	↑		Closed
PL-148	Plugin should show sth like "Refreshing" in tool window (e.g. in top or bottom) after user changes something in plugin settings and clicked on apply.	↑		Closed

Cheers,

The Atlassian IDE Plugin development team

Atlassian IDE Plugin 1.0 Release Notes

This page last changed on Jul 10, 2008 by [smaddox](#).

10 April 2008

Atlassian is delighted to present the Atlassian IDE Plugin. The plugin is an addon for your integrated development environment (IDE). It allows you to pull in and work with the Atlassian products within your IDE. Now you don't have to switch between websites, email messages and news feeds to see what's happening to your project and your code. Instead, you can see the relevant [JIRA](#) issues, [Bamboo](#) build information and [Crucible](#) reviews right there in your development environment.

We are releasing version 1.0 of the plugin as a work in progress. Let us know what you think of it! Log your praise, ideas, feature requests and other issues in our [JIRA issue tracker](#).

At the moment, the Atlassian IDE Plugin is available for [IDEA 7.0.2](#) and above. In the future we will develop plugins for other IDEs, such as [Eclipse](#) and [Visual Studio](#).

Want it?

Follow our easy [installation instructions](#).


This is an open source project. You can get the source code from [our SVN repository](#).

Use these Atlassian products right there in your IDE

1

JIRA — because you've got issues


- [Use JIRA](#) integrated into your IDE.
- [Connect](#) to one or more JIRA servers.
- View all relevant JIRA feature requests, bug reports and other issues.
- Add a new issue or comment on an existing one.
- Create a changelist based on an issue, automatically adding the issue name as a comment when you commit the changes. (A changelist, or change set, is a collection of code changes committed at the same time.)



2

Bamboo — the Zen of continuous integration

- [Monitor your builds](#) while you work.
- [Connect](#) to one or more Bamboo servers.
- An icon  in the IDE status bar glows green or red, showing the latest build status.
- When a build fails, a popup window warns you of the problem.
- View your Bamboo plans, add labels and comments, and re-run a build when necessary.




Build plan	Build number	Build date	Project	Passed tests
APITEST-EMPTY	1	2 months ago		30/30
TP-TEST	10	2 months ago		31/31
TP-TESTS	532	36 minutes ago		186/186
PLUG-DEF	402	37 minutes ago	Plug-In	186/186
PLUG-DISABLED	9	5 weeks ago	Plug-In	171/171
PLUG-DIM	224	39 minutes ago	Plug-In	186/186
APITEST-DEFAPI	208	1 month ago		41/45
TP-CLO	68	2 months ago		0/0
TP-DEF	840	42 minutes ago		186/186
TP-SITEDEPLOY	75	8 hours ago		186/186

3

Crucible — peer code review made painless

- [Monitor your code reviews](#) within your IDE.
- [Connect](#) to one or more Crucible servers.
- An icon  in the IDE status bar lets you know when a review needs your attention.
- A popup window appears whenever a new pending review is created.
- Kick off a review of the code you have just written.



Key	Summary	Author	State	Reviewers
CR-CIP-1	removed log.error from L...	sginter	Review	bhumpreys, npellow, m...
CR-CLOV-14	CLOV-217: removed ref...	bhumpreys	Review	npellow, mstudman
CR-CLOV-15	CLOV-204: prevent slice ...	bhumpreys	Review	npellow
CR-CLOV-16	CLOV-174: allow PDF an...	bhumpreys	Review	npellow

Known Issues in This Release

We have an enthusiastic and dedicated group of testers and customers who jump in there, try out the new Atlassian IDE Plugin release, and report any problems so that we can fix them quickly. Here's a [list of known issues](#).

A big thank you to everyone who provides feedback. Please keep logging issues and voting for them. And we'll keep plugging away at improving the plugin!

IDE Plugin Release Notes

This page last changed on Jun 16, 2008 by [smaddox](#).

The Atlassian IDE Plugin is an add-on for your integrated development environment (IDE). It allows you to work with the Atlassian products within your IDE. Now you don't have to switch between websites, email messages and new feeds to see what's happening to your project and your code. Instead, you can see the relevant [JIRA](#) issues, [Crucible](#) reviews and [Bamboo](#) build information right there in your development environment.

IDE Plugin for IDEA

 Current released version: Atlassian IDE Plugin for IDEA version 2.0 Beta has now been released — see the [Atlassian IDE Plugin 2.0 Beta for IDEA - Release Notes](#)

- [Atlassian IDE Plugin 2.0 Beta for IDEA - Release Notes](#)
- [Atlassian IDE Plugin 1.6.1 for IDEA - Release Notes](#)
- [Atlassian IDE Plugin 1.6 for IDEA - Release Notes](#)
- [Atlassian IDE Plugin 1.5 for IDEA - Release Notes](#)
- [Atlassian IDE Plugin 1.4 Release Notes](#)
- [Atlassian IDE Plugin 1.3.1 Release Notes](#)
- [Atlassian IDE Plugin 1.3 Release Notes](#)
- [Atlassian IDE Plugin 1.2.1 Release Notes](#)
- [Atlassian IDE Plugin 1.2 Release Notes](#)
- [Atlassian IDE Plugin 1.1 Release Notes](#)
- [Atlassian IDE Plugin 1.0 Release Notes](#)

IDE Plugin for Eclipse

 Current released version: The Atlassian IDE Plugin for Eclipse version 0.4 has now been released — see the [Atlassian IDE Plugin 0.4 for Eclipse - Release Notes](#).

- [Atlassian IDE Plugin 0.4 for Eclipse - Release Notes](#)
- [Atlassian IDE Plugin 0.3 for Eclipse - Release Notes](#)
- [Atlassian IDE Plugin 0.2 for Eclipse - Release Notes](#)
- [Atlassian IDE Plugin 0.1 for Eclipse - Release Notes](#)

IDE Plugin Knowledge Base

This page last changed on Apr 08, 2008 by [smaddox](#).

- [Displaying a description of the issue status](#)
- [Troubleshooting Server Connection](#)
 - [HTTP 404 error when connecting to Crucible even though the URL seems to be correct](#)

Displaying a description of the issue status

This page last changed on Jun 02, 2008 by [smaddox](#).

I want to see the description of the issue status in the JIRA table, not just an icon

Go to the JIRA tab in the plugin configuration panel and put a tick in the checkbox next to 'Display icon description'. There's more information in the [documentation](#).

You need to refresh the list of JIRA issues afterwards to see the new setting take effect.

Troubleshooting Server Connection

This page last changed on Jun 02, 2008 by [smaddox](#).

Here is a list of problems you may encounter when accessing the servers configured in your plugin. For each entry, we have included the first few lines of content. Click a link to see the full text for each entry.

- [HTTP 404 error when connecting to Crucible even though the URL seems to be correct](#) — In the plugin configuration panel, you provide a URL for your Crucible server. When attempting to access Crucible, the plugin appends the string `/rest-service/` to the URL provided in the plugin configuration panel. The resulting URL is the REST endpoint of the Crucible instance. Therefore, you should enter just the base URL for your main Fisheye+Crucible website.

HTTP 404 error when connecting to Crucible even though the URL seems to be correct

This page last changed on Jun 02, 2008 by [smaddox](#).

See bug [PL-242](#).

In the plugin configuration panel, you provide a URL for your [Crucible server](#). When attempting to access Crucible, the plugin appends the string `'/rest-service/'` to the URL provided in the plugin configuration panel. The resulting URL is the REST endpoint of the Crucible instance. Therefore, you should enter just the base URL for your main Fisheye+Crucible website.



Example:

- Let's say that the URL for your main Fisheye+Crucible website is <http://your.host>, and the URL for your Crucible server is <http://your.host/cru>.
- In the plugin configuration panel, you should enter the following as the connection URL:

```
http://your.host
```

- The resulting REST endpoint that the plugin tries to reach will be <http://your.host/rest-service>.



The situation can become even more complicated when the Crucible server is fronted by Apache acting as a proxy. Mappings for Crucible URLs can be configured in an unpredictable way, resulting in weird '404' errors.