

Space Details

Key:	IDEPLUGIN
Name:	Atlassian IDE Connector
Description:	Documentation for the Atlassian IntelliJ Connector and the Atlassian Eclipse Connector
Creator (Creation Date):	smaddox (Mar 21, 2008)
Last Modifier (Mod. Date):	smaddox (Sep 17, 2008)

Available Pages

- IDE Connector Documentation 
 - Overview of the Atlassian IDE Connector
 - Atlassian Eclipse Connector
 - Installation and Upgrade Guide for the Eclipse Connector
 - License and Copyright for the Eclipse Connector
 - Installing the Eclipse Connector
 - Upgrading the Eclipse Connector
 - Atlassian Eclipse Connector Release Notes
 - Atlassian Eclipse Connector 1.0 Beta Release Notes
 - Atlassian IDE Plugin 0.4 for Eclipse - Release Notes
 - Atlassian IDE Plugin 0.3 for Eclipse - Release Notes
 - Atlassian IDE Plugin 0.2 for Eclipse - Release Notes
 - Atlassian IDE Plugin 0.2 for Eclipse - Upgrade Notes
 - Atlassian IDE Plugin 0.1 for Eclipse - Release Notes
 - Configuring the Eclipse Connector
 - User Guide for the Eclipse Connector
 - Eclipse Connector FAQ
 - Configuration FAQ for the Eclipse Connector
 - Using NTLM Authentication with the Eclipse Connector
 - Usage FAQ for the Eclipse Connector
 - Troubleshooting the Eclipse Connector
 - Atlassian IntelliJ Connector
 - Installation and Upgrade Guide for the IntelliJ Connector
 - License and Copyright for the IntelliJ Connector
 - Installing the IntelliJ Connector
 - Upgrading the IntelliJ Connector
 - Atlassian IntelliJ Connector Release Notes
 - Atlassian IntelliJ Connector 2.0.1 Release Notes
 - Atlassian IntelliJ Connector 2.0 Release Notes
 - Atlassian IntelliJ Connector 2.0 Beta 12 Release Notes
 - Atlassian IntelliJ Connector 2.0 Beta 11 Release Notes
 - Atlassian IntelliJ Connector 2.0 Beta 10 Release Notes
 - Atlassian IntelliJ Connector 2.0 Beta 9 Release Notes
 - Atlassian IntelliJ Connector 2.0 Beta 8 Release Notes

- Atlassian IntelliJ Connector 2.0 Beta 7 Release Notes
- Atlassian IntelliJ Connector 2.0 Beta 6 Release Notes
- Atlassian IntelliJ Connector 2.0 Beta 5 Release Notes
- Atlassian IntelliJ Connector 2.0 Beta 4 Release Notes
- Atlassian IntelliJ Connector 2.0 Beta 3 Release Notes
- Atlassian IDE Plugin 2.0 Beta 2 for IDEA - Release Notes
 - Atlassian IDE Plugin 2.0 Beta 2 for IDEA - Upgrade Notes
- Atlassian IDE Plugin 2.0 Beta for IDEA - Release Notes
 - Atlassian IDE Plugin 2.0 Beta for IDEA - Upgrade Notes
- Atlassian IDE Plugin 1.6.1 for IDEA - Release Notes
- Atlassian IDE Plugin 1.6 for IDEA - Release Notes
- Atlassian IDE Plugin 1.5 for IDEA - Release Notes
- Atlassian IDE Plugin 1.4 Release Notes
- Atlassian IDE Plugin 1.3.1 Release Notes
- Atlassian IDE Plugin 1.3 Release Notes
- Atlassian IDE Plugin 1.2.1 Release Notes
- Atlassian IDE Plugin 1.2 Release Notes
- Atlassian IDE Plugin 1.1 Release Notes
- Atlassian IDE Plugin 1.0 Release Notes
- Configuring the IntelliJ Connector
- Using Bamboo in the IntelliJ Connector
 - Configuring your Bamboo Options in IDEA
 - Working with Bamboo Builds in IDEA
- Using Crucible in the IntelliJ Connector
 - Configuring your Crucible Options in IDEA
 - Working with Crucible Reviews in IDEA
- Using FishEye in the IntelliJ Connector
 - Configuring your FishEye Options in IDEA
 - Working with your FishEye Repository View in IDEA
- Using JIRA in the IntelliJ Connector
 - Configuring your JIRA Options in IDEA
 - Working with JIRA Issues in IDEA
- IntelliJ Connector FAQ
 - Configuration FAQ for the IntelliJ Connector
 - Usage FAQ for the IntelliJ Connector
 - Keyboard Shortcuts in the IntelliJ Connector
 - Troubleshooting the IntelliJ Connector
 - Finding Known Issues for the IntelliJ Connector
 - Creating a review from IDE gives HTTP 500 error
 - Troubleshooting java.lang.NoSuchMethodError Exceptions
 - Troubleshooting Server Connection in the IntelliJ Connector
- Atlassian IDE Connector Release Notes

Introduction to the Atlassian IDE Connector

The Atlassian IDE Connector is an add-on for your integrated development environment (IDE). It allows you to work with the Atlassian products within your IDE. Now you don't have to switch between websites, email messages and new feeds to see what's happening to your project and your code. Instead, you can see the relevant [JIRA](#) issues, [Crucible](#) reviews and [Bamboo](#) build information right there in your development environment.

The Atlassian IDE Connector is available for [IntelliJ IDEA](#) and [Eclipse](#). In the future we would like to support other IDEs too, such as [Visual Studio](#). Take a look at the documentation for each IDE:

- [Atlassian Eclipse Connector](#)
- [Atlassian IntelliJ Connector](#)



We are actively developing the Eclipse Connector. If you'd like stay informed, enter your email address on [this web page](#) and we'll send you an update when the Eclipse Connector is available.

Table of Contents

[Overview of the Atlassian IDE Connector](#)

[Atlassian Eclipse Connector](#)

- [Installation and Upgrade Guide for the Eclipse Connector](#)
- [Configuring the Eclipse Connector](#)
- [User Guide for the Eclipse Connector](#)
- [Eclipse Connector FAQ](#)

[Atlassian IntelliJ Connector](#)

- [Installation and Upgrade Guide for the IntelliJ Connector](#)
- [Configuring the IntelliJ Connector](#)
- [Using Bamboo in the IntelliJ Connector](#)
- [Using Crucible in the IntelliJ Connector](#)
- [Using FishEye in the IntelliJ Connector](#)
- [Using JIRA in the IntelliJ Connector](#)
- [IntelliJ Connector FAQ](#)

[Atlassian IDE Connector Release Notes](#)

Overview of the Atlassian IDE Connector

This page last changed on Dec 29, 2008 by [smaddox](#).

The Atlassian IDE Connector is an add-on for your integrated development environment (IDE). It allows you to work with the Atlassian products within your IDE. Now you don't have to switch between websites, email messages and new feeds to see what's happening to your project and your code. Instead, you can see the relevant [JIRA](#) issues, [Crucible](#) reviews and [Bamboo](#) build information right there in your development environment.

The Atlassian IDE Connector is available for [IntelliJ IDEA](#) and [Eclipse](#). In the future we would like to support other IDEs too, such as [Visual Studio](#). Take a look at the documentation for each IDE:

- [Atlassian Eclipse Connector](#)
- [Atlassian IntelliJ Connector](#)



We are actively developing the Eclipse Connector
If you'd like stay informed, enter your email address on [this web page](#) and we'll send you an update when the Eclipse Connector is available.

Atlassian Eclipse Connector

This page last changed on Mar 12, 2009 by [smaddox](#).

New name: Atlassian Eclipse Connector

The Atlassian IDE Plugin for Eclipse is now called the 'Atlassian Eclipse Connector'. We are actively developing the Atlassian Eclipse Connector. If you would like stay informed, enter your email address on [this web page](#) and we'll send you an update when the new connector is available.

Eclipse Connector Documentation	Resources
<ul style="list-style-type: none">• Installation Guide• Upgrade Guide• Release Notes	<p>If you encounter a problem using the Atlassian Eclipse Connector, please contact our support team.</p>
	<p>This is an open source project. To access the connector's source code, point your SVN at: https://studio.atlassian.com/svn/PLE/trunk. (If you don't already have an account, please go to http://studio.atlassian.com and sign up for an account. You should then be able to access the svn repository with your new account.)</p>
<h3>About the Atlassian Eclipse Connector</h3>	<p>Other handy links:</p> <ul style="list-style-type: none">• JIRA Issue Tracker• Atlassian IDE Connector Forum
<p>The Atlassian Eclipse Connector is an Eclipse plugin. It allows you to work with the Atlassian products within your Eclipse IDE. Now you don't have to switch between websites, email messages and news feeds to see what's happening to your project and your code. Instead, you can see the relevant information right there in your development environment. The current version of the Atlassian Eclipse Connector integrates Bamboo build information into Eclipse.</p>	
<p> Current released version: The Atlassian IDE Plugin for Eclipse version 1.0 beta has now been released — see the Atlassian Eclipse Connector 1.0 Beta Release Notes.</p>	<h3>Offline Versions of the Documentation</h3> <p>You can download the Atlassian Eclipse Connector documentation in PDF, HTML or XML formats.</p>
	<h3>Looking for Other Plugins?</h3> <p>If you're in the wrong place, try these links instead:</p> <ul style="list-style-type: none">• Atlassian Connector for IntelliJ IDEA — see Atlassian IntelliJ Connector• Clover IDE plugins — see the Clover documentation• Plugins for Atlassian products — see plugin information for Confluence, JIRA, Crowd, Bamboo• Resources for plugin developers — see Atlassian Developer Network

Table of Contents

- [Installation and Upgrade Guide for the Eclipse Connector](#)
 - [License and Copyright for the Eclipse Connector](#)
 - [Installing the Eclipse Connector](#)
 - [Upgrading the Eclipse Connector](#)
 - [Atlassian Eclipse Connector Release Notes](#)
 - [Atlassian Eclipse Connector 1.0 Beta Release Notes](#)
 - [Atlassian IDE Plugin 0.4 for Eclipse - Release Notes](#)
 - [Atlassian IDE Plugin 0.3 for Eclipse - Release Notes](#)
 - [Atlassian IDE Plugin 0.2 for Eclipse - Release Notes](#)
 - [Atlassian IDE Plugin 0.2 for Eclipse - Upgrade Notes](#)
 - [Atlassian IDE Plugin 0.1 for Eclipse - Release Notes](#)
- [Configuring the Eclipse Connector](#)
- [User Guide for the Eclipse Connector](#)
- [Eclipse Connector FAQ](#)
 - [Configuration FAQ for the Eclipse Connector](#)
 - [Using NTLM Authentication with the Eclipse Connector](#)
 - [Usage FAQ for the Eclipse Connector](#)
 - [Troubleshooting the Eclipse Connector](#)

Installation and Upgrade Guide for the Eclipse Connector

This page last changed on Mar 11, 2009 by smaddox.

- [License and Copyright for the Eclipse Connector](#)
- [Installing the Eclipse Connector](#)
- [Upgrading the Eclipse Connector](#)
- [Atlassian Eclipse Connector Release Notes](#)

License and Copyright for the Eclipse Connector

This page last changed on Mar 12, 2009 by [smaddox](#).

Open Source

This is an open source project. You can get the source code from [our SVN repository](#).

Copyright Statement

© Atlassian 2008

License

Licensed under the Eclipse Public License, Version 1.0 (the "License").

You may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.eclipse.org/legal/epl-v10.html>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

Installing the Eclipse Connector

This page last changed on Mar 22, 2009 by edwin@atlassian.com.

On this page:

- [System Requirements](#)
- [Installation in Short](#)
- [Installation in Detail for Eclipse 3.4 \(Ganymede\)](#)
- [Installation in Detail for Eclipse 3.3 \(Europa\)](#)

System Requirements

Version Matrix

The Atlassian Eclipse Connector is compatible with the following software versions:

	Atlassian Eclipse Connector 1.0 or later
Bamboo	1.x 2.x recommended
Crucible	1.6 or later  We recommend that you upgrade to the latest version of Crucible 1.6.x for best results.
Eclipse	3.3 (Europa) or later 3.4 (Ganymede) recommended
JIRA	3.4 or later 3.7 or later recommended

Other Dependencies

- The Atlassian Eclipse Connector makes use of [Mylyn](#)'s task-focused interface. Mylyn is shipped with the more recent versions of Eclipse.
 - If you do not already have Mylyn, it will be installed automatically when you install one of the Atlassian Eclipse Connector's features.
 - The Mylyn documentation includes a [quick start guide](#).
- The Atlassian Eclipse Connector now includes the [JIRA Mylyn connector](#), which was previously available as a JIRA-only connector.
- The connector's Crucible review functionality integrates with [Subversion](#) and [Subclipse](#) for source control and file retrieval.



Crucible code reviews for Subversion with Subclipse only
Currently the Atlassian Eclipse Connector supports code reviews only where you version your project under [SVN](#) using [Subclipse](#). The connector does not (yet) integrate with [Subversive](#). We intend to add support for other SCMs, such as CVS, via the connector's integration with Crucible, so that the connector will support the SCMs which Crucible supports.


Installation in Short

1. Add one of the following URLs to your Eclipse update sites, depending on your version of Eclipse:
 - For Eclipse 3.3 — <http://update.atlassian.com/atlassian-eclipse-plugin/e3.3>
 - For Eclipse 3.4 — <http://update.atlassian.com/atlassian-eclipse-plugin/e3.4>
2. Install the 'Atlassian Eclipse Connector' — we suggest that you select the 'recommended' option.

Installation in Detail for Eclipse 3.4 (Ganymede)


The steps below show the full installation procedure in Eclipse 3.4 (Ganymede):

1. Open the Eclipse software updates manager via 'Help', 'Software Updates', 'Available Software'.
2. Click the 'Add Site' button.
3. The 'Add Site' dialogue box will appear, as shown in the screenshot below:



Enter one of the following URLs, depending on your version of Eclipse:

- For Eclipse 3.3 — <http://update.atlassian.com/atlassian-eclipse-plugin/e3.3>
 - For Eclipse 3.4 — <http://update.atlassian.com/atlassian-eclipse-plugin/e3.4>
4. Click 'OK'.
 5. The 'Atlassian Eclipse Connector' will appear in the list of available software, as shown in the screenshot below:



Select the components that you wish to install. We suggest that you select the 'recommended' option to install the default integration options (Bamboo, Crucible, JIRA and Subclipse). Otherwise, you can choose one or more of the following integration options:

- Bamboo Integration — Allows you to view and manage your [Bamboo](#) builds within your Eclipse IDE.
 - Crucible Integration — Allows you to view and manage your [Crucible](#) code reviews within your Eclipse IDE.
 - Subclipse Integration — Provides fine-grained integration between [Subclipse](#) and [Crucible](#) reviews within your Eclipse IDE.
 - The installation process will automatically provide the connector's JIRA integration, allowing you to view and manage your [JIRA](#) issues within your Eclipse IDE.
6. Click the 'Install' button, then click 'Finish' when asked to confirm the installation.
 7. If prompted, accept the license agreement and click the 'Next' button.
 8. Restart Eclipse when prompted.
 9. The Atlassian Eclipse Connector has now been installed. Your next step is to add your Bamboo, Crucible and JIRA task repositories in Eclipse. See [Configuring the Eclipse Connector](#).

Installation in Detail for Eclipse 3.3 (Europa)

We have not yet included detailed instructions for installation under Eclipse 3.3 (Europa). The screenshot below shows the selection of required dependencies:

Updates

Search Results

Select features to install from the search result list.

Select the features to install:

- [-] [?] Atlassian Eclipse Connector
 - [x] [000] Atlassian Connector
 - [x] [?] Atlassian Eclipse Connector (recommended) 1.0.0.I20090315-0200
 - [] [000] Atlassian Integrations (optional)
- [-] [?] Mylyn Weekly for Eclipse 3.3
 - [] [000] Mylyn Features
 - [x] [?] Mylyn Task List (Required) 3.1.0.I20090311-1900-e33
 - [] [?] Mylyn Focused UI (Recommended) 3.1.0.I20090311-1900-e33
 - [] [000] Mylyn Integration
- [-] [?] Mylyn Weekly Extras
 - [] [000] Mylyn Integration
 - [x] [?] Mylyn Connector: JIRA 3.1.0.I20090311-1900-e3x
 - [] [?] Mylyn Connector: Trac 3.1.0.I20090311-1900-e3x
 - [] [000] Mylyn Plug-in Development
- [-] [?] Subclipse
 - [] [000] Subclipse
 - [x] [?] Subclipse - Required 1.4.8
 - [] [?] Subversion Revision Graph 1.0.5
 - [x] [?] Subversion Client Adapter - Required 1.5.3
 - [] [?] Subversion Native Library Adapter (JavaHL) - Strongly Recommended 1.5.6
 - [] [000] Subclipse Integrations
 - [] [000] Subclipse SVNKit Option
 - [x] [?] SVNKit Library 1.2.2.5405
 - [] [?] JNA Library 3.0.9
 - [x] [?] SVNKit Client Adapter 1.5.6

Provides Bamboo, Crucible and JIRA integration. This feature includes Subclipse for Subversion support in the Crucible integration.

7 of 24 selected.

Show the latest version of a feature only

Filter features included in other features on the list

[?] < Back Next > Finish Cancel

Deselect All
More Info
Properties
Select Required
Error Details...

RELATED TOPICS

- [Configuring the Eclipse Connector](#)
- [License and Copyright for the Eclipse Connector](#)
- [Installing the Eclipse Connector](#)
- [Upgrading the Eclipse Connector](#)
- [Atlassian Eclipse Connector Release Notes](#)

[IDE Connector Documentation](#)

Upgrading the Eclipse Connector

This page last changed on Mar 22, 2009 by edwin@atlassian.com.

This page tells you how to upgrade the Atlassian Eclipse Connector. If you have never installed the plugin, please refer to the [installation guide](#) instead.

Replacing Early Versions of the 'Atlassian IDE Plugin'

If you have previously installed version 0.4 or earlier of the Atlassian IDE Plugin:


1. Uninstall the earlier version.
2. Then follow the [installation guide](#) to install the new Atlassian Eclipse Connector.

Upgrading the Atlassian Eclipse Connector 1.0 Beta or Later

If you are upgrading from version 1.0 beta or later of the Atlassian Eclipse Connector, you can follow the standard Eclipse software upgrade procedure.

These are the steps in the standard upgrade procedure for Eclipse 3.4 (Ganymede):

1. Open the Eclipse software updates manager via 'Help', 'Software Updates', 'Installed Software'.
2. The 'Installed Software' screen will appear, as shown in the screenshot below:



- Select the required components of the 'Atlassian Eclipse Connector' and click the 'Update' button.
3. When prompted, verify the installation details and click the 'Next' button.
 4. If prompted, accept the license agreement and click the 'Finish' button.
 5. When prompted, restart Eclipse.

RELATED TOPICS

- [Configuring the Eclipse Connector](#)
- [License and Copyright for the Eclipse Connector](#)
- [Installing the Eclipse Connector](#)
- [Upgrading the Eclipse Connector](#)
- [Atlassian Eclipse Connector Release Notes](#)

[IDE Connector Documentation](#)

Atlassian Eclipse Connector Release Notes

This page last changed on Sep 17, 2008 by [smaddox](#).

New name: Atlassian Eclipse Connector

The Atlassian IDE Plugin for Eclipse is now called the 'Atlassian Eclipse Connector'. We are actively developing the Atlassian Eclipse Connector. If you would like stay informed, enter your email address on [this web page](#) and we'll send you an update when the new connector is available.



Current released version:

The Atlassian IDE Plugin for Eclipse version 1.0 beta has now been released — see the [Atlassian Eclipse Connector 1.0 Beta Release Notes](#).

- [Atlassian Eclipse Connector 1.0 Beta Release Notes](#)
- [Atlassian IDE Plugin 0.4 for Eclipse - Release Notes](#)
- [Atlassian IDE Plugin 0.3 for Eclipse - Release Notes](#)
- [Atlassian IDE Plugin 0.2 for Eclipse - Release Notes](#)
- [Atlassian IDE Plugin 0.1 for Eclipse - Release Notes](#)

Atlassian Eclipse Connector 1.0 Beta Release Notes

This page last changed on Mar 22, 2009 by edwin@atlassian.com.

23 March 2009

With pleasure, Atlassian presents the Atlassian Eclipse Connector 1.0 Beta.

[Atlassian](#) and [Tasktop](#) have collaborated to build a new connector with a radically changed look and feel and a wealth of new features. The resulting connector makes use of [Mylyn](#)'s task-focused interface to bring new level of integration between your Eclipse Mylyn IDE, your [Crucible](#) code reviews and your [Bamboo](#) builds. The new connector also includes the existing [JIRA Mylyn plugin](#).

With the Atlassian Eclipse Connector, you can set up your JIRA, Bamboo and Crucible servers as Eclipse Mylyn task repositories. Monitor your Bamboo builds and re-run failed tests locally. Enjoy Crucible's lightweight workflow to conduct code reviews within your IDE. The JIRA issues and Crucible reviews are seen as tasks, allowing you to make use of Mylyn's powerful task and context management features. Instead of dropping out to view your email, you will now receive your issue, review and build notifications via the standard Eclipse notification popups.

Highlights of this Release:

- [Crucible Reviews in Eclipse](#)
 - [Manage your Code Reviews via Mylyn's Task-Focused Interface](#)
 - [Conduct your Code Reviews in your IDE](#)
 - [See the Review Comments in Your Code](#)
 - [Work on the Review in the Diff View Too](#)
 - [Receive Notification of Review Updates](#)
- [Bamboo Builds in Eclipse](#)
 - [Configure your Bamboo Server as a Mylyn Task Repository](#)
 - [Manage your Bamboo Builds in your IDE](#)
 - [View the Build Logs](#)
 - [View the Changed Files](#)
 - [Monitor the Failed Tests](#)
 - [Receive Notification of Build changes](#)
- [JIRA Issues in Eclipse](#)
 - [Use the Awesome JIRA Mylyn Plugin as Part of the New Connector](#)

Don't have the Atlassian Eclipse Connector yet? You can install the connector directly from the 'Software Updates' option in Eclipse. Follow our easy [installation guide](#).

This is an open source project. The source code is available in [our SVN repository](#).

Upgrading from a previous version of the IDE Plugin for Eclipse

If you have previously installed an earlier version of the Atlassian IDE Plugin for Eclipse, please uninstall the earlier version. Then follow the [installation guide](#) to install the new Atlassian Eclipse Connector.


Crucible Reviews in Eclipse

Enjoy Crucible's lightweight workflow to conduct code reviews within your IDE. Using the connector, you can handle your [Crucible](#) reviews as Eclipse Mylyn tasks and take advantage of Mylyn's powerful context management features. In addition, you can perform much of the review workflow without leaving your IDE.

1

Manage your Code Reviews via Mylyn's Task-Focused Interface

- Set up your Crucible server as a task repository.
- Build Mylyn queries to filter your reviews, based on the Crucible server filters or your own custom criteria.
- Manage the reviews in the Mylyn task list.
- Take advantage of Mylyn's context management to keep track of the files and other assets associated with your review.



2

Conduct your Code Reviews in your IDE

- See the review details, files and comments in an Eclipse view.
- Create and reply to comments.
- Summarise and close the review or perform other review workflow actions from within your IDE.

3

See the Review Comments in Your Code


- See the comments annotated in your file editor.
- Add comments directly in the editor.

The screenshot displays an IDE window with two tabs: 'CR-BAM-189: Testing 20090306' and 'ElasticAgentManagerImpl.java 74867'. The 'Java Structure Compare' view shows a tree structure with 'Compilation Unit', 'Import Declarations' (including 'java.net.InetSocketAddress'), and 'ElasticAgentManagerImpl' (with methods 'getTunnelRules()' and 'setTunnelRules(Collection<? extends ElasticAgentTunnelRule>)'). The 'Java Source Compare' view shows the source code for 'ElasticAgentManagerImpl.java 75449'. The code includes imports for 'java.net.URL', 'java.security.*', 'java.security.cert.CertificateException', 'java.text.DateFormat', 'java.util.*', 'java.util.concurrent.Executor', and 'net.jcip.annotations.GuardedBy'. The class declaration is 'public class ElasticAgentManagerImpl implements ElasticAgent...'. A review comment is visible on line 33, stating 'Line comment.. woo hoo....' by 'Edwin Wong' on 'Mar 13, 2009 4:36 PM'. The code continues with 'private static final int ELASTIC_AGENT_LOG_SIZE = 30;' and 'private static final Set<EC2InstanceType> ALLOWED_INSTAN... EC2InstanceType.M1_SMALL,'.

5

Receive Notification of Review Updates

- Receive notification of new reviews needing your attention.
- See what's happening in your reviews, via the Atlassian Eclipse Connector's integration with the standard Eclipse notification messages.



Bamboo Builds in Eclipse

Using the Atlassian Eclipse Connector, you can set up your [Bamboo](#) server as a Mylyn task repository. Now you can choose the builds you want to monitor and view the build results, build logs, changed files and failed tests inside your IDE.

	<h3>Configure your Bamboo Server as a Mylyn Task Repository</h3> <ul style="list-style-type: none">• Configure your Bamboo server as a task repository.• Choose the builds you want to monitor from within Eclipse.
--	--

Properties for Task Repository

Bamboo Repository Settings

Enter Bamboo server information

Server:

Label:

User ID:

Password:


▶ Http Authentication

▶ Proxy Server Configuration

▼ Build Plans

- Atlassian Javascript - Selenium, IE7 (AJS-SELENIUMIE7)
- Atlassian Javascript - Trunk (AJS-TRUNK)
- Atlassian License - trunk - jdk 1.5 (LICENSE-TRUNK)
- Atlassian License - trunk - jdk 1.6 (LICENSE-TRUNKJDK)
- Clover + Sonar - Sonar - Bamboo - Unit Test (QA-BAM)
- Clover + Sonar - Sonar - Clover (QA-CLOVER)
- Clover + Sonar - Sonar - Common - Bamboo Maven Plu
- Clover + Sonar - Sonar - Common - Bandana (QA-BAN)
- Clover + Sonar - Sonar - Common - Base Archetype (Q
- Clover + Sonar - Sonar - Common - Bonnie (QA-BONNI
- Clover + Sonar - Sonar - Common - Bucket (QA-BUCKE



[Create new account](#) [Change account settings](#)

 Validate Settings

7

Manage your Bamboo Builds in your IDE


- View the status of your selected builds.
- Right-click a build line to act upon it.
- Re-run the build.
- Add a label or comment to the build.
- Double-click the build to open it in an Eclipse view.



8

View the Build Logs

- Open the Bamboo build log in your Eclipse Console view.



9

View the Changed Files

- See the changes that triggered the build.

ECL-TST-375

Build ECL-TST-375

Project: Atlassian Eclipse Connector Plan: Compile and Test Build:

Summary

Build ECL-TST-375 failed.

Build completed on Wed Mar 18 11:05:02 PDT 2009
 Build took 18 minutes
 Build reason: Manual build

Code Changes

- [sminto] IN PROGRESS - issue PLE-77: add license to features
- [sminto] OPEN - issue PLE-318: Immediately show own com
 - /PLE/trunk/com.atlassian.connector.eclipse.crucible.tests/

Build Log

The build generated 143 lines (8 error lines). See the [full build log](#) for details.

```

BUILD FAILED
/opt/j2ee/domains/bamboo2.atlassian.com/gdansk
/opt/j2ee/domains/bamboo2.atlassian.com/gdansk
/opt/j2ee/domains/bamboo2.atlassian.com/gdansk
/opt/j2ee/domains/bamboo2.atlassian.com/gdansk


Total time: 1 minute 32 seconds
  
```

Bamboo

10

Monitor the Failed Tests


- See the test results for the selected build.
- Re-run the failed tests locally, to make sure your fixes work before breaking the build again.
- Create a new Mlyn task from the failure. This Mlyn task could be a JIRA issue.



11

Receive Notification of Build changes


- Receive build notifications via the Atlassian Eclipse Connector's integration with the standard Eclipse notification messages.



JIRA Issues in Eclipse

The new connector incorporates the [JIRA Mylyn plugin](#), which was previously available as a JIRA-only connector. Configure your [JIRA](#) server as a task repository. Use Mylyn's context management to keep track of the files and other assets associated with your issue.

	<h3>Use the Awesome JIRA Mylyn Plugin as Part of the New Connector</h3> <ul style="list-style-type: none">• Configure your JIRA server as a task repository.• Build Mylyn queries to filter your issues, based on your JIRA server filters or on custom criteria.• Manage the issues via the Mylyn task list.• Take advantage of Mylyn's context management to keep track of the files and other assets associated with your issue.• Create a new JIRA issue and edit existing issues.• Add and reply to comments.• Receive notification of updated issues.
---	---



Atlassian IDE Plugin 0.4 for Eclipse - Release Notes

This page last changed on Aug 03, 2008 by [smaddox](#).

1 August 2008


With pleasure, Atlassian presents version 0.4 of the Atlassian IDE Plugin for Eclipse.

This release brings further enhancements to the Bamboo support in the plugin. You can now connect to multiple Bamboo servers instead of just one. For each of your build plans, you can now show the full build log within the Eclipse IDE.


Highlights of this Release

• Bamboo Servers View

- There are now two Bamboo views: 'Bamboo Servers' and 'Bamboo Watched Plans'.




- The 'Bamboo Watched Plans' view shows the information for your selected build plans, as in previous versions of the plugin.
- The new 'Bamboo Servers' view allows you to add Bamboo servers and view the plans defined on each server.
- You can now connect to multiple Bamboo servers instead of just one.



• Full Build Log

- You can now show the full build log within the Eclipse IDE. Just select the build plan, then click the 'Show Build Log' icon in the toolbar.



Complete List of Fixes in the Atlassian IDE Plugin 0.4 for Eclipse

Jira Issues			
Key	Summary	Priority	Status
PLE-51	Add new view to show defined bamboo servers	↑	Resolved
PLE-49	Release notes for Eclipse plugin 0.4	↑	Closed
PLE-45	Show full log for build	↑	Resolved
PLE-40	Several icons in status bar	↑	Resolved

Atlassian IDE Plugin 0.3 for Eclipse - Release Notes

This page last changed on Mar 12, 2009 by [smaddox](#).



Plugin version 0.3 requires Eclipse 3.4

Update on 25/7/2008: From version 0.3 of the Atlassian IDE Plugin, you will need Eclipse version 3.4.0 or later. For more information, see [PLE-46](#).

18 July 2008

With pleasure, Atlassian presents version 0.3 of the Atlassian IDE Plugin for Eclipse. Here are the highlights of this release:

- A new Bamboo icon in the Eclipse status bar shows the summary status of builds: red means at least one build is currently failing; green means all builds are passing.
- The configuration screen allows you to select your favourite build plans as defined on the Bamboo server.
- You can now add labels and comments to your build plans (Bamboo 2 only).
Below is a list of all the fixes and improvements in this release.

The Atlassian IDE Plugin is available for IDEA too

Take a look at the [release notes](#) for the IDEA version of the plugin.

Don't have the Atlassian IDE Plugin for Eclipse yet?

Take a look at the features in the [Plugin User Guide](#). Then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

The plugin's blog

From time to time, the plugin development team posts some information on the plugin's [blog](#).

Complete List of Fixes in the Atlassian IDE Plugin 0.3 for Eclipse

Jira Issues			
Key	Summary	Priority	Status
PLE-39	Add status bar notification icon	↑	Resolved
PLE-38	Documentation for Eclipse plugin 0.3	↑	Resolved
PLE-23	"favourite plans" handling in the config dialog	↑	Resolved
PLE-22	Please update teh IDE plugin web page (WAC/software/ideplugin) to reflect the availability of an Eclipse version	↑	Closed
PLE-16	Show license text when installing plug-in	↑	Resolved
PLE-9	Enable label and comment features for bamboo2	↑	Resolved
PLE-34	License text incomplete during installation on Eclipse 3.4	↓	Resolved
PLE-32	Bamboo tab does not display project name and server name	↓	Resolved

Atlassian IDE Plugin 0.2 for Eclipse - Release Notes

This page last changed on Mar 12, 2009 by [smaddox](#).

3 July 2008

With pleasure, Atlassian presents version 0.2 of the Atlassian IDE Plugin for Eclipse.

Here are the highlights of this release:

- The configuration screen allows you to select your Bamboo build plans from a list, rather than typing them into a text box.
- The new 'Test Connection' button lets you verify the connection data you have entered, by connecting to the Bamboo server.
- The new 'Refresh' button lets you retrieve the list of build plans, using the most recent data entered into the form.
- A notification in the Eclipse status bar lets you know the status of background plugin activities, such as retrieving the list of plans or the build status.

Below is a list of all the fixes and improvements in this release.

The Atlassian IDE Plugin is available for IDEA too

Take a look at the [release notes](#) for the IDEA version of the plugin.

Don't have the Atlassian IDE Plugin for Eclipse yet?

Take a look at the features in the [Plugin User Guide](#). Then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

The plugin's blog

From time to time, the plugin development team posts some information on the plugin's [blog](#).

Complete List of Fixes in the Atlassian IDE Plugin 0.2 for Eclipse

Jira Issues			
Key	Summary	Priority	Status
PLE-30	Documentation for Eclipse plugin 0.2 ↑		 Resolved
PLE-21	a list of bamboo plans in Eclipse config dialog ↑		 Resolved
PLE-19	Documentation for Eclipse plugin 0.1 ↑		 Closed
PLE-7	Add some notification (animation) that builds' list is reloaded for bamboo tab ↑		 Resolved
PLE-3	Add test connectio button to the config window ↑		 Resolved

Atlassian IDE Plugin 0.2 for Eclipse - Upgrade Notes

This page last changed on Mar 12, 2009 by [smaddox](#).

Below are some essential notes on upgrading to version 0.2 of the Atlassian IDE Plugin for Eclipse. For details of the new features and improvements in this release, please read the [Release Notes](#).

Upgrade Instructions

1. Please upgrade as usual. Instructions are available in the [Upgrade Guide](#).
2. After upgrading, please change the name of your existing configuration file from
`atlassian_eclipse_plugin.prefs`
to
`atlassian-eclipse-plugin.prefs`
(replacing the underscores with hyphens).

Background Information

For the first time in this release, we built the release automatically using Maven with an Ant script. A side effect is that your plugin configuration data will be empty after upgrade. To retrieve the configuration data, change the file name as described above.

RELATED TOPICS

[Atlassian IDE Plugin 0.2 for Eclipse - Release Notes](#)

Atlassian IDE Plugin 0.1 for Eclipse - Release Notes

This page last changed on Mar 12, 2009 by [smaddox](#).

23 June 2008

With pleasure, Atlassian presents version 0.1 of the Atlassian IDE Plugin for Eclipse. Highlights of this release include:

- You can configure the polling interval that the plugin will use to monitor the Bamboo build plans.
- Bamboo will now notify you of build failures and successes via a popup. The popup's behaviour is configurable via the plugin's Preferences window.
- You can change the order of the columns in the Bamboo view. The plugin will remember the column order the next time you start Eclipse.

The Atlassian IDE Plugin is available for IDEA too

Take a look at the [release notes](#) for the IDEA version of the plugin.

Don't have the Atlassian IDE Plugin for Eclipse yet?

Take a look at the features in the [Plugin User Guide](#). Then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

The plugin's blog

The plugin's team from time to time posts some info on the plugin's [blog](#)

Complete List of Fixes in the Atlassian IDE Plugin 0.1 for Eclipse

Jira Issues			
Key	Summary	Priority	Status
PLE-18	Separate the release notes for the IDEA and Eclipse versions of the plugin	↑	 Closed
PLE-17	Add setting bamboo polling time to the configuration	↑	 Closed
PLE-5	Add feature to remember bamboo tab columns width and order between Eclipse sessions	↑	 Closed
PLE-2	Eclipse: bamboo notification "toaster" popup	↑	 Closed
PLE-1	Allow to change columns order for bamboo tab	↑	 Closed

Configuring the Eclipse Connector

This page last changed on Mar 22, 2009 by edwin@atlassian.com.

This page tells you how to set up your [JIRA](#), [Bamboo](#) and [Crucible](#) servers as task repositories in [Eclipse](#).

On this page:

- [Prerequisites](#)
- [Setting Up your Task Repositories](#)
 - [Setting Up a Bamboo Task Repository](#)
 - [Setting Up a Crucible Task Repository](#)
 - [Setting Up a JIRA Task Repository](#)


Prerequisites

Before you can set up your task repositories for the Atlassian Eclipse Connector, you will need to do the following:

- Install the Atlassian Eclipse Connector connector as described in the [installation guide](#).
- The Atlassian Eclipse Connector makes use of [Mylyn](#)'s task-focused interface. Mylyn is shipped with the more recent versions of Eclipse.
 - If you do not already have Mylyn, it will be installed automatically when you install one of the Atlassian Eclipse Connector's features.
 - The Mylyn documentation includes a [quick start guide](#).


Setting Up your Task Repositories

1. In Eclipse Mylyn, open the 'Task Repositories' view. (In Eclipse, click 'Windows', 'Show View', 'Other' and select the 'Task Repositories' view from the 'Tasks' category.)
2. Click the 'Add Task Repository' icon.
3. The 'Add Task Repository' screen appears, as shown below:




4. Now you can select and configure one or more of the task repositories and configure them to match your server(s). Below are instructions for each of the repositories available in the Atlassian Eclipse Connector.

Once you have set up a repository, it will appear in the Eclipse 'Task Repositories' view, as shown in the screenshot below:



Setting Up a Bamboo Task Repository

1. On the 'Add Task Repository' screen (see [above](#)), select the 'Bamboo' task repository type and click 'Next'.
2. The 'Bamboo Repository Settings' screen appears, as shown below:




3. Enter the following information:
 - Server — The location (URL) of your Bamboo server.
 - Label — A descriptive name for your Bamboo server, e.g. 'Bamboo Extranet'.
 - User ID — The username you use to connect to your Bamboo server.
 - Password — Your password on the Bamboo server, matching the above username.
4. Click the 'Refresh' button to verify the information you have entered. The connector will attempt to connect to the Bamboo server. It will also retrieve the latest list of build plans from the Bamboo server.
5. Select the plans that you want the connector to watch.
6. Click 'Finish' to save the changes.
7. The new task repository appears in your Eclipse 'Task Repositories' view, as shown in the screenshot [above](#).
8. Next step: To see your Bamboo builds, open the 'Bamboo' view. (Select 'Window', 'Show View', 'Other', then open the 'Atlassian' folder.)

i You can configure one or more Bamboo repositories, i.e. you can connect to more than one Bamboo server.

Setting Up a Crucible Task Repository

1. On the 'Add Task Repository' screen (see [above](#)), select the 'Crucible' task repository type and click 'Next'.
2. The 'Crucible Repository Settings' screen appears, as shown below:



3. Enter the following information:
 - Server — The location (URL) of your Crucible server.
 - Label — A descriptive name for your Crucible server, e.g. 'Extranet Crucible'.
 - User ID — The username you use to connect to your Crucible server.
 - Password — Your password on the Crucible server, matching the above username.
4. Click 'Finish' to save the changes.
5. Eclipse Mylyn will prompt you to add a new query for the new Crucible repository. This is where you will choose your Crucible filter, to determine which reviews appear in your task list. You can do this now or skip this step and do it later. You can also add more queries later.

6. The new task repository appears in your Eclipse 'Task Repositories' view, as shown in the screenshot [above](#).

i You can configure one or more Crucible repositories, i.e. you can connect to more than one Crucible server.

Setting Up a JIRA Task Repository

1. On the 'Add Task Repository' screen (see [above](#)), select the 'JIRA' task repository type and click 'Next'.
2. The 'JIRA Repository Settings' screen appears, as shown below:

Add Task Repository...

JIRA Repository Settings

Example: `http://developer.atlassian.com/jira`

Server:

Label: Disconnected

User ID:

Password: Save Password

Additional Settings

Compression: Enabled

Refresh configuration: Automatically

Completed tasks: Based on resolution

Subtasks: Show linked tasks

Follow redirects: Enabled

Time tracking: working days per week

working hours per day

Search results: Limit

▶ **Advanced Configuration**

Character encoding: Default (UTF-8)

Other:

▶ **Http Authentication**

▶ **Proxy Server Configuration**

?

3. Enter the following information:
 - Server — The location (URL) of your JIRA server.
 - Label — A descriptive name for your JIRA server, e.g. 'JAC'.
 - User ID — The username you use to connect to your JIRA server.

- Password — Your password on the JIRA server, matching the above username.
4. Change the optional additional settings if necessary.
 5. Click 'Finish' to save the changes.
 6. Eclipse Mylyn will prompt you to add a new query for the new JIRA repository. This is where you will choose your JIRA filter, to determine which issues appear in your task list. You can do this now or skip this step and do it later. You can also add more queries later.
 7. The new task repository appears in your Eclipse 'Task Repositories' view, as shown in the screenshot [above](#).

 You can configure one or more JIRA repositories, i.e. you can connect to more than one JIRA server.

RELATED TOPICS

[Installing the Eclipse Connector](#)
[IDE Connector Documentation](#)

User Guide for the Eclipse Connector

This page last changed on Mar 23, 2009 by [smaddox](#).



User Guide is under construction

Looking for an earlier version? The User Guide for the Atlassian IDE Plugin 0.4 for Eclipse is available in PDF and HTML form on our [documentation download page](#).

RELATED TOPICS

[Installing the Eclipse Connector](#)

Eclipse Connector FAQ

This page last changed on Mar 15, 2009 by [smaddox](#).

Atlassian Eclipse Connector FAQ

Known issues, hints and tips and answers to commonly raised questions about the Atlassian Eclipse connector:

[Configuration FAQ for the Eclipse Connector](#)

- [Using NTLM Authentication with the Eclipse Connector](#)

[Usage FAQ for the Eclipse Connector](#)

[Troubleshooting the Eclipse Connector](#)

Configuration FAQ for the Eclipse Connector

This page last changed on Mar 15, 2009 by [smaddox](#).

Here is a list of all entries in the configuration FAQ, plus the first few lines of content. Click a link to see the full text for each entry.

- [Using NTLM Authentication with the Eclipse Connector](#) — NTLM support is limited by the libraries that Mylyn uses for network communication. A suggestion is to take a look at the [NTLM authorisation proxy](#), which has been reported to work with the Mylyn JIRA connector.

Using NTLM Authentication with the Eclipse Connector

This page last changed on Mar 15, 2009 by [smaddox](#).

NTLM support is limited by the libraries that Mylyn uses for network communication. A suggestion is to take a look at the [NTLM authorisation proxy](#), which has been reported to work with the Mylyn JIRA connector.

Usage FAQ for the Eclipse Connector

This page last changed on Mar 15, 2009 by [smaddox](#).

Here is a list of all entries in the usage FAQ, plus the first few lines of content. Click a link to see the full text for each entry.

Troubleshooting the Eclipse Connector

This page last changed on Mar 15, 2009 by [smaddox](#).

Here is a list of all entries in the troubleshooting section, plus the first few lines of content. Click a link to see the full text for each entry.

Atlassian IntelliJ Connector

This page last changed on Feb 03, 2009 by [smaddox](#).

Atlassian IntelliJ Connector Documentation	Resources
<ul style="list-style-type: none">• Installation Guide• Upgrade Guide• Configuration Guide• Working with JIRA Issues• Working with Bamboo Builds• Working with Crucible Reviews• Release Notes	<p>If you encounter a problem using the Atlassian IntelliJ Connector, please contact our support team.</p> <p>This is an open source project. To access the connector's source code, point your SVN at: https://studio.atlassian.com/svn/PL. (If you don't already have an account, please go to http://studio.atlassian.com and sign up for an account. You should then be able to access the svn repository with your new account.)</p> <p>Other handy links:</p> <ul style="list-style-type: none">• IDE Connector Blog Cannot resolve external resource into attachment.• IntelliJ Connector FAQ• Javadoc• JIRA Issue Tracker• IDE Connector Forum
About the Atlassian IntelliJ Connector	
<p>The Atlassian IntelliJ Connector is an IntelliJ IDEA plugin. It allows you to work with the Atlassian products within your IDE. Now you don't have to switch between websites, email messages and news feeds to see what's happening to your project and your code. Instead, you can see the relevant JIRA issues, Crucible reviews and Bamboo build information right there in your development environment.</p>	Offline Versions of the Documentation
<p> Current released version: Atlassian IntelliJ Connector 2.0.1 has now been released — see the Atlassian IntelliJ Connector 2.0.1 Release Notes.</p>	<p>You can download the Atlassian IntelliJ Connector documentation in PDF, HTML or XML formats.</p> Looking for Other Plugins? <p>If you're in the wrong place, try these links instead:</p> <ul style="list-style-type: none">• Atlassian IDE Connector for Eclipse — see Atlassian Eclipse Connector• Clover IDE plugins — see the Clover documentation• Plugins for Atlassian products — see plugin information for Confluence, JIRA, Crowd, Bamboo• Resources for plugin developers — see Atlassian Developer Network

Table of Contents

- [Installation and Upgrade Guide for the IntelliJ Connector](#)
 - [License and Copyright for the IntelliJ Connector](#)

- [Installing the IntelliJ Connector](#)
- [Upgrading the IntelliJ Connector](#)
- [Atlassian IntelliJ Connector Release Notes](#)
 - [Atlassian IntelliJ Connector 2.0.1 Release Notes](#)
 - [Atlassian IntelliJ Connector 2.0 Release Notes](#)
 - [Atlassian IntelliJ Connector 2.0 Beta 12 Release Notes](#)
 - [Atlassian IntelliJ Connector 2.0 Beta 11 Release Notes](#)
 - [Atlassian IntelliJ Connector 2.0 Beta 10 Release Notes](#)
 - [Atlassian IntelliJ Connector 2.0 Beta 9 Release Notes](#)
 - [Atlassian IntelliJ Connector 2.0 Beta 8 Release Notes](#)
 - [Atlassian IntelliJ Connector 2.0 Beta 7 Release Notes](#)
 - [Atlassian IntelliJ Connector 2.0 Beta 6 Release Notes](#)
 - [Atlassian IntelliJ Connector 2.0 Beta 5 Release Notes](#)
 - [Atlassian IntelliJ Connector 2.0 Beta 4 Release Notes](#)
 - [Atlassian IntelliJ Connector 2.0 Beta 3 Release Notes](#)
 - [Atlassian IDE Plugin 2.0 Beta 2 for IDEA - Release Notes](#)
 - [Atlassian IDE Plugin 2.0 Beta 2 for IDEA - Upgrade Notes](#)
 - [Atlassian IDE Plugin 2.0 Beta for IDEA - Release Notes](#)
 - [Atlassian IDE Plugin 2.0 Beta for IDEA - Upgrade Notes](#)
 - [Atlassian IDE Plugin 1.6.1 for IDEA - Release Notes](#)
 - [Atlassian IDE Plugin 1.6 for IDEA - Release Notes](#)
 - [Atlassian IDE Plugin 1.5 for IDEA - Release Notes](#)
 - [Atlassian IDE Plugin 1.4 Release Notes](#)
 - [Atlassian IDE Plugin 1.3.1 Release Notes](#)
 - [Atlassian IDE Plugin 1.3 Release Notes](#)
 - [Atlassian IDE Plugin 1.2.1 Release Notes](#)
 - [Atlassian IDE Plugin 1.2 Release Notes](#)
 - [Atlassian IDE Plugin 1.1 Release Notes](#)
 - [Atlassian IDE Plugin 1.0 Release Notes](#)
- [Configuring the IntelliJ Connector](#)
- [Using Bamboo in the IntelliJ Connector](#)
 - [Configuring your Bamboo Options in IDEA](#)
 - [Working with Bamboo Builds in IDEA](#)
- [Using Crucible in the IntelliJ Connector](#)
 - [Configuring your Crucible Options in IDEA](#)
 - [Working with Crucible Reviews in IDEA](#)
- [Using FishEye in the IntelliJ Connector](#)
 - [Configuring your FishEye Options in IDEA](#)
 - [Working with your FishEye Repository View in IDEA](#)
- [Using JIRA in the IntelliJ Connector](#)
 - [Configuring your JIRA Options in IDEA](#)
 - [Working with JIRA Issues in IDEA](#)
- [IntelliJ Connector FAQ](#)
 - [Configuration FAQ for the IntelliJ Connector](#)
 - [Usage FAQ for the IntelliJ Connector](#)
 - [Keyboard Shortcuts in the IntelliJ Connector](#)
 - [Troubleshooting the IntelliJ Connector](#)
 - [Finding Known Issues for the IntelliJ Connector](#)
 - [Creating a review from IDE gives HTTP 500 error](#)
 - [Troubleshooting java.lang.NoSuchMethodError Exceptions](#)
 - [Troubleshooting Server Connection in the IntelliJ Connector](#)

Installation and Upgrade Guide for the IntelliJ Connector

This page last changed on Jan 20, 2009 by smaddox.

- [License and Copyright for the IntelliJ Connector](#)
- [Installing the IntelliJ Connector](#)
- [Upgrading the IntelliJ Connector](#)
- [Atlassian IntelliJ Connector Release Notes](#)

License and Copyright for the IntelliJ Connector

This page last changed on Jan 20, 2009 by [smaddox](#).

Open Source

This is an open source project. You can get the source code from [our SVN repository](#).

Copyright Statement

© Atlassian 2008

License

Licensed under the Apache License, Version 2.0 (the "License").

You may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

Installing the IntelliJ Connector

This page last changed on Feb 26, 2009 by [smaddox](#).

On this page:

- [System Requirements](#)
- [Installation the Easy Way](#)
- [Installation the Hard Way](#)

System Requirements

The Atlassian IntelliJ Connector (previously called the Atlassian IDE Plugin) works with the application versions listed below.

	Atlassian IDE Plugin 1.x	Atlassian IntelliJ Connector 2.x
Bamboo	1.x 2.x recommended	1.x 2.x recommended
Crucible	1.5	1.6 or later  Earlier versions of Crucible are not supported.
JIRA	3.7 or later 3.12 or later recommended	3.7 or later 3.12 or later recommended
IntelliJ IDEA	7.0.2 or later, but not including IDEA 8	7.0.2 or later, including IDEA 8.0

JDK

Java 5

Installation the Easy Way

1. Open the IDEA plugin manager. (Go to IDEA's 'File' menu and select 'Settings', 'IDE Settings', 'Plugins'.)
2. Right-click 'Atlassian' in the 'Available' plugins tab.
3. Select 'Download and Install'.

Installation the Hard Way

1. Go to <http://docs.atlassian.com/atlassian-idea-plugin/>.
2. Select the directory with the latest version.
3. Click the 'Downloads' link.
4. Grab the `atlassian-idea-plugin-<version>.zip` file.
5. Unzip it into your IDEA plugin directory:
 - Windows: `C:\Documents and Settings\\.IntelliJIdea70\config\plugins`
 - OS X: `$HOME/Library/Application Support/IntelliJIdea70`
 - Linux/Unix: `$HOME/.IntelliJIdea70/config/plugins`

RELATED TOPICS

[Configuring the IntelliJ Connector](#)
[Upgrading the IntelliJ Connector](#)
[Overview of the Atlassian IDE Connector](#)

Upgrading the IntelliJ Connector


This page last changed on Jan 21, 2009 by [smaddox](#).

The Atlassian IntelliJ Connector provides an auto-upgrade option and a manual upgrade option. Both options are described below.

Allowing the Auto-Upgrade

If the auto-upgrade feature is enabled (refer to the [Configuration Guide](#)), the Atlassian IntelliJ Connector will inform you when a new version is available, by displaying a flashing icon on your [IDEA](#) status bar.

Screenshot: IDEA showing update available for IDE Plugin



Flashing auto-upgrade icon in IDEA


To allow the auto-upgrade:

1. Click the flashing icon.
2. A dialogue box will appear, allowing you to install the new version. You can also choose to reject the upgrade.



If you choose to reject the upgrade, you will not be notified again about the availability of this particular new version. You will be notified about the next version we release. If you later change your mind and decide to upgrade after all, you can always trigger the upgrade manually, as described [below](#).

3. Click the 'Yes' button to install the latest version.
4. When the latest version has been successfully installed, you will see a confirmation window:




5. Click the 'Yes' button to restart IDEA.

Triggering the Upgrade Manually


You can check for new versions of the plugin and start the upgrade manually at any time, from the plugin's configuration panel.

To trigger a manual upgrade:


1. Open the IDEA 'Settings' dialogue, go to the 'IDE Settings' section and click the 'Atlassian' icon.
2. The plugin configuration panel will open. Click the 'General' tab.
3. Select one of the following radio buttons:
 - 'Stable only' — checks for released versions of the plugin only.
 - 'Stable + snapshot' — checks development as well as released versions.
4. Click the 'Check now' button. The plugin will check for the latest version.
 - If you already have the latest version, you will see something like this:



- If there is a later version available, a dialogue box will tell you the latest version number and ask you if you want to install it:



5. Click the 'Yes' button to install the latest version.
6. When the latest version has been successfully installed, you will see a confirmation window:



7. Click the 'Yes' button to close IDEA.
8. Restart IDEA.

RELATED TOPICS

[Installing the IntelliJ Connector](#)

[Configuring the IntelliJ Connector](#)

Atlassian IntelliJ Connector Release Notes

This page last changed on Sep 18, 2008 by smaddox.



Current released version:

Atlassian IntelliJ Connector 2.0.1 has now been released — see the [Atlassian IntelliJ Connector 2.0.1 Release Notes](#).

- [Atlassian IntelliJ Connector 2.0.1 Release Notes](#)
- [Atlassian IntelliJ Connector 2.0 Release Notes](#)
- [Atlassian IntelliJ Connector 2.0 Beta 12 Release Notes](#)
- [Atlassian IntelliJ Connector 2.0 Beta 11 Release Notes](#)
- [Atlassian IntelliJ Connector 2.0 Beta 10 Release Notes](#)
- [Atlassian IntelliJ Connector 2.0 Beta 9 Release Notes](#)
- [Atlassian IntelliJ Connector 2.0 Beta 8 Release Notes](#)
- [Atlassian IntelliJ Connector 2.0 Beta 7 Release Notes](#)
- [Atlassian IntelliJ Connector 2.0 Beta 6 Release Notes](#)
- [Atlassian IntelliJ Connector 2.0 Beta 5 Release Notes](#)
- [Atlassian IntelliJ Connector 2.0 Beta 4 Release Notes](#)
- [Atlassian IntelliJ Connector 2.0 Beta 3 Release Notes](#)
- [Atlassian IDE Plugin 2.0 Beta 2 for IDEA - Release Notes](#)
- [Atlassian IDE Plugin 2.0 Beta for IDEA - Release Notes](#)
- [Atlassian IDE Plugin 1.6.1 for IDEA - Release Notes](#)
- [Atlassian IDE Plugin 1.6 for IDEA - Release Notes](#)
- [Atlassian IDE Plugin 1.5 for IDEA - Release Notes](#)
- [Atlassian IDE Plugin 1.4 Release Notes](#)
- [Atlassian IDE Plugin 1.3.1 Release Notes](#)
- [Atlassian IDE Plugin 1.3 Release Notes](#)
- [Atlassian IDE Plugin 1.2.1 Release Notes](#)
- [Atlassian IDE Plugin 1.2 Release Notes](#)
- [Atlassian IDE Plugin 1.1 Release Notes](#)
- [Atlassian IDE Plugin 1.0 Release Notes](#)

Atlassian IntelliJ Connector 2.0.1 Release Notes

This page last changed on Mar 03, 2009 by [jgorycki](#).

3 March 2009

With pleasure, Atlassian presents the Atlassian IntelliJ Connector 2.0.1. This is a bugfix release, with a lot of stability, performance and other fixes.

Try the Atlassian IntelliJ Connector for yourself. You can install it directly from the 'Plugins' menu in IntelliJ IDEA.

Don't have the Atlassian IntelliJ Connector yet?

Take a look at the features in the [documentation](#). Then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

Bug Fixes in this Release

Below is a list of the bug fixes in the Atlassian IntelliJ Connector 2.0.1.

Jira Issues			
Key	Summary	Priority	Status
PL-1228	CRU custom filter dialog has all fields disabled forever		 Closed
PL-1225	NPE in crucible custom filter dialog		 Closed
PL-1219	NPE in Connector		 Closed
PL-1210	IllegalArgumentException when clicking 'check new version' button		 Closed
PL-1208	Error after first edit		 Closed
PL-1167	Exception when clicking the Edit button of Custom Filter in JIRA tab		 Closed
PL-1031	Null Pointer Exception encountered when trying to close server disclosure triangle		 Closed
PL-896	Occurs when launching intellij		 Closed
PL-825	cannot create class "com.atlassian.theplugin.idea.action.jira.SavedFilterComboAction"		 Closed
PL-796	Started plugin under IDEA 8		 Closed
PL-729	Toolbar items for an object should contain all available options (same as if you right clicked a row in list)		 Closed
PL-676	Crucible Review state actions (like Complete, Summarize and Close) should be able available from Crucible Review window		 Closed
PL-1216	Getting a 502 error using the Test Connection when		 Closed

	trying to add a JIRA server		
PL-1213	Exception while trying to update plugin		Closed
PL-1204	Idea hangs when plugin starts or 'refresh jira servers' pressed		Closed
PL-1191	Crucible review name and statement of objectives are not refreshed.		Closed
PL-890	Cannot open newly added files in Crucible review		Closed
PL-687	UI Redesign		Closed
PL-442	"Unable to connect: Read timed out" when attempting to log in to Bamboo server		Closed
PL-1224	Crucible custom filter dialog error		Closed
PL-1223	Clicking on the blank space opens a browser		Closed
PL-1215	Add comments and reply to comments in diff view		Closed
PL-1206	Exception on clicking Update Notification Icon after disabling "Check Snapshot Version"		Closed
PL-1162	Wrong information in build log window...		Closed
PL-1153	Weird box showing in red error message in Atlassian Panel		Closed
PL-1113	Command D on Mac for viewing diff changes window focus		Closed
PL-1107	Exception when changing Crucible server url		Closed
PL-1104	Link improperly escaped for all Detail panels?		Closed
PL-1069	Build Panel Changes Tab - missing twixie against root folder of Changed Files		Closed
PL-1051	Some longer review author names are truncated in review list		Closed
PL-1015	When I change details of one server, all server infos in the Issues view are refreshed (including unchanged ones)		Closed
PL-1001	JIRA asks for password if there is no connection		Closed
PL-977	Review Panel: File and Comments Tab		Closed
PL-960	Notification pops up every time I change a review filter		Closed
PL-897	Suspicious last line in Crucible review created as pre-commit review from the plugin		Closed
PL-892	New issue window looks ugly when placed on the		Closed

	right side of IDE (vertical view)		
PL-881	Error during - "Open Diff For Review"	↑	 Closed
PL-831	Create new project error	↑	 Closed
PL-828	Opening an existing project results in 'Project with id [com.atlassian.theplugin.commons.cfg.ProjectId@440f10cd] is not registered.'	↑	 Closed
PL-779	Cannot create JIRA issues: RemoteValidationException - Component/s is required.	↑	 Closed
PL-763	HTTP 403 on attempt of creating a review from revision	↑	 Closed
PL-753	Crucible review tree is not readable...	↑	 Closed
PL-751	Decide between top toolbar and context menu (right-click) actions	↑	 Closed
PL-749	Crucible review colors suck. Change them to something more pretty in the 2.0 final	↑	 Closed
PL-654	Changes to the Crucible review are not immediately reflected in the UI	↑	 Closed
PL-625	Plugin does not respect Crucible tooltip windows settings	↑	 Closed
PL-558	Cannot retrieve list of issues from codehaus JIRA from behind a firewall	↑	 Closed
PL-551	General UI improvements after Edwin's review	↑	 Closed
PL-434	Improve configuration window	↑	 Closed
PL-312	Plugging in http rather than https for a JIRA instance on studio.atlassian.com causes incorrect login failure reason	↑	 Closed
PL-1227	IllegalArgumentException thrown when trying to update the plugin	↓	 Closed
PL-1222	Action buttons problem in Jira Issue Tool Window	↓	 Closed
PL-1179	Issue details window is not aware of server configuration change	↓	 Closed
PL-1114	Scrollbar problem in CustomFilterSummary panel for JIRA	↓	 Closed
PL-987	Ability to add comment on summarize of crucible review	↓	 Closed
PL-971	atlassian-ide-plugin.xml and atlassian-ide-	↓	 Closed

	plugin.private.xml should not be another file to ignore in subversion, make their contents part of the ipr or iws file.		
PL-748	Change the red color on error to our standard "fail" color	↓	 Closed
PL-734	Show human readable names instead of plan keys for Bamboo	↓	 Closed
PL-669	Show Flat/Show hierachy button in Bamboo	↓	 Closed
	Changed Files does not work when focus in another window		
PL-524	Crucible property sheet needs some grammatical refinement and de-nerdification	↓	 Closed
PL-452	Assign Issue to Myself should not be active if the issue is already assigned to me	↓	 Closed

Atlassian IntelliJ Connector 2.0 Release Notes

This page last changed on Feb 16, 2009 by [smaddox](#).

16 February 2009

With pleasure, Atlassian presents the Atlassian IntelliJ Connector 2.0. Over the past weeks, we have been working on the IntelliJ Connector and issuing regular beta releases. Now we are proud to release the final version 2.0.

The connector now offers the same look and feel for [JIRA](#) issues, [Bamboo](#) builds and [Crucible](#) reviews. The connector's windows all open as IDEA tool windows, appearing by default at the bottom of your IDE. Take a look at the highlights below, to see the new things you can do with issues, builds and reviews.

You can open a [FishEye](#) view directly from a file in the IDEA editor, or open files in IDEA by supplying a FishEye URL. There is a new FishEye-only connection for those who do not have a Crucible server.

Share your server connections across your project team while retaining your own IDE settings. The connector is now also compatible with IntelliJ IDEA 8.

Try the Atlassian IntelliJ Connector for yourself. You can install it directly from the 'Plugins' menu in IntelliJ IDEA.

Highlights of this Release:

- [Highlights of the Atlassian IntelliJ Connector 2.0](#)
- - [What's New for JIRA Issues](#)
 - [What's New for Bamboo Builds](#)
 - [What's New for Crucible Reviews](#)
 - [What's New for FishEye Code Insight](#)
- [Top 30 Bug Fixes in this Release](#)

Don't have the Atlassian IntelliJ Connector yet?

Take a look at the features in the [documentation](#). Then follow our easy [installation instructions](#).


This is an open source project. You can get the source code from [our SVN repository](#).

Highlights of the Atlassian IntelliJ Connector 2.0

1

What's New for JIRA Issues


- Create a changelist based on a JIRA issue, assign the issue to yourself and start work, all in a single action.
- Group your JIRA issues by project, type, status, priority or date last updated.
- Use the quick search to find any JIRA issue — the connector matches the issue key as you type.
- Set the number of issues to be displayed on a page.



2

What's New for Bamboo Builds

- See the full build log in an IDEA window.
- View failed tests and click through from a stack trace directly to the code that failed. The source file opens in the IDEA editor.
- View the changed files, open a changed file in the IDEA editor and view the diffs.
- Re-run or debug failed tests locally.
- Filter your Bamboo builds by server, project or state and then group them by server, project, state or date.
- Get quick access to your builds with the new dynamic search.



3

What's New for Crucible Reviews


- Perform code reviews directly in the IDEA editor.
- Complete the entire review lifecycle without leaving your development environment.
- Find the reviewed code via the highlighted lines in your editor and the comment annotations in the diff view.
- Filter and group your reviews in the updated Crucible reviews window.

The image shows a screenshot of an IDE with two main windows. The top window is a code editor for a file named `ajax.js` (revision 27883). The code is in JavaScript and includes a function `hideSuggestionBox` and a `button.onclick` event handler. A yellow highlight is present on a block of code: `startSpin("suggestionButton", false, "span", button.disabled = true; ajaxDo(url, null, done);`. The bottom window is a review interface for a review titled "TEST-12 Just a test review". It shows a tree view of the code structure with folders for "General Comments", "Reviewed Files", "trunk/src", "content", "static/script/doreview/monolithic", "WEB-INF", "classes", and "tags/review". The `ajax.js` file is highlighted in the tree, with a comment range of (21 - 23) and the text "Just a test. Adding a source line". The IDE's status bar at the bottom shows "9: Changes", "6: TODO", and "Reviews - Crucible".

4

What's New for FishEye Code Insight

- Even if you do not have Crucible, you can now hook up your [FishEye](#) server to examine your source and view changesets.
- Open a file in IDEA by supplying its FishEye URL.
- Open a source file in FishEye's web interface, with just one click from IDEA.
- Use the 'copy to clipboard' option to share references to your file with others.



Top 30 Bug Fixes in this Release

Below is a list of the 30 highest-priority bug fixes in the Atlassian IntelliJ Connector 2.0. You can also open a list of [all the fixes and improvements](#).

Jira Issues			
Key	Summary	Priority	Status
PL-1178	JIRA Custom filter is not applied after edit - no change on display and no refresh		Resolved
PL-1169	Issue detail view does not refresh some fields when model changed		Resolved
PL-1168	CCE on changing grouping order in JIRA view		Resolved
PL-1156	When opening a bamboo build, it hangs the whole IDEA for ~20seconds		Resolved
PL-1151	NPE Clicking on "Issues" Tab		Closed
PL-1147	NPE when trying to view files		Resolved
PL-1145	Crucible review data is not correctly merged		Resolved

	with already fetched (and opened) review		
PL-1144	NPE while changing Crucible filters in Reviews window		 Resolved
PL-1127	NPE while starting IDEA		 Resolved
PL-1119	NPE in Jira Custom Filter dialog		 Closed
PL-1105	Error while changing time in "End time" in the Log Work		 Resolved
PL-1098	I get a stack trace when I try to run my project (Confluence)		 Closed
PL-1093	Exception on opening diff of added binary file in review details tree (added png file with an icon)		 Closed
PL-1061	Statement of Objectives is not shown in Review details panel		 Resolved
PL-1057	Opening review causes error intermittently		 Closed
PL-1048	Every once in a while, ALL selections of builds in the bamboo server config panel are lost		 Closed
PL-1047	Plugin NPE when opening file		 Resolved
PL-1040	NPE when disabled the last server in the config panel		 Resolved
PL-1032	Error after IDE load		 Resolved
PL-1030	exception while refreshing reviews after summarizing a review		 Resolved
PL-1028	Assertion failed while reloading project		 Closed
PL-1027	Assertion exception while doing nothing interesting in particular		 Closed
PL-1024	Exception throw when refreshing issue list		 Resolved
PL-1019	NPE in Connector (Crucible notifier)		 Resolved
PL-1006	Clicking Apply in JIRA filter throws NPE		 Resolved
PL-1005	NPE when clicking Cancel in CrucibleCustomFilter dialog		 Resolved
PL-1004	NPE when clicking Cancel in JIRACustomFilter dialog		 Resolved
PL-1003	NPE when clicking Apply in CrucibleCustomFilter dialog		 Resolved
PL-1000	NPE when clicking on the configuration button in Reviews Tool Window		 Resolved
PL-999	NPE when opening Crucible Custom filter dialog		 Closed

Atlassian IntelliJ Connector 2.0 Beta 12 Release Notes

This page last changed on Feb 03, 2009 by [jgorycki](#).

3 February 2009

Atlassian is delighted to present version 2.0 Beta 12 of the Atlassian IntelliJ Connector. In this release, we have concentrated on finishing the 'Comments' tab for Crucible reviews. We have also moved the private XML configuration file to the user home directory, to prevent it from being uploaded accidentally to your source control repository.

Take a look at the full list of improvements and bug fixes below.

Don't have the Atlassian IntelliJ Connector yet?

Follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

Complete List of Fixes in IntelliJ Connector 2.0 Beta 12

Jira Issues			
Key	Summary	Priority	Status
PL-1151	NPE Clicking on "Issues" Tab		 Closed
PL-1119	NPE in Jira Custom Filter dialog		 Closed
PL-1098	I get a stack trace when I try to run my project (Confluence)		 Closed
PL-1093	Exception on opening diff of added binary file in review details tree (added png file with an icon)		 Closed
PL-1057	Opening review causes error intermittently		 Closed
PL-1048	Every once in a while, ALL selections of builds in the bamboo server config panel are lost		 Closed
PL-1028	Assertion failed while reloading project		 Closed
PL-1027	Assertion exception while doing nothing interesting in particular		 Closed
PL-1022	PL-977: Multi-line comment display with "more" link		 Closed
PL-1021	PL-977: Multi-line comment display without "more" link		 Closed
PL-943	Self-signed certificate dialog comes up every time I start IDEA, even after I press the "Accept" button		 Closed
PL-931	Unable to connect to Fisheye server - authentication failed error message		 Closed
PL-899	Exception thrown when double clicking on an issue in the list		 Closed
PL-870			

	Precommit review exception		 Closed
PL-747	On initial load - don't just show all issues (or whatever it is that is being displayed)		 Closed
PL-996	Update of the plugin fails		 Closed
PL-795	Crucible Review windows displays sometimes negative revision numbers for modified files from SVN		 Closed
PL-791	Bad handling of renamed file in Crucible Review Tool Window		 Closed
PL-726	Add ability to open files "added" in the new revision		 Closed
PL-1141	Add revision to review dialog should allow to select repository		 Closed
PL-1136	In the review creation dialog, allow creating review from commits older than "last week"		 Closed
PL-1130	Group by date does not work for Issue list		 Closed
PL-1123	Cannot open deleted file for review, even if I update the project to rev when given file (now deleted file) existed		 Closed
PL-1095	'Open in' JIRA actions should be disabled if there is no selection		 Closed
PL-1092	Issues custom filter summary says "no filter defined" if there are only 'any' values in the filter		 Closed
PL-1090	When creating new issue the plugin should remember last selected/default component.		 Closed
PL-1089	Rework layout of details tab under Issue, Build and Review Panel		 Closed
PL-1088	user 'Issues', 'Reviews' and 'Builds' toolwindow titles for individual item panels instead of using item name in case there is only one item open		 Closed
PL-1087	Atlassian Panel Builds Tab - Number of tests blend in too much with build number - additional information on the right?		 Closed
PL-1085	When opening up a panel, it should pop up over the top.		 Closed
PL-1081	Atlassian Panel - Rename tabs		 Closed
PL-1080	Atlassian Panel - Replace all blue Atlassian Logos		 Closed

	with White Atlassian logos.		
PL-1078	Atlassian Panel Issues Tab - Show Get More issues link next to the Number of issues returned	↑	 Closed
PL-1075	Form field labels in Configuration form should end with ":"	↑	 Closed
PL-1074	Title Case Consistency Across Connector	↑	 Closed
PL-1073	Rename issue operation "Assign to Myself" to "Assign to Me"	↑	 Closed
PL-1072	Review Panel Comments Tab - Rename context menu item from Open File for Review to Open Revision to Review	↑	 Closed
PL-1070	Review Panel Details Tab - Use Crucible tick icon to denote done reviewers	↑	 Closed
PL-1066	Don't try to download everything when we have not specified custom filter	↑	 Closed
PL-1064	Atlassian Panel - Standardize icon and name of the open in IDE function	↑	 Closed
PL-1063	Atlassian Panel - Standardize order of (common) buttons and operations along the top	↑	 Closed
PL-1062	Atlassian Panel Builds Tab - Sort Group By Date headings in reverse chronological order	↑	 Closed
PL-1055	When creating new issues with the connector, the plugin should ideally remember the last project/component used.	↑	 Closed
PL-1008	Close Button for Crucible-Review Panel	↑	 Closed
PL-997	Review groups (in case of list grouping) change order sometimes after refresh / filter change / checker update	↑	 Closed
PL-926	Do not use proxy option isn't honoured	↑	 Closed
PL-887	After refreshing issue list the selection is lost	↑	 Closed
PL-827	Add support for choosing component when creating a new Jira issue from IntelliJ	↑	 Closed
PL-820	Created and Updated dates show up as invalid in IDE panel	↑	 Closed
PL-777	Crucible comments don't wrap	↑	 Closed
PL-773	Inconsistent handling of moved files in Crucible	↑	 Closed

PL-742	Bamboo does not grey out disabled builds	↑	 Closed
PL-706	Display the difference between before/after revisions in the "Changed files" tab	↑	 Closed
PL-701	Build date should be build completed date	↑	 Closed
PL-640	move the private settings XML file to user's home directory	↑	 Closed
PL-638	Crucible post-commit review creation from the review list window	↑	 Closed
PL-1135	Date nodes order is random when Issues list is grouped by date	↓	 Closed
PL-1112	Using the context menu "Open review" when review is open does nothing	↓	 Closed
PL-1094	Issue custom filter panel auto-sets 'assignee' and 'reporter' fields	↓	 Closed
PL-882	Include username of user who fails builds	↓	 Closed
PL-698	Context menu for failed tests in Bamboo	↓	 Closed
PL-694	User should always be able to add a comment	↓	 Closed
PL-1138	Create Changelist icon in Issue view does not match the Changes theme in Idea 8	↓	 Closed

Atlassian IntelliJ Connector 2.0 Beta 11 Release Notes


This page last changed on Jan 20, 2009 by [smaddox](#).

19 January 2009

Atlassian is delighted to present version 2.0 Beta 11 of the Atlassian IntelliJ Connector. This release focuses on finalising the user interface in the 'Builds' tab and unifying the interface for issues, builds and reviews. By default, the connector's windows now all open as an IntelliJ IDEA tool window at the bottom of the IDE window.


- The 'Builds' tab allows you to filter your Bamboo builds by server, project or state and to group them by server, project, state or date. The dynamic search box at top right grants quick access to a build. Start typing the build number into the search box. The connector will display matching builds as you type.

Screenshot 1: Builds tab



- The 'Build' details window now opens as an IntelliJ IDEA tool window, with tabs to display the build details, changed files, tests and the build log.

Screenshot 2: Build window showing Build Log




- The 'Issue' details window now opens as an IntelliJ IDEA tool window, with tabs to display the issue details and comments. The 'Comments' tab still needs a bit of work, scheduled for the next release.

Screenshot 3: Issue window showing JIRA issue details



- The 'Review' details window now opens as an IntelliJ IDEA tool window, with tabs to display the review details and comments. The 'Comments' tab still needs a bit of work, scheduled for the next release.

Screenshot 4: Review window showing Crucible review details



Take a look at the full list of improvements and bug fixes below.

Don't have the Atlassian IntelliJ Connector yet?

Follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

Complete List of Fixes in IntelliJ Connector 2.0 Beta 11

Jira Issues			
Key	Summary	Priority	Status
PL-1061	Statement of Objectives is not shown in Review details panel		Resolved
PL-1047	Plugin NPE when opening file		Resolved

PL-1040	NPE when disabled the last server in the config panel		 Resolved
PL-1032	Error after IDE load		 Resolved
PL-1030	exception while refreshing reviews after summarizing a review		 Resolved
PL-1024	Exception throw when refreshing issue list		 Resolved
PL-1023	PL-977: hilighting of comments in files opened outside the review panel		 Resolved
PL-1019	NPE in Connector (Crucible notifier)		 Resolved
PL-1006	Clicking Apply in JIRA filter throws NPE		 Resolved
PL-1005	NPE when clicking Cancel in CrucibleCustomFilter dialog		 Resolved
PL-1004	NPE when clicking Cancel in JIRACustomFilter dialog		 Resolved
PL-1003	NPE when clicking Apply in CrucibleCustomFilter dialog		 Resolved
PL-1000	NPE when clicking on the configuration button in Reviews Tool Window		 Resolved
PL-938	Crucible review contents replaced with the previous ones		 Resolved
PL-787	Atlassian Panel - Builds tab		 Resolved
PL-732	If never built, the build number has an error		 Resolved
PL-546	Error viewing jira issue with Diana-8733		 Closed
PL-1043	Orig file used as "left" pane input for diff of added files is editable		 Resolved
PL-1041	add searchbox to the build panel		 Resolved
PL-1034	Wrong browser url when build is in state UNKNOWN		 Resolved
PL-1020	I want to see full issue summary in tooltip		 Closed
PL-1018	Tabs order changes between IDEA sessions		 Resolved
PL-1014	Connector does not remember last active tab in Atlassian Tool Window		 Resolved
PL-1002	Crucible custom filter dialog sometimes allows selecting empty user name (see screenshot)		 Resolved
PL-985	Build Panel: Tests Tab		 Resolved
PL-984	Build Panel: Logs Tab		 Resolved
PL-983	Build Panel: Changes Tab		 Resolved
PL-982	Build Panel: Details Tab		 Resolved
PL-980	Issue Panel: Stack Traces tab		 Resolved

PL-978	Issue Panel: Details Tab	↑	 Resolved
PL-976	Review Panel: Review Details Tab	↑	 Resolved
PL-972	Review summary is truncated and there is no tooltip or whatever to read it	↑	 Resolved
PL-953	Custom filter states are cleared if you are swift enough	↑	 Resolved
PL-942	CfgManager not initialized when initializing CrucibleCustomFilterDetailsPanel	↑	 Resolved
PL-900	Crucible Review Shows Comments still in Draft	↑	 Resolved
PL-772	Saved draft comments and auto-save comments are causing notifications in the Connector	↑	 Resolved
PL-770	Dead file in a review - no diff, no download, "negative" version number	↑	 Resolved
PL-717	Line comments does not disappear when comment removed from crucible details window	↑	 Resolved
PL-699	Show Summary tooltip for Bamboo build	↑	 Resolved
PL-690	Search box for current item list in Atlassian Panel	↑	 Closed
PL-527	NPE on JIRA table	↑	 Resolved
PL-479	middle-click on "JIRA" in Atlassian title bar, and JIRA info disappears. What remains is an "Atlassian" pane with no contents.	↑	 Closed
PL-1025	Issue comment duplicates during Refresh button fast clicking	↓	 Resolved
PL-1017	Layout of issues tree is sometimes broken.	↓	 Resolved
PL-1007	Middle mouse close the pane permanent	↓	 Resolved
PL-765	Invalid Bamboo builds offer links to invalid URL's	↓	 Resolved

Atlassian IntelliJ Connector 2.0 Beta 10 Release Notes

This page last changed on Jan 20, 2009 by [smaddox](#).

30 December 2008

Atlassian is delighted to present version 2.0 Beta 10 of the Atlassian IntelliJ Connector. In this release, we have focused on the Reviews and Issues tabs.


Highlights for the Reviews tab:

- The connector now displays the number of reviews selected, next to each heading in the left-hand filter tree.
- You can select 'All My Reviews' at the top of the filter list, to see all the reviews in which you are involved.
- The custom filter editor now appears as a popup window.
- Reviews are sorted in descending order by review key.


Highlights for the Issues tab:

- If you select the custom filter, the filter details now appear under the issues tree, with an 'Edit' button allowing you to define the filter.
- In the IDE Settings, you can now configure the number of JIRA issues displayed per page. (As before, you can click 'Get More Issues' to retrieve the next page of issues.)
Take a look at the full list of improvements and bug fixes below.

Screenshot 1: The Reviews tab of the Atlassian IntelliJ Connector



Screenshot 2: The Issues tab of the Atlassian IntelliJ Connector



Don't have the Atlassian IntelliJ Connector yet?

Follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

Complete List of Fixes in IntelliJ Connector 2.0 Beta 10

Jira Issues			
Key	Summary	Priority	Status
PL-999	NPE when opening Crucible Custom filter dialog		 Closed
PL-986	ConcurrentModificationException		 Closed
PL-955	Comment textpane should be in a scrollpane		 Closed
PL-949	Allow configurable number of issues to retrieve		 Closed
PL-941	NPE on assigning issue to myself		 Closed
PL-913	sort review tree by review key		 Closed
PL-911	"narrowing" search in the review tree		 Closed
PL-908	When "My reviews" selected in the filter tree, show all "my" reviews in the reviews tree		 Closed
PL-904	show counts of reviews matching a filter in a left-hand panel filter tree		 Closed
PL-902	extract crucible custom filter dialog to modal window		 Closed
PL-833	Metrics error		 Closed
PL-814	Exception when reopening a project		 Closed
PL-808	Issue list - when custom filter is selected, show see filter summary below filter tree		 Closed
PL-786	Atlassian Panel - reviews tab		 Closed
PL-776	exception when opening project		 Closed
PL-764	Exception when closing a project		 Closed
PL-736	Exception on adding a comment to a file		 Closed
PL-650	I don't see my new filter in Jira toolwindow		 Closed
PL-944	For post-commit reviews created via IntelliJ Connector you cannot later on add additional changes either via IDE or via web UI		 Closed
PL-785	Atlassian Panel - Issues tab		 Closed

PL-998	Crucible Custom Filter problem (it shows all reviews all the time)	↑	 Closed
PL-995	clicking on the crucible filters causes NPE	↑	 Closed
PL-992	Missing error message in case of crucible communication problem	↑	 Closed
PL-970	Issue related icons are disabled in Issues tab when single issue is selected, but the focus is outside this panel	↑	 Closed
PL-969	Add support for re-running locally unit tests for selected page or for all the tests	↑	 Closed
PL-968	After removing crucible server from configuration review list is not cleared for that server	↑	 Closed
PL-967	unselecting last selected filter has no effect	↑	 Closed
PL-959	When reviews are grouped by projects we should show project name rather than the key	↑	 Closed
PL-958	Intellij 8.0.1 fatal error	↑	 Closed
PL-957	Grey out review panel when changing filters	↑	 Closed
PL-954	Fast clicking filters problem	↑	 Closed
PL-950	Reviews renderer improvment	↑	 Closed
PL-946	Review Notifier notifies about reviews which appeared/disappeare after filter change	↑	 Closed
PL-895	Issue window spacing	↑	 Closed
PL-874	An exception when accidentally pressing Ctrl-C (invoking "add comment" action)	↑	 Closed
PL-790	Fetching binary files (Crucible tool window) seems to corrupt them	↑	 Closed
PL-789	Assertion failed on trying to diff binary files (e.g. pictures) from Crucible Tool Window	↑	 Closed
PL-665	Crucible custom filter does not work	↑	 Closed
PL-517	NPE on performing review	↑	 Closed

Atlassian IntelliJ Connector 2.0 Beta 9 Release Notes


This page last changed on Feb 10, 2009 by [smaddox](#).

11 December 2008

With pleasure, Atlassian presents version 2.0 Beta 9 of the Atlassian IntelliJ Connector. In this iteration we have focused on the new connector's Reviews tab. Take a look at the screenshot below. Your Crucible filters are shown in a tree structure on the left of the tab, with the reviews for the selected filter shown on the right.

You can now group the reviews by author, state, project and server. In the heading for each group, the connector displays the number of reviews in the group. The custom filter dialogue box is now much prettier and easier to use.

Screenshot: A new look for the connector's Crucible tab



Don't have the Atlassian IntelliJ Connector yet?

Take a look at the features described in the [documentation](#). Then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

Complete List of Fixes in IntelliJ Connector 2.0 Beta9

Jira Issues				
Key	Summary	Priority		Status
PL-935	NPE when getting user name	High		Closed
PL-934	Exception thrown when opening Bamboo test results	High		Closed
PL-912	show review tree in the right-hand side panel	High		Closed
PL-910	handle mouse and keyboard actions in the review tree	High		Closed
PL-909	Allow grouping reviews in the tree by state, author, project, server	High		Closed
PL-907	toolbar over the crucible review tree	High		Closed
PL-906	toolbar over the crucible filter tree	High		Closed

PL-905	show summary of the crucible custom filter below filter tree when a custom filter is selected		 Closed
PL-903	show static tree of crucible filter names in the left-hand panel		 Closed
PL-927	Error-Message in IntelliJ-IDEA-Plugin when try to "Open file for Review" - multi-module project		 Closed
PL-951	Release notes for beta-9		 Closed
PL-945	Custom filter is empty		 Closed
PL-937	after changing the "group by" state, review seems to remain selected even though there is no selection visible, therefore action buttons are not being grayed out		 Closed
PL-925	add multiple selection handling (remove duplicates)		 Closed
PL-924	on select: filter reviews view		 Closed
PL-923	tree, layout		 Closed
PL-922	layout, tree (extract from JIRA)		 Closed
PL-921	tests		 Closed
PL-920	Notifications (addReviewer) in model and/or ReviewAdapter (ReviewChanged, ReviewAdded, ReviewRemoved) (common notification for all changes: startNotification, endNotification(id)		 Closed
PL-919	Matching logic for CrucibleStatusChecker (field for field copying for review adapter)		 Closed
PL-918	renderer na ViewAdapter		 Closed
PL-917	model (thread safety)		 Closed
PL-915	build a 2.0.0-beta-9 release		 Closed
PL-914	Create document on how to build a release these days		 Closed
PL-893	Force plugin to remember CheckNowButton radios state in General Configuration		 Closed
PL-877	Add last updated date/time to issue list view		 Closed
PL-703	Extract JIRA custom filter to the modal dialog box		 Closed
PL-387	Create JIRA Issue window is not resized properly		 Closed

PL-894	JIRA custom filter edit dialog clear button applies to global not local		 Closed
PL-817	Cannot open failed tests from Bamboo if tests are not in a package		 Closed

Atlassian IntelliJ Connector 2.0 Beta 8 Release Notes

This page last changed on Jan 20, 2009 by [smaddox](#).

1 December 2008

Atlassian is delighted to present version 2.0 Beta 8 of the Atlassian IntelliJ Connector. For this release, we have continued our drive to enhance the the connector's Issues tab.


You can now group the JIRA issues by project, type, status, priority or date last updated. In the heading for each group, the connector displays the number of issues in the group. If an issue has subtasks, they will appear under the issue and you can collapse or expand them too.

Do you want quick access to an issue? Just type the issue key into the search box at top right of the Issues tab. The connector will display matching issues as you type.


The custom filter dialogue box is now much prettier and easier to use.

Take a look at the full list of improvements and bug fixes below.


[Screenshot: The Issues tab of the Atlassian IntelliJ Connector](#)



Screenshot: Entering an issue key in the search box



Screenshot: The custom filter dialogue box



Don't have the Atlassian IntelliJ Connector yet?

Follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

Complete List of Fixes in IntelliJ Connector 2.0 Beta 8

Jira Issues			
Key	Summary	Priority	Status
PL-865	"Already Disposed" exception thrown when closing project while JIRA server filters are being refreshed		Closed
PL-864	in the issues view, the group by type is nice, still it would be better if the sub-tasks are grouped by it's super task.		Closed
PL-849	only show the "load more issues..." link when there is something to load (i.e. dont show it when loaded less than 25 issues		Closed
PL-848	provide the current number of grouped issues in the group nodes of the issue tree		Closed

PL-847	change the status line to only consist of one entry (black text on grey) - either progress of the information download, or the loaded issue count, or the last command executed		 Closed
PL-846	Only refresh JIRA server and filter infor when changes were made to JIRA config, instead of always when applying changes in teh config panel		 Closed
PL-802	Filter list is a tree + 1 custom filter per server		 Closed
PL-740	Grey out issue list when refreshing issues		 Closed
PL-628	NPE when doing a rename refactor		 Closed
PL-891	Issues tool window - Access is allowed from event dispatch thread only		 Closed
PL-876	GroupBy combo in Issues tool window does not work in multiframe setup		 Closed
PL-457	Ability to just enter the bug ID to see it in IDE		 Closed
PL-886	Issues view is ugly sometimes		 Closed
PL-885	After refreshing Issues panel the filter selection is lost		 Closed
PL-879	Custom filter summary display in Atlassian issues panel should hide fields which have "any" as a value		 Closed
PL-878	Add option to group by last updated date.		 Closed
PL-868	On a mac with 1 mouse button, there is no "right-click" menu in the issue list		 Closed
PL-851	Exception whilst adding a Jira comment		 Closed
PL-844	Manual/saved filter is not selected after Issues window open		 Closed
PL-830	Error in File->Settings->Atlassian Connector		 Closed
PL-778	IDEA 8.0 8975 EAP compatibility problem - HTTP proxy settings		 Closed
PL-431	Display jira subtasks hierarchical in list		 Closed
PL-843	Stupid error message when launching interactive issue action		 Closed

[PL-739](#)

[Icon for adding issue should be a JIRA icon instead of a \[+\] sign](#)



Closed

Atlassian IntelliJ Connector 2.0 Beta 7 Release Notes

This page last changed on Feb 10, 2009 by [smaddox](#).


17 November 2008

With pleasure, Atlassian presents version 2.0 Beta 7 of the Atlassian IntelliJ Connector. In this iteration we have focused on the user interface, particularly for the connector's JIRA tab. Take a look at the screenshot below. Your JIRA filters are shown in a tree structure on the left of the tab, with the issues for the selected filter shown on the right.

Instead of mentioning the Atlassian applications by name (JIRA, Bamboo and Crucible) the connector's tabs now tell you what you are dealing with (issues, builds and reviews).

This release also brings a number of other improvements and bug fixes.

Screenshot: A new look for the connector's JIRA tab



Don't have the Atlassian IntelliJ Connector yet?

Take a look at the features described in the [documentation](#). Then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

Complete List of Fixes in IntelliJ Connector 2.0 Beta 7

Jira Issues			
Key	Summary	Priority	Status
PL-834	Error when pressing 'Refresh' in Issues view		Resolved
PL-822	Bamboo build toolwindow does not highlight Java files present in the opened project for Bamboo running on windows		Resolved
PL-815	Assertion failed when opening annotated file from Crucible Tool Window		Resolved
PL-811	Showing filter dialog results in error		Resolved

PL-810	IDE internal error		 Resolved
PL-807	Issue list: buttons over issue tree: a) refresh b) show details c) open in browser d) create new e) expand/collapse f) help		 Resolved
PL-806	Issue list: buttons over filters: a) configure server b) refresh filters c) expand/collapse all		 Resolved
PL-804	Issue list "more" button		 Resolved
PL-803	Issue list search		 Resolved
PL-801	Issue list with "group by", with a tree of issues, each item in the tree has a right-click menu		 Resolved
PL-762	Nullpointer in Plugin		 Resolved
PL-738	Tooltip for issue creation should say "Create JIRA Issue".		 Resolved
PL-737	There is no obvious way to refresh server filters		 Closed
PL-809	clicked on filter icon after adding first JIRA server		 Resolved
PL-794	Add Revision to review results in HTTP 500		 Resolved
PL-793	Exception when filtering JIRA issues		 Resolved
PL-769	Crucible review diff windows seems to be swapped		 Resolved
PL-702	Sort order of JIRA issues		 Closed
PL-840	the current display for creating a new issue in jira does not have a scrollbar for the content		 Closed
PL-838	Create doc archives for the old UI before changing docs to the new 2.0 UI		 Resolved
PL-837	Documentation for IntelliJ Connector 2.0 beta 7		 Resolved
PL-824	test		 Closed
PL-821	Fisheye Defaults For IDEA Connector not Persisted		 Resolved
PL-744	Double click bamboo opens in web. Double click JIRA opens in IDE. Needs to be consistent		 Resolved
PL-683	Add info whether the broken build is mine or not		 Resolved

Atlassian IntelliJ Connector 2.0 Beta 6 Release Notes

This page last changed on Feb 10, 2009 by [smaddox](#).

3 November 2008

With pleasure, Atlassian presents version 2.0 Beta 6 of the Atlassian IntelliJ Connector. This release focuses on compatibility with IntelliJ IDEA 8. The connector is now portable between IDEA 7 and IDEA 8. It is worth noting that the IDEA 8.0 API is not yet fully stable, so some functionality may be affected by the changing API. But all the connector's features are now available in IDEA 8 as well as IDEA 7.

Don't have the Atlassian IntelliJ Connector yet?

Take a look at the features described in the [documentation](#). Then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

Complete List of Fixes in IntelliJ Connector 2.0 Beta 6

Jira Issues			
Key	Summary	Priority	Status
PL-757	As a user I want to use all features of IDE Connector on Idea 8.0		Closed
PL-631	Crucible/FishEye support in Changes toolwindow does not work correctly if more than one enabled Crucible/FE server is configured		Closed
PL-630	Open FishEye link in browser does not work		Closed
PL-555	Bamboo doing stuff from non-even-thread (on IDEA 8.0 preview)		Closed
PL-783	Class cast exception		Closed
PL-767	Exception - problem with definition of a form		Closed
PL-784	FishEye link tries to open files which are not under version control		Closed
PL-774	Documentation for IntelliJ Connector 2.0 beta 6		Resolved
PL-760	Portable plugin between IDEA 7.0 and 8.0		Closed
PL-715	Add/remove versioned comment and its reply problem in UI		Closed
PL-695	Open diff for review errors for a new file		Closed
PL-679	Refactoring: make hierarchy of Review objects simpler		Resolved
PL-668	Plugin won't load in latest Diana builds at all.		Closed
PL-663	Update docs for config change - Crucible server panel		Resolved

Atlassian IntelliJ Connector 2.0 Beta 5 Release Notes

This page last changed on Feb 10, 2009 by [smaddox](#).

20 October 2008

With pleasure, Atlassian presents version 2.0 Beta 5 of the Atlassian IntelliJ Connector.

Highlights in this release:

- You can now re-run or debug failed tests from Bamboo within IDEA, by clicking the new icons at the top of the 'Bamboo Failed Tests' window.
- There is a new 'Open Build Details' option in the dropdown menu which appears when you right-click on a build plan. This option opens a new 'Bamboo Build' window, showing a parsed view of the build logs. The text is colour-coded and you can click through to the relevant code files.
-  The new 'Bamboo Build' window will eventually contain tabs showing the build logs, changed files and failed tests. The new window will therefore replace the existing separate build windows.
- Using JIRA within IDEA, you can now create a changelist based on a JIRA issue, assign the issue to yourself and start progress, all in one click.
- You can also configure a separate FishEye server, independent of your Crucible server.

Don't have the Atlassian IntelliJ Connector yet?

Take a look at the features described in the [documentation](#). Then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

Complete List of Fixes in IntelliJ Connector 2.0 Beta 5

Jira Issues			
Key	Summary	Priority	Status
PL-686	A NPE occurs on opening plugin section		 Closed
PL-684	NPE when clicking on Bamboo panel		 Closed
PL-680	NPE in com.atlassian.theplugin.idea.action.bamboo.BuildStackTraceAction.actionPerformed		 Closed
PL-675	Edit and Remove button in Crucible Review Window does not work		 Closed
PL-673	Error while remove comment from Crucible review		 Closed
PL-662	Exception when logging work in jira		 Closed
PL-661	NPE saving private config		 Closed
PL-649	The bamboo build failures are continually reported.		 Closed
PL-15	Build information inside the IDE. Run actions from the build: Re-run failed tests from the build in IDE		 Closed
PL-672	Crucible comment is not highlighted in editor		 Closed
PL-719	Please review IntelliJ Connector beta 5 release notes		 Closed
PL-710	Sorting of columns in Crucible review filters fails with an exception		 Closed
PL-705			

	Timezone difference is limited to 12 hours	↑	 Closed
PL-704	Documentation for IntelliJ Connector 2.0 beta 5	↑	 Closed
PL-685	Weird error message when opening a new project	↑	 Closed
PL-678	Got NPE exception when using new version of plugin.	↑	 Closed
PL-658	Ugly exception message in JIRA issue details	↑	 Closed
PL-653	Close review dialog has a "Close Review..." button despite it does not cause any further dialog to be shown	↑	 Closed
PL-652	New replies don't show up in the Review Pane	↑	 Closed
PL-646	create changelist, assign to myself and start progress in one click	↑	 Closed
PL-455	Issue details popup is a too wide	↑	 Closed
PL-682	Measure time from starting progress on an issue till time is reported	↓	 Closed
PL-486	Text in Bamboo dropdown should use title case	↓	 Closed
PL-713	Crucible comment box should wrap	↓	 Closed
PL-447	No tooltip for funnel icon in Crucible tab	↓	 Closed

Atlassian IntelliJ Connector 2.0 Beta 4 Release Notes

This page last changed on Feb 10, 2009 by [smaddox](#).

3 October 2008

With pleasure, Atlassian presents version 2.0 Beta 4 of the Atlassian IntelliJ Connector. This release includes a number of improvements in the connector's user interface as well as some bug fixes.

Don't have the Atlassian IntelliJ Connector yet?

Take a look at the features described in the [documentation](#). Then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

Complete List of Fixes in IntelliJ Connector 2.0 Beta 4

Jira Issues			
Key	Summary	Priority	Status
PL-716	Refactor Crucible Review Details panel		 Closed
PL-645	NPE in Crucible		 Closed
PL-643	Getting a 400 error using the Test Connection when trying to add a JIRA server		 Closed
PL-556	bamboo builds always shown as "in the future"		 Closed
PL-468	Plugin totally uninstalls itself on update		 Closed
PL-664	Add Support for HTTP Conditional GET		 Closed
PL-659	Cannot install beta3 from IDEA 7952		 Closed
PL-644	Getting these on refreshing a review		 Closed
PL-639	change all default polling intervals from 1 min to 10 min		 Closed
PL-636	When closing review, "review summary field should be white, not grey (it is editable)		 Closed
PL-634	Fix default project & repo for Crucible server configuration: polish UI & fix refresh		 Closed
PL-627	Implement notifications about deleted comments		 Closed
PL-626	Plugin does not respect Bamboo tooltip window settings		 Closed
PL-621	BUG: when changing credentials half way through, the user name for making comment didn't get changed properly.		 Closed
PL-617	Add reporting basic server usage metrics to the "phone home" ping		 Closed
PL-616			

	Sort review file comments in the comment tree by line numbers	↑	 Closed
PL-589	Crucible review actions greyed out when I click on editor window (toolwindow loses focus)	↑	 Closed
PL-566	auto-enable server when username+password provided in the server config screen	↑	 Closed
PL-530	Review is marked against 3 lines when only 2 selected	↑	 Closed
PL-529	User name doesn't show up in the file gutter tool tip for a review comment when you added it.	↑	 Closed
PL-637	add an example time format string in the "work log" dialog	↓	 Closed

Atlassian IntelliJ Connector 2.0 Beta 3 Release Notes

This page last changed on Feb 10, 2009 by [smaddox](#).

23 September 2008

With pleasure, Atlassian presents version 2.0 Beta 3 of the Atlassian IntelliJ Connector (previously known as the Atlassian IDE Plugin for IDEA).

With this release, we have renamed the Atlassian IDE plugin for IDEA to the 'Atlassian IntelliJ Connector'. The change of name should be painless for existing users — you will be able to install the latest version in the normal way, and receive the same IDEA plugin but with more features and a smoother user interface. We want a snappy name that better expresses the functionality of the connector.

Here are the highlights of this beta release:

- We have improved the user interface, making it more consistent and improving your experience of the connector.
- In the Crucible tab, the filter dropdown now shows the name of your custom filter as well as the pre-defined filters.
- The Crucible filter selection is now presented as a dialogue rather than a dropdown list, so that it is easier to select more than one filter at a time.
- The Crucible Review window has been re-organised, so that it now shows a tree view of files with comments in line. This is closer to the Crucible web interface and makes the plugin easier to use.

[Don't have the Atlassian IntelliJ Connector yet?](#)

Take a look at the features described in the [documentation](#). Then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

Complete List of Fixes in IntelliJ Connector 2.0 Beta 3

Jira Issues			
Key	Summary	Priority	Status
PL-619	NPE when refreshing JIRA panel		Closed
PL-594	Performance-related fixes in Crucible review polling		Closed
PL-605	Review cannot open files		Closed
PL-535	plugin should notify if there is an error during download of new version (e.g. 404 for plugin zip)		Closed
PL-629	Limit the length of texts in the Crucible tooltip to 50 chars		Closed
PL-624	when creating range comment from the IDE, it shows up as line comment in the review comment pane		Closed
PL-623	Make the description panel in JIRA issue viewer two-column		Closed
PL-622	Add visual notification of loading review details in the bottom pane		Closed
PL-613	Use a dialog instead of a menu to select crucible filters, so that selecting multiple filters dose not require multiple visits to the menu		Closed

PL-609	Update help-paths.properties file due to rebranding of plugin to IntelliJ Connector	↑	 Closed
PL-608	Update documentation for re-branding to Atlassian IntelliJ Connector	↑	 Closed
PL-607	redesign the review comments panel to just use a file tree view instead of split file and comment trees	↑	 Closed
PL-606	If a custom filter is renamed, it cannot be removed from the view	↑	 Closed
PL-595	display custom filter name in the crucibel filters dropdown	↑	 Closed
PL-582	ComboBox in config dialog should be aligned to text boxes	↑	 Closed
PL-578	Review comments created on the web for 1 line of code are not shown as line comments in the IDE	↑	 Closed
PL-569	standardize on capitals in UI texts	↑	 Closed
PL-568	sometimes opening JIRA issue viewer results in a big red panel with an error message	↑	 Closed
PL-567	cerate background tasks instead of "twirly circle" wherever a backgground update is happening	↑	 Closed
PL-532	Cannot open file from Bamboo changes panel when file clearly exists in project	↑	 Closed
PL-467	Add possibility to open files and diffs from the "Show Changed Files" toolwindow	↑	 Closed
PL-592	Show user names instead of login names in JIRA comment fields	↓	 Closed

Atlassian IDE Plugin 2.0 Beta 2 for IDEA - Release Notes

This page last changed on Feb 10, 2009 by [smaddox](#).

8 September 2008

With pleasure, Atlassian presents version 2.0 Beta 2 of the Atlassian IDE Plugin for IDEA. This is a beta version, because some of the plugin's new features and documentation still need a bit of polish. We are keen for you to install and try this new version, which now offers deep integration with [Crucible](#) and [Bamboo](#), as well as the already awesome [JIRA](#) integration.

For features of beta versions, please first take a look at the release notes of [Beta 1](#).

In this beta version, the new feature is an integration with FishEye, allowing you to open a file from the editor in the FishEye file view, as well as view changesets in Fisheye.

[Don't have the Atlassian IDE Plugin for IDEA yet?](#)

Take a look at the features in the [documentation](#). Then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

[The Plugin's Blog](#)

From time to time, the plugin development team posts some information on the plugin's [blog](#).

[Comments, Requests and Feedback](#)

We would love your feedback. Please log your requests, bug reports and comments in our [issue tracker](#).

Upgrading from a Previous Version of the Atlassian Plugin

- If you are using the Crucible integration in Atlassian IDE Plugin for IDEA, please note that version 2.0 of the plugin requires Crucible 1.6 or later.
- Please refer to the plugin's [Upgrade Notes](#) for further essential information about factors affecting your upgrade.

Complete List of Fixes in this Release

Jira Issues			
Key	Summary	Priority	Status
PL-577	NPE on starting progress		Closed
PL-561	Illegible crucible review under selection		Closed
PL-557	NPE refreshing jira window		Closed
PL-45	store plugin configuration in the atlassian-ide-plugin.xml file in project's root		Closed
PL-590	Crucible status rectangle color misleading		Closed
PL-581	Should explicitly tell me that the plugin does not work with CRU <1.6		Closed
PL-580	Add context (review ID) to the name of the "Add revision to review" dialog		Closed
PL-576	All name decorators like beta-x, rcY, alpha, M1 etc should be discarded for the purpose of comparing		Closed

	version numbers for upgrade		
PL-575	Provide Fisheye souce code pointer in editor menu	↑	 Closed
PL-574	Layouts problem in Crucible change state dialog	↑	 Closed
PL-572	last defined or selected JIRA filter is no longer persisted across IDEA restarts	↑	 Closed
PL-571	consistent font in the JIRA issue viewer	↑	 Closed
PL-565	if username/passwords not provided, servers are disabled and plugin toolwindow is empty (contains just 2 links)	↑	 Closed
PL-516	Unable to update plugin to new version	↑	 Closed
PL-380	Add "Copy to clipboard" action to JIRA issues table popup	↑	 Closed
PL-562	Clicking on issue key in issue view editor does nothing	↓	 Closed

Atlassian IDE Plugin 2.0 Beta 2 for IDEA - Upgrade Notes

This page last changed on Jan 20, 2009 by [smaddox](#).

Below are some essential notes on upgrading to version 2.0 Beta of the Atlassian IDE Plugin for IDEA. For details of the new features and improvements in this release, please read the [Release Notes](#).

On this page:

- [Upgrade Notes](#)
- - [Crucible 1.6 Required](#)
- [Upgrade Procedure](#)

Upgrade Notes

Crucible 1.6 Required

Version 2.0 of the plugin supports Crucible 1.6 and later.

 The plugin no longer supports Crucible 1.5.

Explanation: The Crucible support in earlier versions of the plugin was very limited. Crucible 1.6 provides a more sophisticated API, allowing us to present the full review cycle within the IDE. As far as we know, very few people were making use of the Crucible 1.5 support in the plugin. For these reasons, it is not worthwhile continuing with Crucible 1.5 support.

When you upgrade to the latest version of the plugin, any Crucible servers not running Crucible 1.6 will not be accessible via the plugin.

Upgrade Procedure

Please take these steps to upgrade to version 2.0 Beta of the plugin:

- If you already have version [1.6.1](#) of the Atlassian IDE Plugin for IDEA, you can allow the automatic upgrade to version 2.0 Beta as usual. See the [Upgrade Guide](#).
- If you do not have version 1.6.1 of the plugin, please use IDEA's plugin manager to upgrade the plugin:
 - In IDEA, Select File -> Settings -> IDE Settings -> Plugins.
 - Click the Available tab.
 - Select the Atlassian plugin and click the Update Plugin icon at top left.

RELATED TOPICS

[Atlassian IDE Plugin 2.0 Beta 2 for IDEA - Release Notes](#)

Atlassian IDE Plugin 2.0 Beta for IDEA - Release Notes

This page last changed on Feb 10, 2009 by [smaddox](#).

3 September 2008

With pleasure, Atlassian presents version 2.0 Beta of the Atlassian IDE Plugin for IDEA. This is a beta version, because some of the plugin's new features and documentation still need a bit of polish. We are keen for you to install and try this new version, which now offers deep integration with [Crucible](#) and [Bamboo](#), as well as the already awesome [JIRA](#) integration.

With the plugin's Crucible support, you can now perform code reviews directly in the source editor and complete the review lifecycle without leaving your IDE. Use the dashboard-like display to view and filter your reviews. Notifications and colour coding indicate the review status and events.

On the Bamboo side, the plugin offers deeper integration now too. Remaining in your IDE, you can view the tests which failed in a build, see the stack traces and click through directly to the code that failed. Still within IDEA, view the changed files in a build, open a changed file in the IDEA editor and view the diffs. You can also show the full build log within IDEA.

The plugin now offers configuration at project level as well as IDE level. The project settings allow you to share server connections with your team members. In addition, each developer can configure their own workspace-specific settings, such as polling intervals and the behaviour of notification popups.

We have fixed a number of bugs in this release. Two JIRA fixes deserve special mention. You can now connect to a JIRA server with a self-signed SSL certificate, and you can open multiple JIRA projects in separate windows.

Take a look at the highlights and the full list of fixes below.

Highlights of this Release:

- [Crucible Highlights in the Atlassian IDE Plugin 2.0 Beta](#)
 - [Code Reviews Directly in the Source Editor](#)
 - [Full Crucible Review Lifecycle](#)
 - [Review Dashboard and Filters](#)
 - [Review Status Notifications](#)
- [Bamboo Highlights in the Atlassian IDE Plugin 2.0 Beta](#)
 - [Failed Tests in a Bamboo Build](#)
 - [Changed Files in a Bamboo Build](#)
 - [Bamboo Build Logs](#)
- [Other Highlights in the Atlassian IDE Plugin 2.0 Beta](#)
 - [Shared Project Configuration](#)
 - [Bug Fixes](#)
- [Complete List of Fixes in this Release](#)

Don't have the Atlassian IDE Plugin for IDEA yet? Take a look at the features in the [documentation](#). Then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

The Plugin's Blog

From time to time, the plugin development team posts some information on the plugin's [blog](#).

Comments, Requests and Feedback

We would love your feedback. Please log your requests, bug reports and comments in our [issue tracker](#).

Upgrading from a Previous Version of the Atlassian Plugin


- If you are using the Crucible integration in Atlassian IDE Plugin for IDEA, please note that version 2.0 of the plugin requires Crucible 1.6 or later.
- Please refer to the plugin's [Upgrade Notes](#) for further essential information about factors affecting your upgrade.

Crucible Highlights in the Atlassian IDE Plugin 2.0 Beta

1

Code Reviews Directly in the Source Editor

- Open the review and related source in the IDEA editor.
- View your colleagues' comments in the context of the source.
- Select the relevant lines and add your comment or reply to someone else's comment.
- Track comments via highlights and marks in the right-hand gutter.
- View the source diff to see what has changed.



2

Full Crucible Review Lifecycle

- Create a post-commit review from a changelist in the IDEA's 'Repository Changes' window.
- Assign reviewers and notify them of the review.
- Approve, summarise and close your reviews and perform all other Crucible workflow actions.
- Complete the reviews assigned to you.
- Add a changelist to an existing review.

- Expand and collapse the views to suit your needs.

To Review (1)				
Key	Summary	Reviewers	Author	State
CR-34	new Crucible action -	■	Marek Went	Review

Out For Review (3)				
Key	Summary	Reviewers	Author	State
CR-32	Double click on crucible	■ ■	Sarah Maddox	Review
CR-33	PL-491 make checkbox	■	Sarah Maddox	Review
CR-35	PL-491 make checkbox	■	Sarah Maddox	Review


Require My Approval (0)				
Key	Summary	Reviewers	Author	State

Loaded 4 code reviews for defined filters.

4

Review Status Notifications

- You can now change the status of your Crucible reviews from within IDEA.
- The review notifications tell you not only that a review has been updated, but now also exactly what has happened to the review.
- Different colours and font markings show the review status. For example, blue indicates reviews which you need to review and green shows open reviews which you have created or moderated.
- Coloured squares indicate the number of reviewers and whether they have completed (green) or not completed (red) the review.




Bamboo Highlights in the Atlassian IDE Plugin 2.0 Beta

5

Failed Tests in a Bamboo Build


- View the tests which failed, in the 'Bamboo Failed Tests' window in IDEA.
- See the stack trace for each failed test.
- Click through from the stack trace directly to the code that failed, viewed in the IDEA editor.



6

Changed Files in a Bamboo Build


- Display a commit list in the 'Bamboo Build Changes' window in IDEA.
- View the changed files for each commit list.
- Open the changed files in the IDEA editor and view the diffs.



7

Bamboo Build Logs

- Show the full build log in IDEA's editor window.




Other Highlights in the Atlassian IDE Plugin 2.0 Beta

8

Shared Project Configuration

- The plugin now offers configuration at project level as well as IDE level. The screenshot below shows the project settings.
- Use the project settings to set up your team's Bamboo, JIRA and Crucible servers just once for each project.
- If you work on more than one project, this allows you to configure different servers for each project.
- In the IDE settings, each developer can configure their own workspace-specific settings, such as polling intervals and the behaviour of notification popups.
- Project settings can be stored in your source control repository, so that the plugin will load the settings at the same time as loading the project into IDEA.

- Settings which are specific to the developer (such as username, password, filters and layout options) are stored as private settings and should not be committed to the repository.



9

Bug Fixes

- We have fixed the problem which occurred when attempting to connect to a JIRA server with a [self-signed SSL certificate](#).
- When multiple projects were open in separate windows, all pointing to the same JIRA server, only the last project opened would load the JIRA details. The others displayed as [empty panels](#) in the Atlassian plugin view. This is now fixed.
- And more...

Complete List of Fixes in this Release

Jira Issues			
Key	Summary	Priority	Status
PL-525	Error when clicking on update notification icon		 Closed
PL-505	Unable to edit URL in project settings dialog		 Closed
PL-489	Sometimes I cannot select a saved filter		 Closed
PL-326	Doesnt accept ssl untrusted certificate		 Closed
PL-33	Add comments against lines in the file - ie show a review in the IDE		 Closed
PL-13	Build information inside the IDE. Show build details: Show failed / passing tests - open in IDE (view test) or web browser (view test history)		 Closed
PL-552	NPE in IntelliJ		 Closed
PL-518	NPE on bamboo		 Closed
PL-512	PE n project reload		 Closed
PL-506	Project settings causes SelectJIRAAction to throw NPE		 Closed
PL-504	Setting project configuration does not work - configuration is not stored and applied		 Closed
PL-474	Extraneous plugin item appearing after Atlassian plugin install		 Closed
PL-460	JIRA tool window does not disappear in case all servers all disabled		 Closed
PL-321	Make AbstractServerConfigurationBean and ServerBean real bean		 Closed
PL-666	NPE after pressing <input type="checkbox"/> D when having a file in Project toolwindow selected		 Closed
PL-570	bamboo build stack traces should be in red		 Closed
PL-550	Plugin dependency on FishEye as well as Crucible?		 Closed
PL-545	Please review new Config Guide for IDEA plugin		 Closed
PL-533	Please review release notes and upgrade notes for Plugin 2.0 Beta		 Closed
PL-515	Tool window config panel not visible in case all servers are disabled and tool window is empty		 Closed

PL-514	New version info dialog disappears and block whole IDE	↑	 Closed
PL-513	Please review docs for Bamboo part of Plugin 2.0	↑	 Closed
PL-508	Config screens require saving even if no changes made	↑	 Closed
PL-507	Settings action in tool window should invoke project specific settings, not global one	↑	 Closed
PL-497	User is not asked for the password for Crucible server and the checker silently fails	↑	 Closed
PL-491	I cannot select "Use favourite builds" when adding new Bamboo server until I click Refresh	↑	 Closed
PL-490	DoubleClick misbehavior in Jira Issues View	↑	 Closed
PL-488	Connect to Jira server with self-signed cert.	↑	 Closed
PL-450	Clicking on 'add patch to review' icon caused an NPE	↑	 Closed
PL-445	Jira related functionality uses own connection instead of our generic http connection factory	↑	 Closed
PL-437	View changeset in Changes/REpository - NPE	↑	 Closed
PL-410	plugin saving developer-specific configuration in the .ipr file	↑	 Closed
PL-392	JIRA details do not load when multiple projects are open all pointing to the same JIRA server	↑	 Closed
PL-343	IDEA 7.0.3 does not want to load project files for the plugin version 1.2.1	↑	 Closed
PL-327	Documentation for IDE Plugin 2.0.0	↑	 Closed
PL-323	Add info to missing password dialog with server address	↑	 Closed
PL-548	Crucible review window wrong window name in title bar	↓	 Closed
PL-404	Inconsistent shading on Config panel	↓	 Closed
PL-208	JIRA tool window combo label is not fully visible	↓	 Closed

Atlassian IDE Plugin 2.0 Beta for IDEA - Upgrade Notes

This page last changed on Jan 20, 2009 by [smaddox](#).

Below are some essential notes on upgrading to version 2.0 Beta of the Atlassian IDE Plugin for IDEA. For details of the new features and improvements in this release, please read the [Release Notes](#).

On this page:

- [Upgrade Notes](#)
- - [Crucible 1.6 Required](#)
- [Upgrade Procedure](#)

Upgrade Notes

Crucible 1.6 Required

Version 2.0 of the plugin supports Crucible 1.6 and later.

 The plugin no longer supports Crucible 1.5.

Explanation: The Crucible support in earlier versions of the plugin was very limited. Crucible 1.6 provides a more sophisticated API, allowing us to present the full review cycle within the IDE. As far as we know, very few people were making use of the Crucible 1.5 support in the plugin. For these reasons, it is not worthwhile continuing with Crucible 1.5 support.

When you upgrade to the latest version of the plugin, any Crucible servers not running Crucible 1.6 will not be accessible via the plugin.

Upgrade Procedure

Please take these steps to upgrade to version 2.0 Beta of the plugin:

- If you already have version [1.6.1](#) of the Atlassian IDE Plugin for IDEA, you can allow the automatic upgrade to version 2.0 Beta as usual. See the [Upgrade Guide](#).
- If you do not have version 1.6.1 of the plugin, please use IDEA's plugin manager to upgrade the plugin:
 - In IDEA, Select File -> Settings -> IDE Settings -> Plugins.
 - Click the Available tab.
 - Select the Atlassian plugin and click the Update Plugin icon at top left.

RELATED TOPICS

[Atlassian IDE Plugin 2.0 Beta for IDEA - Release Notes](#)

Atlassian IDE Plugin 1.6.1 for IDEA - Release Notes

This page last changed on Jan 20, 2009 by [smaddox](#).

26 August 2008

With pleasure, Atlassian presents version 1.6.1 of the Atlassian IDE Plugin for IDEA. This is a maintenance release, containing just two enhancements to smooth the upgrade to version 2 of the plugin, coming soon.

- The plugin's upgrade prompt now includes a link to the release notes. (The upgrade prompt is the popup window which invites you to install the latest version of the plugin.)
- The upgrade now allows a different version-numbering pattern, to allow for 'alpha' and 'beta' releases.

 Please make sure that you upgrade to version 1.6.1, to ensure a clean upgrade to version 2 in the near future.

Don't have the Atlassian IDE Plugin for IDEA yet?

Take a look at the features in the [\[Plugin User Guide\]](#). Then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

The plugin's blog

From time to time, the plugin development team posts some information on the plugin's [blog](#).

Complete List of Fixes in the Atlassian IDE Plugin 1.6.1 for IDEA

Jira Issues			
Key	Summary	Priority	Status
PL-526	Release Notes for Plugin version 1.6.1	↑	 Resolved
PL-522	Enhance a "new version popup" to include a propaganda blurb about a new version and a link to release notes	↑	 Resolved

Atlassian IDE Plugin 1.6 for IDEA - Release Notes

This page last changed on Jan 20, 2009 by [smaddox](#).

10 July 2008

With pleasure, Atlassian presents version 1.6 of the Atlassian IDE Plugin for IDEA. In this release, we have improved the functionality for JIRA issues displayed in the IDEA editor pane. You'll notice a JIRA icon on the tab next to the issue number. A few new controls allow you to expand and collapse sections of the pane. The items in the 'Details' section are now hyperlinked, so that you can click through to the relevant JIRA screen. A new toolbar provides buttons to open the issue for viewing or editing in your browser, or to analyse a stack trace.

The plugin now warns you when a server's SSL certificate is invalid, and gives you the choice of accepting or refusing the connection to the server.

Below is a list of all the fixes and improvements in this release.

The Atlassian IDE Plugin is available for Eclipse too

Take a look at the [release notes](#) for the Eclipse version of the plugin.

Don't have the Atlassian IDE Plugin for IDEA yet?

Take a look at the features in the [\[Plugin User Guide\]](#). Then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

The plugin's blog

From time to time, the plugin development team posts some information on the plugin's [blog](#).

Complete List of Fixes in the Atlassian IDE Plugin 1.6 for IDEA

Jira Issues			
Key	Summary	Priority	Status
PL-399	Create checklist for comprehensive manual tests		Closed
PL-347	Doesn't seem to work properly when you have multiple frames/instances of IntelliJ open		Closed
PL-439	Documentation for IDEA plugin 1.6		Resolved
PL-432	Improve JIRA issue view		Closed
PL-427	make links in the JIRA editor panel's "description" field clickable (i.e. launch browser)		Closed
PL-413	Documentation for IDEA plugin 1.5		Closed
PL-403	A NPE occurs on testing connection		Closed
PL-385	"Check now" button does not work correctly in presence of a proxy		Closed
PL-429	add JIRA icon next to the issue name in the tab of the JIRA "editor" panel		Closed

Atlassian IDE Plugin 1.5 for IDEA - Release Notes

This page last changed on Jan 20, 2009 by [smaddox](#).

23 June 2008

With pleasure, Atlassian presents version 1.5 of the Atlassian IDE Plugin for IDEA. This release includes a number of bug fixes plus some a nice new features:

- You can now open a JIRA issue in the IDEA editor pane.
- In the editor pane, click a link to open a stack trace.
- The clickable stack traces open in IDEA's output tool window, showing a tab for each JIRA issue.
- The editor pane also displays the issue's comments and allows you to add a new comment.
- When logging work against a JIRA issue, you can choose to adjust the time remaining manually, allow JIRA to adjust the time automatically based on your work logged, or leave the estimate as it was before you logged the work.
- You can now configure the plugin to use IDEA's proxy settings or to bypass IDEA's proxy settings altogether.

The Atlassian IDE Plugin is available for Eclipse too

Take a look at the [release notes](#) for the Eclipse version of the plugin.

Don't have the Atlassian IDE Plugin for IDEA yet?

Take a look at the features in the [\[Plugin User Guide\]](#). Then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

The plugin's blog

The plugin's team from time to time posts some info on the plugin's [blog](#)

Complete List of Fixes in the Atlassian IDE Plugin 1.5 for IDEA

Jira Issues			
Key	Summary	Priority	Status
PL-415	IDE Fatal Error: Component name collision		 Closed
PL-408	"String index out of range: -1" after refresh in JIRA view		 Closed
PL-40	An in IDE view of the issue, focussing on stack traces and related code pieces		 Closed
PL-34	Review creation dialog in the IDE rather than in the web browser		 Closed
PL-20	Create review upon commit with a single click, including issue key (from commit message) and files - bounces to web		 Closed
PL-418	AIOOB after dbl-clicking on a Crucible review		 Closed
PL-397	Add new JIRA project for Eclipse		 Closed
PL-424	implement heuristics to detect if a comment or decription actually contains a stack trace and only show "Analyse stack		 Closed

	trace" link if this is the case		
PL-421	add option to not use IDEA proxy settings by the plugin	↑	 Closed
PL-417	JIRA - show JIRA view in the editor panel, showing and allowing creation of comments	↑	 Closed
PL-412	NPE on startup while setting Axis properties	↑	 Closed
PL-391	When logging work, allow manually adjusting remaining estimate instead of auto-adjusting it	↑	 Closed
PL-390	When logging work, allow leaving remaining estimate untouched instead of auto-adjusting it	↑	 Closed
PL-379	Documentation for IDE Plugin 1.4	↑	 Closed
PL-281	Crucible: Expand a list of files (like expanding intellij search results) ideally linked to the file in the editor if it exists	↑	 Closed
PL-157	Review creation from the "changes" toolwindow	↑	 Closed
PL-423	Textual change to stack trace link on issue in IDEA editor pane	↓	 Closed
PL-256	"Blame Atlassian" not blame-y enough	↓	 Closed

Atlassian IDE Plugin 1.4 Release Notes

This page last changed on Jan 20, 2009 by [smaddox](#).

6 June 2008

With pleasure, Atlassian presents the Atlassian IDE Plugin version 1.4.

New! The plugin in Eclipse.

This release brings the first phase of our support for [Eclipse](#), with the following features:

- Install and configure the plugin in Eclipse.
- View your build information via the plugin's Bamboo tab.

More features for the plugin in IDEA

There are some good fixes and improvements for the [IDEA](#) version of the plugin. Here are the highlights:

- The Crucible reviews are grouped according to Crucible Dashboard filters, making it easier for you to see the status of each review.
- The context menu for JIRA issues includes workflow actions. For example, you can now start progress, stop progress, etc. For simple actions, just click the menu option to complete the action. If the action needs more information, it will open in a browser window.
- When logging time against a JIRA issue, you can optionally stop progress.

Don't have the Atlassian IDE Plugin yet?

Take a look at the new features and other highlights in the [Plugin 1.0 Release Notes](#). Then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

Complete List of Fixes in the Atlassian IDE Plugin 1.4

Jira Issues			
Key	Summary	Priority	Status
PL-376	Proxy authentication problems on IDEA startup		Closed
PL-360	Create Changelist fails to add new changelist item		Closed
PL-377	when logging work for JIRA issue, allow to optionally stop progress		Closed
PL-374	remove xml-apis from the dependencies of commons		Closed
PL-373	A NPE occurs while adding new JIRA Server		Closed
PL-364	Add help button to log work dialog		Closed
PL-362	Textual changes on General configuration tab		Closed
PL-336	Can't create issue / NullPointerException / IntelliJ Bugg?		Closed
PL-306	Reviews I've completed yet aren't yet summarised are still shown in the Crucible tab		Closed
PL-279	Crucible Project filters		Closed
PL-276	Show the state of the reviews - e.g. cross them		Closed

out, (un)bold them, or
add a tick mark when
they are complete

PL-389	Change user interface widget used to input effort duration from 4 spinners to validated text field		 Closed
PL-368	Typo in error message		 Closed
PL-357	Help links to unavailable page in Confluence		 Closed
PL-333	Workflow actions in context menu for issues		 Closed

Atlassian IDE Plugin 1.3.1 Release Notes

This page last changed on Jan 20, 2009 by [smaddox](#).

27 May 2008

Atlassian is delighted to present the Atlassian IDE Plugin version 1.3.1. This is mostly a bug-fix release.

The new feature of this release is:

- The Log Work window now allows you to enter an end date. The plugin will calculate start date based on the worklog entries

Below is a complete list of the fixes and enhancements in this release.

Don't have the Atlassian IDE Plugin yet?

Take a look at the new features and other highlights in the [Plugin 1.0 Release Notes](#). Then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

Complete List of Fixes in the Atlassian IDE Plugin 1.3.1

Jira Issues			
Key	Summary	Priority	Status
PL-367	in the filter config panel, "fix for" version list box always shows version for the first ever selected project.		Closed
PL-369	Issue type dropdown list has duplicate values when creating JIRA issue		Closed
PL-361	Fix typo 'snaphot' on General configuration tab		Closed
PL-359	Create new Issue doesn't show Types		Closed
PL-356	Plugin home page in IDEA plugin manager should point to CAC documentation space		Closed
PL-355	Documentation for IDE Plugin 1.3.0		Closed
PL-334	Log Work screen to have start date or end date		Closed

Atlassian IDE Plugin 1.3 Release Notes

This page last changed on Jan 20, 2009 by smaddox.

26 May 2008

Atlassian is delighted to present the Atlassian IDE Plugin version 1.3. Highlights of this release include:

- When creating a JIRA issue, you can now assign it to anyone. When dealing with an existing issue, you can assign it to yourself or someone else.
 - If a JIRA or Bamboo server is not available, the plugin will display an indication on the JIRA or Bamboo tab.
- Below is a complete list of the fixes and enhancements in this release.

Don't have the Atlassian IDE Plugin yet?

Take a look at the new features and other highlights in the [Plugin 1.0 Release Notes](#). Then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

Complete List of Fixes in the Atlassian IDE Plugin 1.3

Jira Issues			
Key	Summary	Priority	Status
PL-353	Eclipse - display information about a single Bamboo build	↑	 Closed
PL-339	Allow assigning issue to myself or somebody else	↑	 Closed
PL-338	add method to Crucible's REST API to get reviews based on advanced filter	↑	 Closed
PL-311	IDE freezes momentarily when clicking + button to add a JIRA	↑	 Closed
PL-305	On creating a new JIRA, you should be able to assign it to a user other than the default assignee	↑	 Closed
PL-296	JIRA icon in configuration should be grey if server is disabled	↑	 Closed
PL-225	indicate in the tool window that you cannot connect to a server (bamboo, crucible, etc.)	↑	 Closed

Atlassian IDE Plugin 1.2.1 Release Notes

This page last changed on Jan 20, 2009 by [smaddox](#).

15 May 2008

Atlassian is delighted to present the Atlassian IDE Plugin version 1.2.1. This is a maintenance release containing various fixes.

Below is a complete list of the fixes and enhancements in this release.

Don't have the Atlassian IDE Plugin yet?

Take a look at the new features and other highlights, then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

Complete List of Fixes in the Atlassian IDE Plugin 1.2.1

Jira Issues			
Key	Summary	Priority	Status
PL-345	Leftclick on JIRA issue casues error and no menu item visible		 Closed
PL-335	Typo in check now dialog		 Closed
PL-332	The build failures are not reported on upgrade to 1.2.0		 Closed
PL-329	saved filters no longer work		 Closed
PL-313	The "Bad credentials" message is not very user friendly		 Closed
PL-307	Project and column should be right-justified		 Closed

Atlassian IDE Plugin 1.2 Release Notes

This page last changed on Jan 20, 2009 by [smaddox](#).

9 May 2008

Atlassian is delighted to present the Atlassian IDE Plugin version 1.2. Highlights of this release include:

- Support for HTTP proxies when [configuring your server connections](#).
- Ability to log time on a [JIRA](#) issue within [IDEA](#).
- Mouse-over tooltips for JIRA issues, showing detailed content of the JIRA ticket.

Developers will be interested to know that the plugin now communicates with JIRA via SOAP rather than XML-RPC. We needed SOAP to enable the JIRA time-logging feature mentioned above, so we have decided to move away from XML-RPC altogether.

Below is a complete list of the fixes and enhancements in this release.

[Don't have the Atlassian IDE Plugin yet?](#)

Take a look at the new features and other highlights in the [Plugin 1.0 Release Notes](#). Then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

Complete List of Fixes in the Atlassian IDE Plugin 1.2

Jira Issues			
Key	Summary	Priority	Status
PL-328	Documentation for IDE Plugin 1.2.0	↑	 Closed
PL-290	Add mouseover tooltips for 'Key', 'Summary'	↑	 Closed
PL-248	Tooltip with extended issue info when mousing over in JIRA tab	↑	 Closed
PL-244	Log Time via IDEA Plugin	↑	 Closed
PL-224	HTTP proxy suport (w/ and w/o authentication)	↑	 Closed

Atlassian IDE Plugin 1.1 Release Notes

This page last changed on Jan 20, 2009 by smaddox.

25 April 2008

Atlassian is delighted to present the Atlassian IDE Plugin version 1.1.1. This is principally a bug-fix release.

Below is a list of the fixes and enhancements in this release.

You may notice that we have skipped version 1.1.0. This is because it had a problem which we fixed immediately, so version 1.1.1 is the one you want.

Don't have the Atlassian IDE Plugin yet?

Take a look at the new features and other highlights in the [Plugin 1.0 Release Notes](#). Then follow our easy [installation instructions](#).

This is an open source project. You can get the source code from [our SVN repository](#).

Complete List of Fixes in the Atlassian IDE Plugin 1.1.1

Jira Issues			
Key	Summary	Priority	Status
PL-261	Upgrade does not work properly when only SVN number is different		Closed
PL-242	Odd Crucible URL behaviour		Closed
PL-234	Empty plugin window when configuration file is missing		Closed
PL-236	Plugins stops refreshing build status		Closed
PL-172	IDEA exception: Using deprecated method will cease to exist in IDEA 7.0 final release		Closed
PL-310	Release notes for Plugin version 1.1		Closed
PL-294	NullPointerException using the Atlassian Jira IDEA Plugin		Closed
PL-286	NPE when trying to edit Jira filters		Closed
PL-270	Missing JIRA password doesn't stop progress animation		Closed
PL-265	the LICENSE file should be deployed in the plugin's zip file (in META-INF?)		Closed
PL-264	NPE after leaving the IDEA unattended for an hour		Closed
PL-262	RPC not supported or remote error: java.lang.NoSuchMethodException: com.atlassian.jira.rpc.xmlrpc.JiraXmlRpcService.getComponents() when I call Test Connection		Closed
PL-250	I want to be able to edit changeset comment when		Closed

	creating changeset from JIRA issue		
PL-246	When I want to "check now" and select "unstable version" it is ignored until I press Apply	↑	 Closed
PL-235	Missing informaion about server type in configuration window	↑	 Closed
PL-232	more responsiveness when fetching drop down list items	↑	 Closed
PL-227	CrucibleSessionImpl exception	↑	 Closed
PL-214	JIRA does not support MissingPassword functionality	↑	 Closed
PL-199	Plugin makes frequent requests for DTD resources from w3.org	↑	 Closed
PL-148	Plugin should show sth like "Refreshing" in tool window (e.g. in top or bottom) after user changes something in plugin settings and clicked on apply.	↑	 Closed

Cheers,

The Atlassian IDE Plugin development team

Atlassian IDE Plugin 1.0 Release Notes

This page last changed on Jan 20, 2009 by [smaddox](#).

10 April 2008

Atlassian is delighted to present the Atlassian IDE Plugin. The plugin is an addon for your integrated development environment (IDE). It allows you to pull in and work with the Atlassian products within your IDE. Now you don't have to switch between websites, email messages and news feeds to see what's happening to your project and your code. Instead, you can see the relevant [JIRA](#) issues, [Bamboo](#) build information and [Crucible](#) reviews right there in your development environment.

We are releasing version 1.0 of the plugin as a work in progress. Let us know what you think of it! Log your praise, ideas, feature requests and other issues in our [JIRA issue tracker](#).

At the moment, the Atlassian IDE Plugin is available for [IDEA 7.0.2](#) and above. In the future we will develop plugins for other IDEs, such as [Eclipse](#) and [Visual Studio](#).

Want it?

Follow our easy [installation instructions](#).


This is an open source project. You can get the source code from [our SVN repository](#).

Use these Atlassian products right there in your IDE

1

JIRA — because you've got issues


- [Use JIRA](#) integrated into your IDE.
- [Connect](#) to one or more JIRA servers.
- View all relevant JIRA feature requests, bug reports and other issues.
- Add a new issue or comment on an existing one.
- Create a changelist based on an issue, automatically adding the issue name as a comment when you commit the changes. (A changelist, or change set, is a collection of code changes committed at the same time.)



2

Bamboo — the Zen of continuous integration


- [Monitor your builds](#) while you work.
- [Connect](#) to one or more Bamboo servers.
- An icon in the IDE status bar glows green or red, showing the latest build status.
- When a build fails, a popup window warns you of the problem.
- View your Bamboo plans, add labels and comments, and re-run a build when necessary.



3

Crucible — peer code review made painless

- [Monitor your code reviews](#) within your IDE.
- [Connect](#) to one or more Crucible servers.
- An icon in the IDE status bar lets you know when a review needs your attention.
- A popup window appears whenever a new pending review is created.
- Kick off a review of the code you have just written.



Known Issues in This Release

We have an enthusiastic and dedicated group of testers and customers who jump in there, try out the new Atlassian IDE Plugin release, and report any problems so that we can fix them quickly. Here's a [list of known issues](#).

A big [thank you](#) to everyone who provides feedback. Please keep logging issues and voting for them. And we'll keep plugging away at improving the plugin!

Configuring the IntelliJ Connector

This page last changed on Feb 11, 2009 by [smaddox](#).

This page tells you how to configure your Atlassian IntelliJ Connector within [IntelliJ IDEA](#). Before following the steps below, please make sure that you have installed the connector, as described in the [Installation Guide](#).

i The connector configuration panels display the version number and the SVN repository version of the Atlassian IntelliJ Connector that you are currently using.

The Atlassian IntelliJ Connector stores configuration settings at two levels in IntelliJ IDEA:

- Server connections are stored as project settings in IntelliJ IDEA. Project settings allow you to share the same server connections with other members of your project team. Additionally, if you work on more than one project, this allows you to configure different servers for each project. Project-level settings can be stored in your source control repository, so that the connector will load the settings at the same time as loading the project into IDEA.
- Other options are stored as IDE settings in IntelliJ IDEA. IDE settings allow each developer to configure their own workspace-specific settings, such as polling intervals and the behaviour of notification popups.

On this page:

- [Configuring Servers and Display Options](#)
- - [Configuring your JIRA Server Connections](#)
 - [Configuring your JIRA Options](#)
 - [Configuring your Bamboo Server Connections](#)
 - [Configuring your Bamboo Options](#)
 - [Configuring your Crucible Server Connections](#)
 - [Configuring your Crucible Options](#)
 - [Configuring FishEye and Crucible Connections on Same Server](#)
 - [Configuring a Separate FishEye Server Connection](#)
- [Removing a Server Connection](#)
- [Configuring General Options](#)
- - [Automatic Upgrade](#)
 - [Manual Upgrade](#)
 - [HTTP Proxy](#)
 - [Collection of Statistics](#)
- [Reporting Bugs and Requesting New Features](#)
- [Getting Help](#)

Configuring Servers and Display Options

Configuring your JIRA Server Connections

To configure your JIRA server connection(s):

1. Go to the 'Project Settings' for the 'Atlassian Connector', by doing one of the following:
 - Open the IDEA 'Settings' dialogue, then go to the 'Project Settings' section and click the 'Atlassian Connector' icon.
 - Or you can click the configuration icon  on your connector window.
2. Go to the 'Servers' tab.

To add a JIRA server:

1. Click the plus icon  on the configuration panel.
2. A list of server types will appear. Select 'Add JIRA Server'.
3. A form will appear. Enter the information as follows:
 - 'Server Enabled' — Leave this checkbox ticked (default). If necessary, you can remove the tick to disable particular servers without deleting them. This is useful if your servers are behind a firewall and you don't have access to them.
 - 'Server Name' — A description of your JIRA server.
 - 'Server URL' — The address of your JIRA server.

- 'Username' and 'Password' — The login name and password you use to access the JIRA server.
- Remember Password — Put a tick in the checkbox if you want to save your password on disk. Leave the checkbox unticked if you want to be asked for a password every time you start your IDE.

i If you choose to remember the password, it is stored in a Base64 encoding, so it is not really secure.


4. Click the 'Test Connection' button to check that the connection to the server works.
5. Click 'Apply' to save your changes and continue with server configuration, or 'OK' to save your changes and close the configuration tab.
6. Click the 'Defaults' tab to set your default server (if you have defined more than one JIRA server) and default project.
7. Now you can configure the JIRA options, as described [below](#).

i You can add more than one JIRA server.


Configuring your JIRA Options

1. Open the IDEA 'Settings' dialogue, then go to the 'IDE Settings' section and click the 'Atlassian Connector' icon.
2. Define the maximum number of issues that the connector will show on each screen. At display time, if there are more issues than specified here, the connector will display a 'Get More Issues...' link allowing you to retrieve the next batch of issues from the server.

Screenshot: Configuring JIRA server connections



Screenshot: Configuring JIRA IDE options



Configuring your Bamboo Server Connections

To configure your Bamboo server connection(s):

1. Go to the 'Project Settings' for the 'Atlassian Connector', by doing one of the following:
 - Open the IDEA 'Settings' dialogue, then go to the 'Project Settings' section and click the 'Atlassian Connector' icon.
 - Or you can click the configuration icon  on your connector window.
2. Go to the 'Servers' tab.

To add a Bamboo server:

1. Click the plus icon  on the configuration panel.
2. A list of server types will appear. Select 'Add Bamboo Server'.
3. A form will appear. Enter the information as follows:
 - 'Server Enabled' — Leave this checkbox ticked (default). If necessary, you can remove the tick to disable particular servers without deleting them. This is useful if your servers are behind a firewall and you don't have access to them.
 - 'Server Name' — A description of your Bamboo server.
 - 'Server URL' — The address of your Bamboo server.
 - 'Username' and 'Password' — The login name and password you use to access the Bamboo server.
 - Remember Password — Put a tick in the checkbox if you want to save your password on disk. Leave the checkbox unticked if you want to be asked for a password every time you start your IDE.
4. Click the 'Test Connection' button to check that the connection to the server works. A list of build plans will appear.
5. If your Bamboo build server is located in a different time zone than you, you can manually adjust the 'Time Zone Difference'. You should specify a positive difference if your time is ahead of your build server (e.g. you are in Russia and the build server is in the UK). You should specify a negative difference if your time is behind your build server (e.g. you are in the US and your build server is in Spain).
6. Now select the Build Plans that the connector will watch. You can either select plans manually from the list of plans defined on the Bamboo server, or simply use your favourite plans as defined on the server. Your favourite plans are marked with a yellow star .
7. Click 'Apply' to save your changes and continue with server configuration, or 'OK' to save your changes and close the configuration tab.
8. Now you can configure the Bamboo options, as described [below](#).

 You can add more than one Bamboo server.

Configuring your Bamboo Options

1. Open the IDEA 'Settings' dialogue, then go to the 'IDE Settings' section and click the 'Atlassian Connector' icon.
2. Define the behaviour of the popup window that is shown when the status of the build changes. (See [Working with Bamboo Builds in IDEA.](#))
3. Set the polling interval that the connector will use to monitor build plans on all defined Bamboo servers. Specify the value in minutes.

Configuring your Crucible Server Connections

To configure your Crucible server connection(s):

1. Go to the 'Project Settings' for the 'Atlassian Connector', by doing one of the following:
 - Open the IDEA 'Settings' dialogue, then go to the 'Project Settings' section and click the 'Atlassian Connector' icon.
 - Or you can click the configuration icon  on your connector window.
2. Go to the 'Servers' tab.

To add a Crucible server:

1. Click the plus icon  on the configuration panel.
2. A list of server types will appear. Select 'Add Crucible Server'.
3. A form will appear. Enter the information as follows:
 - 'Server Enabled' — Leave this checkbox ticked (default). If necessary, you can remove the tick to disable particular servers without deleting them. This is useful if your servers are behind a firewall and you don't have access to them.
 - 'Server Name' — A description of your Crucible server.
 - 'Server URL' — The address of your Crucible server.
 - 'Username' and 'Password' — The login name and password you use to access the Crucible server.
 - Remember Password — Put a tick in the checkbox if you want to save your password on disk. Leave the checkbox unticked if you want to be asked for a password every time you start your IDE.
 -  If you choose to remember the password, it is stored in a Base64 encoding, so it is not really secure.
4. Click the 'Test Connection' button to check that the connection to the server works.
5. If your Crucible server is linked to a FishEye server, put a tick in the checkbox labelled 'Crucible Server Contains FishEye Instance'. Remember to set up your FishEye defaults, as described in [Configuring your FishEye Options in IDEA.](#)
 -  Don't worry if you do not have a FishEye server. There is very little effect on the connector's functionality. The only thing you will not be able to do, is to access a FishEye diff view of the source code under review.
6. Click 'Apply' to save your changes and continue with server configuration.
7. Click the 'Defaults' tab to set up a default Crucible server, project and repository. These defaults will be used when you create a review directly from your source within IDEA.
8. Now you can configure the Crucible options, as described [below](#).

 You can add more than one Crucible server.

Configuring your Crucible Options

1. Open the IDEA 'Settings' dialogue, then go to the 'IDE Settings' section and click the 'Atlassian Connector' icon.
2. Define the behaviour of the popup window that is shown when someone adds a Crucible review that affects you. (See [Working with Crucible Reviews in IDEA.](#))
3. Set the polling interval that the connector will use to monitor all defined Crucible servers. Specify the value in minutes.

Configuring FishEye and Crucible Connections on Same Server

If you have FishEye and Crucible running on the same server, then you can use your Crucible server configuration for the connector's FishEye functionality too:

1. Simply put a tick in the checkbox labelled 'Crucible Server Contains FishEye Instance' on the Crucible server configuration screen.
2. Then set up your FishEye defaults, as described [below](#).

Crucible server configuration is described in full in [Configuring your Crucible Options in IDEA](#).

i You can add more than one Crucible and/or FishEye server.

Configuring a Separate FishEye Server Connection

To configure a FishEye server connection independently of Crucible:

1. Go to the 'Project Settings' for the 'Atlassian Connector', by doing one of the following:
 - Open the IDEA 'Settings' dialogue, then go to the 'Project Settings' section and click the 'Atlassian Connector' icon.
 - Or you can click the configuration icon  on your connector window.
2. Go to the 'Servers' tab.
3. Click the plus icon  on the configuration panel.
4. A list of server types will appear. Select 'Add FishEye Server'.
5. A form will appear. Enter the information as follows:
 - 'Server Enabled' — Leave this checkbox ticked (default). If necessary, you can remove the tick to disable particular servers without deleting them. This is useful if your servers are behind a firewall and you don't have access to them.
 - 'Server Name' — A description of your FishEye server.
 - 'Server URL' — The address of your FishEye server.
 - 'Username' and 'Password' — The login name and password you use to access the FishEye server.
 - Remember Password — Put a tick in the checkbox if you want to save your password on disk. Leave the checkbox unticked if you want to be asked for a password every time you start your IDE.

i If you choose to remember the password, it is stored in a Base64 encoding, so it is not really secure.
6. Click the 'Test Connection' button to check that the connection to the server works.
7. Click 'Apply' to save your changes and continue with server configuration.
8. Click the 'Defaults' tab and set up your FishEye defaults. **i** It is important to configure your FishEye defaults correctly. These values will be used to construct the path when you attempt to open a source file from IDEA in FishEye's web interface. See [Working with your FishEye Repository View in IDEA](#). Set the default values as follows:
 - Server — Select one of your FishEye connections.
 - Repository — Select the repository where your source files reside. These are the source files you will be working on most often in IDEA.
 - Path to Project — Enter the path to the root of the project in your repository. For example, the path may be one of the following:
 - blank, if your project is at the root of the repository.
 - trunk/
 - trunk/myproject

Example of Default Repository and Path

Let's assume:

- Your FishEye instance is located at:

`http://example.com/fisheye`

- You have a repository called `my_project`.
- You are working under the `trunk` directory under this project.

Your settings will be:

Default Repository	<code>my_project</code>
Path to Project	<code>trunk/</code>

Removing a Server Connection

To remove a server from the list:

1. Select the server.
2. Click the minus icon  on the configuration panel.

Configuring General Options

Screenshot: General tab of the connector IDE Settings panel



The 'General' tab is used to define the upgrade options for your connector, configure an HTTP proxy and set other options as described below.

Automatic Upgrade

The connector's auto-upgrade feature, if enabled, will prompt you to install the most recent version of the connector when available.

To configure the connector's auto-upgrade feature:

1. Put a tick in the 'Enabled (stable version)' checkbox to enable the connector auto-upgrade feature. The connector will check for the latest available stable (released) version of the connector.
2. Put a tick in the 'Check snapshot versions' checkbox if the auto-upgrade should include unstable (development) versions of the connector as well as stable versions.

Manual Upgrade

To check immediately for the latest version of the connector:

1. Select one of the radio buttons as follows:
 - Stable only — The connector will check for the latest available stable (released) version of the connector.
 - Stable + snapshot — The connector will check for the latest version, including unstable (development) versions of the connector as well as stable versions.
2. Click the 'Check now' button.

For more details, refer to [Upgrading the IntelliJ Connector](#).

HTTP Proxy

You can configure the connector to use IDEA's proxy settings or to bypass IDEA's proxy settings altogether. If the connector is using IDEA's proxy settings, you can configure the settings here too.

To use IDEA's proxy settings:

1. Select the 'Use IDEA proxy settings' radio button.
2. Click the 'Edit IDEA proxy settings' button. A dialogue will appear, similar to this screenshot:



3. Enter the required settings and click the 'OK' button. If your proxy requires a domain name in addition to username, enter the information in the format `domain\user`.
4. Restart IDEA for your changes to take effect.

Collection of Statistics

Put a tick in the 'Report anonymous usage statistics' checkbox if you are happy for us to collect information on the connector usage. If you agree to take part, the connector will send [Atlassian](#) the unique ID generated by the connector on its first installation. No other information is collected.

This feature is disabled by default. When you first open the connector configuration panel, we also ask you to decide whether you agree to participate in the statistics collection.

Reporting Bugs and Requesting New Features

Click the following links on the Project Settings or IDE Settings panel:

- Report Bug — This will open a bug-creation page in the connector's [JIRA issue tracker](#). It will automatically populate the connector version number and details of the environment (Java version and vendor, OS details, build number of your IDE).

- Request Feature — This will open an issue-creation page of the 'Story' type in the connector's [JIRA issue tracker](#). Use this issue type to request new connector functionality.

Getting Help

Click the 'Help' link on the Project Settings or IDE Settings panel. This will open the online documentation page which tells you how to configure the connector — namely, this page. From here, you can click the links to view other online documentation pages.

If you're looking for support or other help, please take a look at the links on our [documentation home page](#).

RELATED TOPICS

[Installation and Upgrade Guide for the IntelliJ Connector](#)

[Using JIRA in the IntelliJ Connector](#)

[Using Bamboo in the IntelliJ Connector](#)

[Using Crucible in the IntelliJ Connector](#)

Using Bamboo in the IntelliJ Connector

This page last changed on Feb 04, 2009 by [smaddox](#).

The Atlassian IntelliJ Connector gives you [Bamboo](#) build information right there in your integrated development environment.

Before reading the information below, please make sure that you have installed the Atlassian IntelliJ Connector, as described in the [Installation Guide](#).

- [Configuring your Bamboo Options in IDEA](#)
- [Working with Bamboo Builds in IDEA](#)

RELATED TOPICS

[Installation and Upgrade Guide for the IntelliJ Connector](#)

Configuring your Bamboo Options in IDEA

This page last changed on Feb 05, 2009 by [smaddox](#).

Before reading the information below, please make sure that you have installed the Atlassian IntelliJ Connector, as described in the [Installation Guide](#).

The Atlassian IntelliJ Connector stores configuration settings at two levels in IntelliJ IDEA:

- Server connections are stored as project settings in IntelliJ IDEA. Project settings allow you to share the same server connections with other members of your project team. Additionally, if you work on more than one project, this allows you to configure different servers for each project. Project-level settings can be stored in your source control repository, so that the connector will load the settings at the same time as loading the project into IDEA.
- Other options are stored as IDE settings in IntelliJ IDEA. IDE settings allow each developer to configure their own workspace-specific settings, such as polling intervals and the behaviour of notification popups.

On this page:

- [Configuring your Bamboo Server Connections](#)
- [Configuring your Bamboo Options](#)

Configuring your Bamboo Server Connections

To configure your Bamboo server connection(s):

1. Go to the 'Project Settings' for the 'Atlassian Connector', by doing one of the following:
 - Open the IDEA 'Settings' dialogue, then go to the 'Project Settings' section and click the 'Atlassian Connector' icon.
 - Or you can click the configuration icon  on your connector window.
2. Go to the 'Servers' tab.

To add a Bamboo server:


1. Click the plus icon  on the configuration panel.
2. A list of server types will appear. Select 'Add Bamboo Server'.
3. A form will appear. Enter the information as follows:
 - 'Server Enabled' — Leave this checkbox ticked (default). If necessary, you can remove the tick to disable particular servers without deleting them. This is useful if your servers are behind a firewall and you don't have access to them.
 - 'Server Name' — A description of your Bamboo server.
 - 'Server URL' — The address of your Bamboo server.
 - 'Username' and 'Password' — The login name and password you use to access the Bamboo server.
 - Remember Password — Put a tick in the checkbox if you want to save your password on disk. Leave the checkbox unticked if you want to be asked for a password every time you start your IDE.
-  If you choose to remember the password, it is stored in a Base64 encoding, so it is not really secure.
4. Click the 'Test Connection' button to check that the connection to the server works. A list of build plans will appear.
5. If your Bamboo build server is located in a different time zone than you, you can manually adjust the 'Time Zone Difference'. You should specify a positive difference if your time is ahead of your build server (e.g. you are in Russia and the build server is in the UK). You should specify a negative difference if your time is behind your build server (e.g. you are in the US and your build server is in Spain).
6. Now select the Build Plans that the connector will watch. You can either select plans manually from the list of plans defined on the Bamboo server, or simply use your favourite plans as defined on the server. Your favourite plans are marked with a yellow star .
7. Click 'Apply' to save your changes and continue with server configuration, or 'OK' to save your changes and close the configuration tab.
8. Now you can configure the Bamboo options, as described [below](#).

 You can add more than one Bamboo server.


Configuring your Bamboo Options

1. Open the IDEA 'Settings' dialogue, then go to the 'IDE Settings' section and click the 'Atlassian Connector' icon.
2. Define the behaviour of the popup window that is shown when the status of the build changes. (See [Working with Bamboo Builds in IDEA.](#))
3. Set the polling interval that the connector will use to monitor build plans on all defined Bamboo servers. Specify the value in minutes.

Screenshot: Configuring Bamboo server connections



Screenshot: Configuring Bamboo IDE options



RELATED TOPICS

- [Working with Bamboo Builds in IDEA](#)
- [Installation and Upgrade Guide for the IntelliJ Connector](#)

Working with Bamboo Builds in IDEA

This page last changed on Feb 09, 2009 by [smaddox](#).

The Atlassian IntelliJ Connector lets you monitor and act upon your [Bamboo](#) builds from within [IntelliJ IDEA](#).

Prerequisites

Please make sure that you have installed the Atlassian IntelliJ Connector, as described in the [Installation Guide](#), and defined at least one Bamboo server, as described in the [Configuration Guide](#).

Summary of What You Can Do

Below are the highlights of the functionality supplied by the IntelliJ Connector for viewing and acting upon Bamboo build information within IDEA. In the list below, each item is linked to the relevant section on this page. Please read the rest of the page for a full reference guide.

- Receive [notifications](#) of failed builds
- [Re-run](#) a build
- Open the Bamboo [build details](#) in an IDEA output tool window
- View a Bamboo [build log](#)
- View [failed tests and stack traces](#)
- Click a link in a stack trace to [go directly to the code](#) that failed
- Re-run a [failed test](#)
- View [changed files](#)
- Compare the build version of a file with your [local version](#)
- Compare the build version of a file with the previous [repository version](#)
- [Open the repository version](#) of a file in your IDEA editor
- [Comment](#) on a Bamboo build
- [Label](#) a Bamboo build

Sections on this page:

- [Prerequisites](#)
- [Summary of What You Can Do](#)
- [Watching the Bamboo Status Icon and Popup](#)
- [Accessing the Bamboo Builds Tab in IDEA](#)
- [Using the Bamboo Builds Tab](#)
- [Viewing and Acting Upon Builds](#)

Watching the Bamboo Status Icon and Popup

After you have defined [the Bamboo servers and builds to monitor](#), the Bamboo icon  in the status bar shows the summary status of your builds. If at least one build is currently failing, the icon is **red**, otherwise it is **green**.

Screenshot: Bamboo status icon in the IDEA status bar




The screenshot above shows a red Bamboo status icon in the status bar, with the tooltip 'Some builds failed. Click to see details.'

If the Bamboo tab is not already open, you can click the status icon to open the Bamboo tab in the connector window, where detailed information is shown. See [below](#).

In addition, when the summary status changes (e.g. a build fails), a popup window appears to warn you of the problem. You can configure the behaviour of the popup, as described in [the Configuration Guide](#).

Screenshot: [Bamboo build notification](#)



Accessing the Bamboo Builds Tab in IDEA

To open the connector's Bamboo tab in IDEA, you can do one of the following:

- Click the Bamboo status icon  in the IDEA status bar. The icon may be red or green.
- Or click the Atlassian Connector control button at the bottom of the IDEA screen:



Then select the Bamboo tab in the connector window toolbar:




Using the Bamboo Builds Tab

The Bamboo builds tab shows information about all builds on all servers defined in the [connector configuration panel](#). You can filter your builds by server, project or state and then group them by server, project, state or date.

 The set of information is different for Bamboo 1.x and Bamboo 2.x servers. Bamboo 2.x servers can return more detailed information than Bamboo 1.x.

Screenshot: The Bamboo builds tab in the connector window



Using the Toolbar

The tool bar in the Bamboo builds tab provides the following functionality:

<p>Filter By <input type="text" value="Project"/></p>	<p>Define the method of filtering your build display, as shown in the left-hand column of the Bamboo builds tab. You can choose:</p> <ul style="list-style-type: none"> • None — Display a flat list of builds, without any filtering. The left-hand column of the Bamboo builds tab will disappear, so that you see only the list of builds. • Server — Filter the builds per Bamboo server. • Project — Filter the builds by project. • State — Filter the builds by build status.
<p>Group By <input type="text" value="Project"/></p>	<p>Divide the list of Bamboo builds into groups. You can choose:</p> <ul style="list-style-type: none"> • None — Display a flat list of builds, in no particular order. • State — Display the issues per build status. For example, this would group all successful builds under one heading and all failed builds under another heading. • Project — Display the builds per project. • Server — Display the builds per server, if you have selected more than one Bamboo server. • Date — Group the builds depending on the date last run. The connector groups

	the issues into logical time periods: today, yesterday, last week, etc.
	Open the connector configuration panel.
	Refresh the contents of the list by polling the configured Bamboo servers.
	Open all the build groups, so that you can see the list of builds under every heading.
	Close all the build lists for all groups, so that you can see only the group headings.
	Open the selected build in an IDEA output tool window. See below .
	Open the selected build in your browser, using the Bamboo user interface.
	Re-run the selected build.
	Label a build.
	Add a comment to a build.
	Get help on the usage of the Bamboo build tab, i.e. open this documentation page in your browser.
	The search box gives you quick access to a build. Just type the build number into the search box at top right of the Issues tab. The connector will display matching builds as you type.

Using the Context Menu for a Build

You can perform the following functions for each line in the list:

- Double-click a line to open the selected build in an IDEA output tool window. See [below](#).
- Right-click a line to show a popup context menu (also shown in the screenshot above) with actions that can be performed for a Bamboo build. The available actions depend on the version of Bamboo running on your server.
 - Open Build — Open the selected build in an IDEA output tool window. See [below](#).
 - View in Browser — Open the selected build in your browser, using the Bamboo user interface.
 - Run Build — Re-run the last build of the selected plan.
 - Add Label to Build — Label a build.
 - Add Comment to Build — Add a comment to a build.

Viewing and Acting Upon Builds


From the Bamboo builds tab, described [above](#), you can open a Bamboo build in an IDEA output tool window. For example, you can do one of the following:

- Select the build and then click the 'Open Build' icon , or
- Right-click the build line and then select 'Open Build' from the popup context menu.

The build will open in an IDEA output tool window. The window will have a number of tabs, displaying information related to the build.

Viewing Build Details

Screenshot: Bamboo build window, showing the build details



The tool bar provides the following functionality:


	Open the selected build in your browser, using the Bamboo user interface.
	Re-run the last build of the selected build.
	Label a build.
	Add a comment to a build.
	Close the build window in IDEA.

Viewing Build Changes

The 'Changes' tab displays a commit list and the changed files. To access this tab:

1. Go to the Bamboo builds tab in the connector window, described [above](#).
2. Select a build and then click the 'Open Build' icon . The build will open in an IDEA output tool window.
3. Click the 'Changes' tab.

Screenshot: Bamboo build window, showing the changes in the build



You can select a toolbar option or right-click on a file to perform the following actions:


	Open the changed file in your IDEA editor.
	Open a window showing two versions of the changed file (the version in the selected Bamboo build and your local copy) side by side, highlighting the differences between the two versions.
	Open a window showing two versions of the changed file (the version in the selected Bamboo build and the version just before that) side by side, highlighting the differences between the two versions.
	Retrieve the latest version of the file from your source repository and open it in your IDEA editor.
	Remove the folder tree from the display and show a simple list of changed files.
	Display the tree of folders in which the changed files reside.
	If you are showing the folder tree, select this option to open all the folders, so that you can see the list of files under every heading.
	If you are showing the folder tree, select this option to close all the file lists, so that you can see only the folder names.

Viewing Failed Tests

The 'Tests' tab displays a list of the tests which have failed in the selected build. To access this tab:

1. Go to the Bamboo builds tab in the connector window, described [above](#).
2. Select a build and then click the 'Open Build' icon . The build will open in an IDEA output tool window.
3. Click the 'Tests' tab.

Screenshot: Bamboo build window, showing the failed tests in the build



You can perform the following actions:


- Select a test in the left-hand pane to see a stack trace in the right-hand pane.
- Click a hyperlinked file in the stack trace to open the source file in your IDEA editor.
- Right-click a test or a group of tests in the left-hand pane to see a popup context menu, allowing you to:
 - Re-run the tests.
 - Debug the tests.
 - Open the source file in your IDEA editor.

Viewing the Build Log

The 'Build Log' tab displays a full build log for the selected build. To access this tab:

1. Go to the Bamboo builds tab in the connector window, described [above](#).
2. Select a build and then click the 'Open Build' icon . The build will open in an IDEA output tool window.
3. Click the 'Build Log' tab.

Screenshot: Bamboo build window, showing the build log



You can click a hyperlinked file in the log to open the file in your IDEA editor.

RELATED TOPICS

- [Installation and Upgrade Guide for the IntelliJ Connector](#)
- [Configuring the IntelliJ Connector](#)
- [Using Bamboo in the IntelliJ Connector](#)
- [Using Crucible in the IntelliJ Connector](#)
- [Using FishEye in the IntelliJ Connector](#)
- [Using JIRA in the IntelliJ Connector](#)
- [IntelliJ Connector FAQ](#)

Using Crucible in the IntelliJ Connector

This page last changed on Feb 05, 2009 by [smaddox](#).

The Atlassian IntelliJ Connector allows you to conduct [Crucible](#) reviews right there in your integrated development environment.

Before reading the information below, please make sure that you have installed the Atlassian IntelliJ Connector, as described in the [Installation Guide](#).

- [Configuring your Crucible Options in IDEA](#)
- [Working with Crucible Reviews in IDEA](#)

RELATED TOPICS

[Installation and Upgrade Guide for the IntelliJ Connector](#)

Refer to the [Crucible documentation](#) for more information about Crucible reviews.

Configuring your Crucible Options in IDEA

This page last changed on Feb 05, 2009 by [smaddox](#).

Before reading the information below, please make sure that you have installed the Atlassian IntelliJ Connector, as described in the [Installation Guide](#).

The Atlassian IntelliJ Connector stores configuration settings at two levels in IntelliJ IDEA:

- Server connections are stored as project settings in IntelliJ IDEA. Project settings allow you to share the same server connections with other members of your project team. Additionally, if you work on more than one project, this allows you to configure different servers for each project. Project-level settings can be stored in your source control repository, so that the connector will load the settings at the same time as loading the project into IDEA.
- Other options are stored as IDE settings in IntelliJ IDEA. IDE settings allow each developer to configure their own workspace-specific settings, such as polling intervals and the behaviour of notification popups.

On this page:

- [Configuring your Crucible Server Connections](#)
- [Configuring your Crucible Options](#)

Configuring your Crucible Server Connections

To configure your Crucible server connection(s):

1. Go to the 'Project Settings' for the 'Atlassian Connector', by doing one of the following:
 - Open the IDEA 'Settings' dialogue, then go to the 'Project Settings' section and click the 'Atlassian Connector' icon.
 - Or you can click the configuration icon  on your connector window.
2. Go to the 'Servers' tab.

To add a Crucible server:


1. Click the plus icon  on the configuration panel.
2. A list of server types will appear. Select 'Add Crucible Server'.
3. A form will appear. Enter the information as follows:
 - 'Server Enabled' — Leave this checkbox ticked (default). If necessary, you can remove the tick to disable particular servers without deleting them. This is useful if your servers are behind a firewall and you don't have access to them.
 - 'Server Name' — A description of your Crucible server.
 - 'Server URL' — The address of your Crucible server.
 - 'Username' and 'Password' — The login name and password you use to access the Crucible server.
 - Remember Password — Put a tick in the checkbox if you want to save your password on disk. Leave the checkbox unticked if you want to be asked for a password every time you start your IDE.
-  If you choose to remember the password, it is stored in a Base64 encoding, so it is not really secure.
4. Click the 'Test Connection' button to check that the connection to the server works.
5. If your Crucible server is linked to a FishEye server, put a tick in the checkbox labelled 'Crucible Server Contains FishEye Instance'. Remember to set up your FishEye defaults, as described in [Configuring your FishEye Options in IDEA](#).
-  Don't worry if you do not have a FishEye server. There is very little effect on the connector's functionality. The only thing you will not be able to do, is to access a FishEye diff view of the source code under review.
6. Click 'Apply' to save your changes and continue with server configuration.
7. Click the 'Defaults tab' to set up a default Crucible server, project and repository. These defaults will be used when you create a review directly from your source within IDEA.
8. Now you can configure the Crucible options, as described [below](#).

 You can add more than one Crucible server.


Configuring your Crucible Options

1. Open the IDEA 'Settings' dialogue, then go to the 'IDE Settings' section and click the 'Atlassian Connector' icon.
2. Define the behaviour of the popup window that is shown when someone adds a Crucible review that affects you. (See [Working with Crucible Reviews in IDEA.](#))
3. Set the polling interval that the connector will use to monitor all defined Crucible servers. Specify the value in minutes.

Screenshot: Configuring Crucible server connections



Screenshot: Configuring Crucible IDE options



RELATED TOPICS

- [Working with Crucible Reviews in IDEA](#)
- [Installation and Upgrade Guide for the IntelliJ Connector](#)

Working with Crucible Reviews in IDEA

This page last changed on Feb 12, 2009 by [smaddox](#).

The Atlassian IntelliJ Connector allows you to conduct [Crucible](#) reviews from within [IntelliJ IDEA](#). You can complete the full review lifecycle within IDEA — create a review from your source code, make comments directly against the source code in your editor, view the comments, reply to comments and look at the diffs.

Prerequisites

Please make sure that you have installed the Atlassian IntelliJ Connector, as described in the [Installation Guide](#), and defined at least one Crucible server, as described in the [Configuration Guide](#).

Summary of What You Can Do

Below are the highlights of the functionality supplied by the IntelliJ Connector for conducting Crucible reviews within IDEA. In the list below, each item is linked to the relevant section on this page. Please read the rest of the page for a full reference guide.

- Receive [notifications](#) of new and updated reviews
- View your [filtered reviews](#) within IDEA
- View the [review details and comments](#) in an IDEA output tool window
- [Create](#) a review
- [View the source code](#) that is under review
- View the diff
- Add a review comment
- Add a review [comment on a source code line](#)
- Move to the commented code in the source view
- Add a changelist to an existing review
- Move a review through its workflow
- Complete a review

Hint: There's more — too many options to document exhaustively here. Click around and try it out 😊

Sections on this page:


- [Prerequisites](#)
- [Summary of What You Can Do](#)
- [Watching the Crucible Status Icon and Popup](#)
- [Accessing the Crucible Reviews Tab in IDEA](#)
- [Using the Crucible Reviews Tab](#)
- [Viewing Review Details](#)
- [Working with Review Comments in the Output Tool Window](#)
- [Working with Review Comments in the IDEA Editor](#)
- [Creating a Review](#)

Watching the Crucible Status Icon and Popup

After you have defined at least one Crucible server in the [connector configuration panel](#), the Crucible status icon  is displayed in the status bar. The icon has the following states:

- Grey when there are no reviews awaiting your attention.
- Grey with a green tick  when there is at least one pending review which you have not yet accessed in the Crucible tab.

Screenshot: Crucible status icon in the IDEA status bar



Click the Crucible icon to open the Crucible reviews tab. The icon state will be reset to grey.

In addition to the icon, a popup window notifies you of status changes and comments added to the reviews which affect you.

Screenshot: Crucible review notification




Accessing the Crucible Reviews Tab in IDEA

To open the connector's Crucible reviews tab, you can do one of the following:

- Click the Crucible status icon  in the IDEA status bar.
- Or click the Atlassian Connector control button at the bottom of the IDEA screen:




Then select the Crucible reviews tab in the connector window toolbar:



Using the Crucible Reviews Tab

The Crucible reviews tab shows the reviews matching your selected filters, such as 'To Review', 'Out For Review', etc. You can further group the reviews by server, state, author or project.

Screenshot: Crucible tab in the connector window



Filtering and Grouping the Issues Displayed

The left-hand pane shows all the reviews in which you are a participant, filtered via the standard Crucible filters (such as 'To Review', 'Out For Review', etc).

- You can select one or more standard Crucible filters in the left-hand pane. The matching reviews are shown in the right-hand pane. Press Ctrl to select more than one filter.
- To define your own custom filter, select 'Custom Filter' at the bottom of the left-hand pane then click the 'Edit' button.
- Choose the grouping of reviews from the 'Group By' dropdown list at the top of the window.
- Then expand and collapse the groups to suit your needs.

Using the Toolbar

The tool bar in the Crucible reviews tab provides the following functionality:

<p>Group By <input type="text" value="State"/></p>	<p>Divide the list of Crucible reviews into groups. You can choose:</p> <ul style="list-style-type: none"> • None — Display a flat list of reviews, in no particular order. • State — Display the reviews per review status. For example, this would group all draft reviews under one heading and all open ('Review' status) reviews under another heading. • Author — Group the reviews according to the person who initiated the review i.e. the author. • Project — Display the reviews per project. • Server — Display the reviews per server, if you have defined more than one Crucible server.
<p></p>	<p>Open the connector configuration panel, either the project settings or the IDE settings. See Configuring your Crucible Options in IDEA.</p>

	Refresh the list of reviews by polling your Crucible servers.
	Open all the review groups in the Crucible tab, so that you can see the review line items as well as the group headings.
	Close all the review groups in the Crucible tab, so that you can see only the group headings.
	Open the selected review in an IDEA output tool window. See below .
	Open the selected review in your browser, using the Crucible user interface.
	Create a new Crucible review. See below .
	Get help on the usage of the Crucible tab (i.e. open this documentation page in your browser).

	The search box gives you quick access to a review. Just start typing the review number into the search box at top right of the Crucible reviews tab. The connector will display matching reviews as you type.
---	---

Using the Context Menu for a Review

You can perform the following functions for each line in the list of reviews:

- Double-click a line to open the selected build in an IDEA output tool window. See [below](#).
- Right-click a line to show a popup context menu (pictured in the screenshot above) with actions that you can perform for the selected review:
 - Open Review — Open the selected Crucible review in an IDEA window. See [below](#).
 - View Review in Browser — Open the selected review in your web browser, using the Crucible user interface.
 - Workflow actions, such as Summarize and Close Review and Abandon Review — Move the review through the Crucible workflow statuses. The actions shown here will differ, depending on the current state of the selected review.
 - Set Reviewers — Ask people to participate in the review.


Viewing Review Details

From the Crucible reviews tab, described [above](#), you can open a Crucible review in an IDEA output tool window. For example, you can do one of the following:

- Select the review and then click the 'Open Review' icon , or
- Right-click the review line and then select 'Open Review' from the popup context menu.

The review will open in an IDEA output tool window.

Screenshot: Crucible review window, showing the review details



✓ A green tick next to a reviewer's name means that the reviewer has completed their part of the review.

The tool bar provides the following functionality:

	Open the selected review in your browser, using the Crucible user interface.
	Fetch the latest review details from your Crucible server.
	A popup window will appear, allowing you to enter a comment summarising the review and then close the review.
	A popup window will appear, showing the review summary information and allowing you to confirm that you want to abandon the review.
	Choose the people you want to participate in the review.
	Close the review window in IDEA.

Working with Review Comments in the Output Tool Window


In this section, we discuss the review comments as displayed in an IDEA output tool window. In a later section, you will see how to view and add [comments in the IDEA editor](#).

From the Crucible reviews tab, described [above](#), you can open a Crucible review in an IDEA output tool window:

- Select the review and then click the 'Open Review' icon , or right-click the review line and then select 'Open Review' from the popup context menu.
- Click the 'Comments' tab.

The review comments will open in an IDEA output tool window.

Screenshot: Crucible review window, showing the review comments



The above screenshot shows:

- A general comment at the top of the review tree.
- A popup context menu that appears when you right-click a file name, allowing you to add a general comment or a revision comment on the selected file.

From the Comments tab, you can do the following:

	View your local version of the source code that is under review, by opening it in the IDEA editor.
	Retrieve the version of the source code that is under review, by getting it from the source repository and then opening it in the IDEA editor.
	Compare the version of the file under review with the previous version in the repository, to see the changes that are under review.
	Add a new review comment.
	Edit an existing review comment.
	Delete an existing review comment.

Hint: There's more — too many options to document exhaustively here. Click around and try it out 😊

Working with Review Comments in the IDEA Editor

Screenshot: Viewing a comment on a line of source code

atlassian-fisheye-dependencies - [C:\Sarah\Source\FE] - ... \src\content\static\

File Edit Search View Go To Code Analyze Refactor Build Run Tools Version Control Window Help

atlassian-fisheye-dependencies monolithic ajax.js

ajax.js (27883)

Outdated version. Modified by sruiz on 9/02/2009 13:34:05: CRUC-1031: Create ajax action to mark all comments as read [Show Diff](#)

```

button.onclick = function() {hideSuggestionBox()};

$("#suggestionCount").value = resp.suggest

    return true;
};

startSpin("suggestionButton", false, "span", "");
button.disabled = true;
ajaxDo(url, null, done);
}

function hideSuggestionBox() {
    $("#suggestionBox").style.display = "none";
    $("#suggestionButton").onclick = function() {suggestReviewers()};
    $("#suggestionButton").value = "Suggest Reviewers";
}

```

Unresolved Function Or Method \$ more...(Ctrl+F1)
 Unresolved Variable msgHtml more...(Ctrl+F1)
 Unresolved Variable suggestionCount more...(Ctrl+F1)
 Sarah Maddox: Just a test. Adding a source line comment here. Po

Reviews - Crucible TEST-12

TEST-12 Just a test review

Details Comments

TEST-12 Just a test review 2 comments

- General Comments (1)
 - (General Comment) Adding a general comment here. Poof was here. Sarah Maddox, 12/02
- Reviewed Files
 - trunk/src
 - content
 - static/script/doreview/monolithic
 - ajax.js (rev: 27726-27883) 1 comment
 - (21 - 23) Just a test. Adding a source line comment here. Poof was here. Sarah Maddox, 12/02
 - WEB-INF
 - classes
 - xwork-crucible.xml (rev: 27862-27883)
 - tags/review
 - stateActions.tag (rev: 27860-27883)

2: Changes 6: TODO Reviews - Crucible Atlassian

21:1 Insert Default 3

Creating a Review

Screenshot: Creating a post-commit review

Create Review

Title:

Server: Reviewers: Amelia Asonitis
 Anatoli Kazatchkov
 Andreas Knecht
 Andrew Lui
 Andrew Lynch
 Andrew Myers

Project:

Repository:

Moderator:

Author:

Allow anyone to join

Statement of Objectives:

Today

- CRUC-1031: Create ajax action [more...](#) **sruiz**, 9/02/09 13:34
- FE-1139 - starting the db in [more...](#) **abuttfield**, 9/02/09 13:08
- CRUC-1028: Woops, commented [more...](#) **sruiz**, 9/02/09 12:00
- CRUC-1028: Add button 'Mark [more...](#) **sruiz**, 9/02/09 11:58
- CR-FE-1142: change from review **mquail**, 9/02/09 11:46
- CRUC-1074: Fix test compilation **sruiz**, 9/02/09 11:36
- CRUC-1074: Review header [more...](#) **sruiz**, 9/02/09 11:03
- NONE: fix up a failing test for [more...](#) **jsxie**, 9/02/09 10:43

Last Week

- FE-940: activity stream on [more...](#) **jsxie**, 6/02/09 18:50
- FE-1098 - cleaning up [more...](#) **abuttfield**, 6/02/09 17:15
- CRUC-1074: Remove a bunch of [more...](#) **sruiz**, 6/02/09 15:59
- NONE: revert disabling of batch [more...](#) **sruiz**, 6/02/09 15:37
- CRUC-1074: Fix comment count [more...](#) **sruiz**, 6/02/09 15:34
- CRUC-1074: Fix comment reply [more...](#) **sruiz**, 6/02/09 15:12
- FE-1101: minor change **alyons**, 6/02/09 14:40

Save review as Draft

Changed Files

- atlassian-fisheye-dependencies (6 files)
 - C:\Sarah\Source\FE\src (6 files)
 - content (3 files)
 - static\script\doreview\monolith
 - ajax.js**
 - WEB-INF (2 files)
 - classes (1 file)
 - xwork-crucible.xml
 - tags\review (1 file)
 - stateActions.tag
 - java\com\cenqua\crucible (3 files)
 - actions\comment (2 files)
 - CommentReadStatusAjax.jsp
 - MarkAllCommentsReadAjax.jsp
 - model\managers (1 file)
 - CommentManager.java

RELATED TOPICS

- [Installation and Upgrade Guide for the IntelliJ Connector](#)

- [Configuring the IntelliJ Connector](#)
- [Using Bamboo in the IntelliJ Connector](#)
- [Using Crucible in the IntelliJ Connector](#)
- [Using FishEye in the IntelliJ Connector](#)
- [Using JIRA in the IntelliJ Connector](#)
- [IntelliJ Connector FAQ](#)

Refer to the [Crucible documentation](#) for more information about Crucible reviews.

Using FishEye in the IntelliJ Connector

This page last changed on Feb 11, 2009 by [smaddox](#).

Using the Atlassian IntelliJ Connector, you can move quickly between your IDE and your [FishEye](#) view of your source repository.

Before reading the information below, please make sure that you have installed the Atlassian IntelliJ Connector, as described in the [Installation Guide](#).

- [Configuring your FishEye Options in IDEA](#)
- [Working with your FishEye Repository View in IDEA](#)

RELATED TOPICS

[Installation and Upgrade Guide for the IntelliJ Connector](#)

Configuring your FishEye Options in IDEA

This page last changed on Feb 12, 2009 by [smaddox](#).

Before reading the information below, please make sure that you have installed the Atlassian IntelliJ Connector, as described in the [Installation Guide](#).

The Atlassian IntelliJ Connector stores configuration settings at two levels in IntelliJ IDEA:

- Server connections are stored as project settings in IntelliJ IDEA. Project settings allow you to share the same server connections with other members of your project team. Additionally, if you work on more than one project, this allows you to configure different servers for each project. Project-level settings can be stored in your source control repository, so that the connector will load the settings at the same time as loading the project into IDEA.
- Other options are stored as IDE settings in IntelliJ IDEA. IDE settings allow each developer to configure their own workspace-specific settings, such as polling intervals and the behaviour of notification popups.

On this page:

- [Configuring FishEye and Crucible Connections on Same Server](#)
- [Configuring a Separate FishEye Server Connection](#)

Configuring FishEye and Crucible Connections on Same Server

If you have FishEye and Crucible running on the same server, then you can use your Crucible server configuration for the connector's FishEye functionality too:

1. Simply put a tick in the checkbox labelled 'Crucible Server Contains FishEye Instance' on the Crucible server configuration screen.
2. Then set up your FishEye defaults, as described [below](#).

Crucible server configuration is described in full in [Configuring your Crucible Options in IDEA](#).

 You can add more than one Crucible and/or FishEye server.

Configuring a Separate FishEye Server Connection

To configure a FishEye server connection independently of Crucible:

1. Go to the 'Project Settings' for the 'Atlassian Connector', by doing one of the following:
 - Open the IDEA 'Settings' dialogue, then go to the 'Project Settings' section and click the 'Atlassian Connector' icon.
 - Or you can click the configuration icon  on your connector window.
2. Go to the 'Servers' tab.
3. Click the plus icon  on the configuration panel.
4. A list of server types will appear. Select 'Add FishEye Server'.
5. A form will appear. Enter the information as follows:
 - 'Server Enabled' — Leave this checkbox ticked (default). If necessary, you can remove the tick to disable particular servers without deleting them. This is useful if your servers are behind a firewall and you don't have access to them.
 - 'Server Name' — A description of your FishEye server.
 - 'Server URL' — The address of your FishEye server.
 - 'Username' and 'Password' — The login name and password you use to access the FishEye server.
 - Remember Password — Put a tick in the checkbox if you want to save your password on disk. Leave the checkbox unticked if you want to be asked for a password every time you start your IDE.
-  If you choose to remember the password, it is stored in a Base64 encoding, so it is not really secure.
6. Click the 'Test Connection' button to check that the connection to the server works.
7. Click 'Apply' to save your changes and continue with server configuration.
8. Click the 'Defaults' tab and set up your FishEye defaults.  It is important to configure your FishEye defaults correctly. These values will be used to construct the path when you attempt to open a

source file from IDEA in FishEye's web interface. See [Working with your FishEye Repository View in IDEA](#). Set the default values as follows:

- Server — Select one of your FishEye connections.
- Repository — Select the repository where your source files reside. These are the source files you will be working on most often in IDEA.
- Path to Project — Enter the path to the root of the project in your repository. For example, the path may be one of the following:
 - blank, if your project is at the root of the repository.
 - trunk/
 - trunk/myproject

Example of Default Repository and Path

Let's assume:

- Your FishEye instance is located at:


http://example.com/fisheye

- You have a repository called `my_project`.
- You are working under the `trunk` directory under this project.


Your settings will be:

Default Repository	<code>my_project</code>
Path to Project	<code>trunk/</code>

Screenshot: Configuring FishEye as part of your Crucible server



Screenshot: Configuring your FishEye server defaults



RELATED TOPICS

[Working with your FishEye Repository View in IDEA](#)
[Installation and Upgrade Guide for the IntelliJ Connector](#)

Working with your FishEye Repository View in IDEA

This page last changed on Feb 11, 2009 by [smaddox](#).

Using the Atlassian IntelliJ Connector, you can move quickly between your IDE and your [FishEye](#) view of your source repository.

Prerequisites

Please make sure that you have installed the Atlassian IntelliJ Connector, as described in the [Installation Guide](#), and defined at least one FishEye or Crucible+FishEye server, as described in the [Configuration Guide](#).

i Make sure that you have configured the default FishEye server, repository and path. The options described below will not work if your defaults are not set up correctly.


Summary of What You Can Do

The Atlassian IntelliJ Connector adds options to the [IntelliJ IDEA](#) menus, so that you can:

- [Open a file in IDEA](#) by supplying its FishEye URL.
- Open a source file [in FishEye's web interface](#), with just one click from IDEA.
- Use the [copy to clipboard option](#) to share references to your file with others.

Opening a File in IDEA from FishEye

Screenshot: Supplying a FishEye URL to open a file in IDEA



In IDEA, click the FishEye icon  on the toolbar or select 'Open FishEye URL' from the 'Go To' menu. Then supply a FishEye URL for your file, as shown in the screenshot above. The file will open in the IDEA editor.

Opening a File in FishEye from IDEA

Screenshot: [Moving from IDEA to FishEye](#)

Right-click on your source code in the IDEA editor. The screenshot above shows how you can:

- Open a source file in FishEye's web interface.
- Send other people a link to the FishEye view of your file, using the 'Copy FishEye Link to Clipboard' option.

RELATED TOPICS

- [Installation and Upgrade Guide for the IntelliJ Connector](#)
- [Configuring the IntelliJ Connector](#)
- [Using Bamboo in the IntelliJ Connector](#)
- [Using Crucible in the IntelliJ Connector](#)
- [Using FishEye in the IntelliJ Connector](#)
- [Using JIRA in the IntelliJ Connector](#)
- [IntelliJ Connector FAQ](#)

Using JIRA in the IntelliJ Connector

This page last changed on Jan 20, 2009 by [smaddox](#).

The Atlassian IntelliJ Connector allows you to monitor, add and update [JIRA](#) issues while remaining in your integrated development environment.

Before reading the information below, please make sure that you have installed the Atlassian IntelliJ Connector, as described in the [Installation Guide](#).

- [Configuring your JIRA Options in IDEA](#)
- [Working with JIRA Issues in IDEA](#)

RELATED TOPICS

[Installation and Upgrade Guide for the IntelliJ Connector](#)

Configuring your JIRA Options in IDEA

This page last changed on Feb 05, 2009 by [smaddox](#).

Before reading the information below, please make sure that you have installed the Atlassian IntelliJ Connector, as described in the [Installation Guide](#).

The Atlassian IntelliJ Connector stores configuration settings at two levels in IntelliJ IDEA:

- Server connections are stored as project settings in IntelliJ IDEA. Project settings allow you to share the same server connections with other members of your project team. Additionally, if you work on more than one project, this allows you to configure different servers for each project. Project-level settings can be stored in your source control repository, so that the connector will load the settings at the same time as loading the project into IDEA.
- Other options are stored as IDE settings in IntelliJ IDEA. IDE settings allow each developer to configure their own workspace-specific settings, such as polling intervals and the behaviour of notification popups.

On this page:

- [Configuring your JIRA Server Connections](#)
- [Configuring your JIRA Options](#)

Configuring your JIRA Server Connections

To configure your JIRA server connection(s):

1. Go to the 'Project Settings' for the 'Atlassian Connector', by doing one of the following:
 - Open the IDEA 'Settings' dialogue, then go to the 'Project Settings' section and click the 'Atlassian Connector' icon.
 - Or you can click the configuration icon  on your connector window.
2. Go to the 'Servers' tab.

To add a JIRA server:

1. Click the plus icon  on the configuration panel.
2. A list of server types will appear. Select 'Add JIRA Server'.
3. A form will appear. Enter the information as follows:
 - 'Server Enabled' — Leave this checkbox ticked (default). If necessary, you can remove the tick to disable particular servers without deleting them. This is useful if your servers are behind a firewall and you don't have access to them.
 - 'Server Name' — A description of your JIRA server.
 - 'Server URL' — The address of your JIRA server.
 - 'Username' and 'Password' — The login name and password you use to access the JIRA server.
 - Remember Password — Put a tick in the checkbox if you want to save your password on disk. Leave the checkbox unticked if you want to be asked for a password every time you start your IDE.
-  If you choose to remember the password, it is stored in a Base64 encoding, so it is not really secure.
4. Click the 'Test Connection' button to check that the connection to the server works.
5. Click 'Apply' to save your changes and continue with server configuration, or 'OK' to save your changes and close the configuration tab.
6. Click the 'Defaults' tab to set your default server (if you have defined more than one JIRA server) and default project.
7. Now you can configure the JIRA options, as described [below](#).


 You can add more than one JIRA server.

Configuring your JIRA Options


1. Open the IDEA 'Settings' dialogue, then go to the 'IDE Settings' section and click the 'Atlassian Connector' icon.

2. Define the maximum number of issues that the connector will show on each screen. At display time, if there are more issues than specified here, the connector will display a 'Get More Issues...' link allowing you to retrieve the next batch of issues from the server.

Screenshot: Configuring JIRA server connections



Screenshot: Configuring JIRA IDE options



RELATED TOPICS

[Working with JIRA Issues in IDEA](#)

[Installation and Upgrade Guide for the IntelliJ Connector](#)

Working with JIRA Issues in IDEA

This page last changed on Feb 17, 2009 by [smaddox](#).

The Atlassian IntelliJ Connector allows you to monitor, add and update [JIRA](#) issues from within [IntelliJ IDEA](#).

Prerequisites

Please make sure that you have installed the Atlassian IntelliJ Connector, as described in the [Installation Guide](#), and defined at least one JIRA server, as described in the [Configuration Guide](#).

Summary of What You Can Do

Below are the highlights of the functionality supplied by the IntelliJ Connector for managing JIRA issues within IDEA, with links to the relevant section on this page. Please read the rest of the page for a full reference guide.

- View a [filtered list of issues](#)
- [Create](#) a new JIRA issue
- [Comment](#) on a JIRA issue and [viewing comments](#)
- Create a [changelist](#) from a JIRA issue
- [Log work](#) on a JIRA issue
- [View a JIRA issue](#) in an IDEA output tool window
- View [stack traces](#) from a JIRA issue and click through to the relevant source file
- [Assign](#) an issue to yourself or another user
- Perform [workflow actions](#) on a selected issue

Sections on this page:

- [Prerequisites](#)
- [Summary of What You Can Do](#)
- [Accessing the JIRA Issues Tab in IDEA](#)
- [Using the JIRA Issues Tab](#)
- [Viewing and Updating Issues](#)


Accessing the JIRA Issues Tab in IDEA

To open the connector's JIRA Issues tab in IDEA:

1. Click the Atlassian Connector control button at the bottom of the IDEA screen:



2. The connector window will open. Select the JIRA Issues tab at the top of the connector window:




Using the JIRA Issues Tab

The JIRA issues tab shows a list of issues on the selected JIRA server(s). The issues are on the right, the servers and filters are on the left. You can add and remove JIRA servers, as described in the [Configuration Guide](#).

To build the list of issues, you will use a filter. Currently-defined filters are shown on the left of the JIRA issues tab, under the relevant server name. Available filters are:

- A custom filter defined locally in the connector window.
- One or more filters defined on the JIRA server.

[Screenshot: JIRA tab in the connector window](#)



In the sections below, we tell you what you can do with the following parts of the JIRA issues tab:

- The tool bar above the list of servers
- The tool bar above the list of issues
- The popup context menu for each issue in the list

Using the Toolbar above the Servers

The tool bar above the list of servers provides the following functionality:

	Open the connector configuration panel, to set up your servers and other options. (See Configuring your JIRA Options in IDEA.)
	Retrieve information from all the configured JIRA servers and re-run the currently defined filters.
	Open all the filter lists, so that you can see the server name and filter names for all servers and filters.
	Close all the filter lists for all servers, so that you can see only the server names.

Using the Toolbar above the Issues

The tool bar above the list of issues provides the following functionality:

	<p>Divide the list of JIRA issues into groups. You can choose:</p> <ul style="list-style-type: none"> • None — Display a flat list of issues, in no particular order. • Project — Display the issues per project, as defined on the JIRA server. • Type — Display the issues per issue type, as defined on the JIRA server. For example, this would group all feature requests under one heading, all bug reports under another heading, etc. • Status — Display the issues per issue status, as defined on the JIRA server. For example, this would group all closed issues under one heading, all open issues under another heading, etc. • Priority — Display the issues per priority. For example, this would group all blocker issues under one heading, all major issues under another heading, etc. • Last Updated — Group the issues depending on the date of last modification. The connector groups the issues into logical time periods: today, yesterday, 2 days ago, last week, etc.
---	---

	<p>Collapse sub-issues under their parents. This option is useful if you have defined sub-tasks in JIRA.</p>
	<p>Open all the issue groups, so that you can see the list of issues under every heading.</p>
	<p>Close all the issue lists for all groups, so that you can see only the group headings.</p>
	<p>Open the selected issue in an IDEA output tool window. See below.</p>
	<p>Open the selected issue in your browser, using the JIRA user interface.</p>
	<p>Add an issue to the active JIRA server, i.e. the server for which you have currently selected a filter in the left-hand panel.</p>
	<p>Quick search for an issue. Enter:</p> <ul style="list-style-type: none"> • An issue key — Opens the issue in an IDEA output tool window. • Some text — Launches a JIRA search in your web browser.
	<p>Refresh the contents of the currently-displayed issues list by re-running the selected filter.</p>
	<p>Get help on the usage of the JIRA tab (i.e. open this documentation page in your browser).</p>



The search box gives you quick access to an issue. Just type the issue key into the search box at top right of the Issues tab. The connector will display matching issues as you type.

Using the Context Menu for an Issue

You can perform the following functions for each issue in the list:

- Hover over a line to see a preview of the issue information.
- Double-click a line to open the selected issue in an IDEA output tool window. See [below](#).
- Right-click a line to show a popup context menu (pictured in the screenshot [above](#)) with actions that can be performed for the selected issue:
 - Open Issue — Open the selected issue in an IDEA output tool window. See [below](#).
 - View in Browser — Open the selected issue in a new browser window, using the JIRA user interface.
 - Edit in Browser — Open the selected issue for editing in a new browser window.
 - Add Comment — Add a comment to the issue.
 - Log Work — Record the time worked against the issue.
 - Create ChangeList — Add a changelist relating to the issue. A changelist is a set of changes in one or more source code files, making up a logical set of changes.
 - Assign to Me — When you select this option, the issue is immediately assigned to your username on the JIRA server. The connector will send JIRA the username which you used to authenticate to the JIRA server (as described in [Configuring the IntelliJ Connector](#)).
 - Assign to User — When you select this option, the connector prompts you for a username. Enter the JIRA username of the person to whom you wish to assign this issue. Note that the username is only validated when the request reaches the JIRA server. If the username is unrecognised, you will receive a remote validation exception message at the bottom of the connector panel. Please try again.
 - Assign to Me and Start Working — Select this option to assign the issue to yourself immediately, and to set the issue status to 'In Progress'.
 - Copy to Clipboard — This option offers a quick way to copy specific information about the issue to your clipboard, so that you can then paste it into another application. Hover your cursor over this option and then choose to copy one of the following:
 - The issue key
 - The issue URL on your JIRA server
 - The issue summary
 - The issue key and summary
 - Perform Available Workflow Actions — Hover over this option to see a list of available actions. Simple actions will be completed when you click the menu option. If the action needs more information, it will open in a browser window.

 If your update does not appear in the issue preview, click the refresh icon .

Viewing and Updating Issues


From the JIRA issues tab, described above, you can open a JIRA issue in an IDEA output tool window. For example, you can do one of the following:

- Select the issue and then click the 'Open Issue' icon , or
- Right-click the issue and then select 'Open Issue' from the popup context menu.

The issue will open in an IDEA output tool window. The window will have two or more tabs, displaying information related to the issue.

Viewing Issue Details

[Screenshot: JIRA issue window, showing the issue details](#)




The tool bar provides the following functionality:

	Open the selected issue in your browser, using the JIRA user interface.
	Open the selected issue for editing in a new browser window.
	Record the time worked against the issue.
	Add a changelist relating to the issue. A changelist is a set of changes in one or more source code files, making up a logical set of changes.
	Refresh the contents of the currently-displayed issue by fetching the latest data from the JIRA server.
	Close the issue window in IDEA.

Viewing and Adding Comments

Screenshot: JIRA issue window, showing the issue comments




To add a new comment, click the 'Add Comment' icon 

Viewing Stack Traces

If the JIRA issue contains a stack trace in the issue description or in a comment, you will be able to click the relevant link(s) in the stack trace to open the corresponding source file in IDEA.

Screenshot: JIRA issue window, showing a hyperlinked stack trace in a description



RELATED TOPICS

- [Installation and Upgrade Guide for the IntelliJ Connector](#)
- [Configuring the IntelliJ Connector](#)
- [Using Bamboo in the IntelliJ Connector](#)
- [Using Crucible in the IntelliJ Connector](#)
- [Using FishEye in the IntelliJ Connector](#)
- [Using JIRA in the IntelliJ Connector](#)
- [IntelliJ Connector FAQ](#)

IntelliJ Connector FAQ

This page last changed on Feb 03, 2009 by [smaddox](#).

Atlassian IntelliJ Connector FAQ

Known issues, hints and tips and answers to commonly raised questions about the Atlassian IntelliJ connector:

[Configuration FAQ for the IntelliJ Connector](#)

[Usage FAQ for the IntelliJ Connector](#)

- [Keyboard Shortcuts in the IntelliJ Connector](#)

[Troubleshooting the IntelliJ Connector](#)

- [Finding Known Issues for the IntelliJ Connector](#)
- [Creating a review from IDE gives HTTP 500 error](#)
- [Troubleshooting java.lang.NoSuchMethodError Exceptions](#)
- [Troubleshooting Server Connection in the IntelliJ Connector](#)

Configuration FAQ for the IntelliJ Connector

This page last changed on Jan 18, 2009 by [smaddox](#).

Here is a list of all entries in the configuration FAQ, plus the first few lines of content. Click a link to see the full text for each entry.

Usage FAQ for the IntelliJ Connector

This page last changed on Jan 18, 2009 by [smaddox](#).

Here is a list of all entries in the usage FAQ, plus the first few lines of content. Click a link to see the full text for each entry.

- [Keyboard Shortcuts in the IntelliJ Connector](#) — This page gives you some handy key combinations that you can press, to perform often-used functions.

Keyboard Shortcuts in the IntelliJ Connector

This page last changed on Feb 12, 2009 by [pmaruszak](#).

This page gives you some handy key combinations that you can press, to perform often-used functions.

Mac OS X

Tab and Main Window Actions

Key Combination	Function
Shift-Command-B	Show/hide Bamboo tab in main connector window
Shift-Command-Y	Show/hide Crucible tab in main connector window
Shift-Command-K	Show/hide JIRA tab in main connector window
Shift-Command-P	Show/hide main connector window

Configuration Actions

Key Combination	Function
Shift-Command-H	Show plugin general configuration
Shift-Command-G	Show plugin project configuration

Bamboo Actions

Key Combination	Function
Command-R	Run Bamboo build
Command-B	Open build details
F4	Changed files: Jump to source
Command-D	Changed Files: Show Diff with local

Crucible Actions

Key Combination	Function
Command-O	Comments, file: Open revision for review
Command-D	Comments, file: Open diff view for review
F4	Comments, file: Jump to source
Alt-C	Editor, file: Add line comment to Crucible

JIRA Actions

Key Combination	Function
Shift-Alt-N	Create a JIRA issue
Shift-Alt-S	Issues tab: Quick search for JIRA issue

Linux and Microsoft Windows

Tab and Main Window Actions

Key Combination	Function
Shift-Control-B	Show/hide Bamboo tab in main connector window
Shift-Control-Y	Show/hide Crucible tab in main connector window
Shift-Control-K	Show/hide JIRA tab in main connector window
Shift-Control-P	Show/hide main connector window

Configuration Actions

Key Combination	Function
Shift-Control-H	Show plugin general configuration
Shift-Control-G	Show plugin project configuration

Bamboo Actions

Key Combination	Function
Control-R	Run Bamboo build
Control-B	Open build details
F4	Changed files: Jump to source
Control-D	Changed Files: Show Diff with local

Crucible Actions

Key Combination	Function
Control-O	Comments, file: Open revision for review
Control-D	Comments, file: Open diff view for review
F4	Comments, file: Jump to source

Alt-C	Editor, file: Add line comment to Crucible
-------	--

JIRA Actions

Key Combination	Function
Shift-Alt-N	Create a JIRA issue
Shift-Alt-S	Issues tab: Quick search for JIRA issue

RELATED TOPICS

[Atlassian IntelliJ Connector](#)

Troubleshooting the IntelliJ Connector

This page last changed on Jan 18, 2009 by [smaddox](#).

Here is a list of all entries in the troubleshooting section, plus the first few lines of content. Click a link to see the full text for each entry.

- [Finding Known Issues for the IntelliJ Connector](#) — We track the feature requests and bug reports in the [IntelliJ Connector project on our JIRA site](#).
- [Creating a review from IDE gives HTTP 500 error](#) — Add your Crucible server to the connector's configuration, as described in [Configuring the IntelliJ Connector](#).
- [Troubleshooting java.lang.NoSuchMethodError Exceptions](#) — If you encounter this problem, the workaround is to delete the `atlassian-idea-plugin` directory from your IDEA plugins directory and install the fresh copy of the connector, as described in the [documentation](#). The location of the plugins directory depends on the operating system that you use:
- [Troubleshooting Server Connection in the IntelliJ Connector](#) — This page describes some common errors you may encounter when setting up your server connections for the Atlassian IntelliJ Connector.

Finding Known Issues for the IntelliJ Connector

This page last changed on Jan 20, 2009 by [smaddox](#).

We track the feature requests and bug reports in the [IntelliJ Connector project on our JIRA site](#). To find a known issue:

1. Browse the list of [unresolved bugs and requests](#).
2. Click the 'Edit' button on the left.
3. Under 'Text Search', type keywords for your problem into the 'Query' field.
4. Click 'View' and browse the summaries of the unresolved issues.
5. Click an issue key to view the details of the issue and any fixes or workarounds.

Creating a review from IDE gives HTTP 500 error

This page last changed on Jan 18, 2009 by [smaddox](#).

Symptom

When you attempt to create a Crucible review from within IntelliJ IDEA, you receive an HTTP 500 error.

See bug [PL-635](#).

Possible Cause

The project open in IntelliJ IDEA is not connected with the Crucible server configured in the Atlassian IntelliJ connector. So when you try to create a review, Crucible cannot find the relevant changeset or files. Crucible throws a 'not handled' exception which causes the HTTP 500 error.

Solution

Add your Crucible server to the connector's configuration, as described in [Configuring the IntelliJ Connector](#).

Troubleshooting java.lang.NoSuchMethodError Exceptions

This page last changed on Jan 18, 2009 by [smaddox](#).

Symptom

On rare occasions, updating the connector using its built-in auto-update mechanism can result in corruption of the connector's binaries. The problem manifests itself in `java.lang.NoSuchMethodError` exceptions being thrown - for example, see bug [PL-889](#).

Cause

The problem is caused by the fact that sometimes the update process fails to update the `atlassian-connector-commons` jar file, and the old one, which does not contain required code, is used by IDEA.

The root cause of this problem is still under investigation and has not yet been precisely identified. It is suspected that it is caused by the upgrade code failing to delete the old jar file before installing the new one, due to improper file locking.

Workaround

If you encounter this problem, the workaround is to delete the `atlassian-idea-plugin` directory from your IDEA plugins directory and install the fresh copy of the connector, as [described in the documentation](#). The location of the plugins directory depends on the operating system that you use:

- Windows: `%USERPROFILE%\IntelliJIdea70\config\plugins`
- OS X: `$HOME/Library/Application Support/IntelliJIDEA70`
- Linux/Unix: `$HOME/.IntelliJIdea70/config/plugins`

Deleting the connector binary files and installing the new one does not affect your personal settings.

Troubleshooting Server Connection in the IntelliJ Connector

This page last changed on Jan 18, 2009 by [smaddox](#).

This page describes some common errors you may encounter when setting up your server connections for the Atlassian IntelliJ Connector.

Symptom when Connecting to Crucible

HTTP 404 error when connecting to Crucible even though the URL seems to be correct.

See bug [PL-242](#).

Cause and Solution

In the connector configuration panel, you provide a URL for your [Crucible server](#). When attempting to access Crucible, the connector appends the string `/rest-service/` to the URL provided in the connector configuration panel. The resulting URL is the REST endpoint of the Crucible instance. Therefore, you should enter just the base URL for your main Fisheye+Crucible website.



Example:

- Let's say that the URL for your main Fisheye+Crucible website is <http://your.host>, and the URL for your Crucible server is <http://your.host/cru>.
- In the connector configuration panel, you should enter the following as the connection URL:

```
http://your.host
```

- The resulting REST endpoint that the connector tries to reach will be <http://your.host/rest-service>.



The situation can become even more complicated when the Crucible server is fronted by Apache acting as a proxy. Mappings for Crucible URLs can be configured in an unpredictable way, resulting in weird '404' errors.

Symptom when Connecting to JIRA

HTTP 400 when connecting to JIRA, even though the URL seems to be correct.

See bug [PL-643](#).

Cause and Solution

In the connector configuration panel, you provide a URL for your [JIRA server](#). When attempting to access JIRA, the connector uses SOAP and appends the string `/rpc/soap/jirasoapervice-v2` to the URL provided in the configuration panel. In order for such an URL to work, the JIRA server has to have its SOAP RPC enabled and configured to use this URL.

The simplest way to test if you have your JIRA SOAP endpoint configured correctly is to point your browser at it, with the appended string added at the end. The resulting page should read something along the lines of:

```
Hi there, this is an AXIS service!  
Perhaps there will be a form for invoking the service here...
```



Example:

- Let's say the URL for JIRA that you provided in the configuration panel is <http://your.jira/>
- the resulting URL that the connector will use to connect to JIRA is <http://your.jira/rpc/soap/jirasoapervice-v2>

Steps required for configuring JIRA SOAP service are described in the [JIRA documentation](#).

Atlassian IDE Connector Release Notes

This page last changed on Sep 18, 2008 by [smaddox](#).

The Atlassian IDE Connector is an add-on for your integrated development environment (IDE). It allows you to work with the Atlassian products within your IDE. Now you don't have to switch between websites, email messages and new feeds to see what's happening to your project and your code. Instead, you can see the relevant [JIRA](#) issues, [Crucible](#) reviews and [Bamboo](#) build information right there in your development environment.

Atlassian IntelliJ Connector

 Current released version: Atlassian IntelliJ Connector 2.0.1 has now been released — see the [Atlassian IntelliJ Connector 2.0.1 Release Notes](#).

- [Atlassian IntelliJ Connector 2.0.1 Release Notes](#)
- [Atlassian IntelliJ Connector 2.0 Release Notes](#)
- [Atlassian IntelliJ Connector 2.0 Beta 12 Release Notes](#)
- [Atlassian IntelliJ Connector 2.0 Beta 11 Release Notes](#)
- [Atlassian IntelliJ Connector 2.0 Beta 10 Release Notes](#)
- [Atlassian IntelliJ Connector 2.0 Beta 9 Release Notes](#)
- [Atlassian IntelliJ Connector 2.0 Beta 8 Release Notes](#)
- [Atlassian IntelliJ Connector 2.0 Beta 7 Release Notes](#)
- [Atlassian IntelliJ Connector 2.0 Beta 6 Release Notes](#)
- [Atlassian IntelliJ Connector 2.0 Beta 5 Release Notes](#)
- [Atlassian IntelliJ Connector 2.0 Beta 4 Release Notes](#)
- [Atlassian IntelliJ Connector 2.0 Beta 3 Release Notes](#)
- [Atlassian IDE Plugin 2.0 Beta 2 for IDEA - Release Notes](#)
- [Atlassian IDE Plugin 2.0 Beta for IDEA - Release Notes](#)
- [Atlassian IDE Plugin 1.6.1 for IDEA - Release Notes](#)
- [Atlassian IDE Plugin 1.6 for IDEA - Release Notes](#)
- [Atlassian IDE Plugin 1.5 for IDEA - Release Notes](#)
- [Atlassian IDE Plugin 1.4 Release Notes](#)
- [Atlassian IDE Plugin 1.3.1 Release Notes](#)
- [Atlassian IDE Plugin 1.3 Release Notes](#)
- [Atlassian IDE Plugin 1.2.1 Release Notes](#)
- [Atlassian IDE Plugin 1.2 Release Notes](#)
- [Atlassian IDE Plugin 1.1 Release Notes](#)
- [Atlassian IDE Plugin 1.0 Release Notes](#)

Atlassian Eclipse Connector

 Current released version: The Atlassian IDE Plugin for Eclipse version 1.0 beta has now been released — see the [Atlassian Eclipse Connector 1.0 Beta Release Notes](#).

- [Atlassian Eclipse Connector 1.0 Beta Release Notes](#)
- [Atlassian IDE Plugin 0.4 for Eclipse - Release Notes](#)
- [Atlassian IDE Plugin 0.3 for Eclipse - Release Notes](#)
- [Atlassian IDE Plugin 0.2 for Eclipse - Release Notes](#)
- [Atlassian IDE Plugin 0.1 for Eclipse - Release Notes](#)